

Specification Sheet

Part Number: RNGPP1UHD-HHSS

Equivalent of 1U of fiber and 1U of copper in 1U of rack space
Maximum combined capacity of 24 copper ports and 288 fiber using
RapidNet MTP VHD

Typical configuration 24 fiber and 24 copper ports

Label fields for identification of all ports



Article Number	859-30055
Type	RNGPPIUHD-HHSS
Color	Black (BK)
Product Description	The 1U RapidNet Hybrid Panel provides a simple 'Mix and Match' approach for both copper and fiber RapidNet. The panel offers capacity for the equivalent of 1U of fiber and 1U of copper in 1U of rack space, giving a saving of 1U of space each time the panel is used. The panels allow for a combination of 12 port high density copper RapidNet and 12 or 24 core fiber (direct terminated or MTP) or high density copper and RapidNet MTP VHD for up to 288 fibers. There are two configurations available.
Short Description	Hybrid Modular Panel for High Density Copper (2) and Fiber Cassette (2), 1U, Steel, Black, 1/ctn
Global Part Name	RNGPPIUHD-HHSS

Variant	Accessory
Width W (Imperial)	19.0
Width W (Metric)	483.0
Height H (Imperial)	1.7
Height H (Metric)	44.0
Depth D (Imperial)	2.8
Depth D (Metric)	72.0
Material	Steel (ST)
Material Shortcut	ST
UV Resistant (Yes/No)	No
Reach Compliant (Article 33)	No
Package Quantity (Imperial)	1
Package Quantity (Metric)	1

Customs Number

7326908695

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)