

Specification Sheet

Part Number: T50ML0M4



Screw mount style creates low insertion and high extraction force. Choose from several tensile strengths and lengths to accommodate a range of applications.

1-Pc Cable Tie/Screw Mount, 15.4" Long, #10 Screw, 4.0" Max Bundle Dia, 50lb, PA66, Black, 1000/pkg

| | |
|---------------------|--|
| Article Number | 113-00035 |
| Type | T50ML |
| Color | Black (BK) |
| Quantity Per | bag |
| Product Description | 1-piece Screw Mount Cable Ties fasten with a screw or bolt to provide secure routing of cable bundles. Multiple configurations are available to cover a range of bundle sizes and tensile strengths. |
| Short Description | 1-Pc Cable Tie/Screw Mount, 15.4" Long, #10 Screw, 4.0" Max Bundle Dia, 50lb, PA66, Black, 1000/pkg |
| Global Part Name | T50ML-PA66-BK |

| | |
|-------------------------------------|-----------------|
| Minimum Tensile Strength (Imperial) | 50.0 |
| Minimum Tensile Strength (Metric) | 225.0 |
| Length L (Imperial) | 15.4 |
| Length L (Metric) | 390.0 |
| Fixation Method | Fixing hole |
| Identification Plate Position | none |
| Releasable Closure | No |
| Tie Closure | plastic pawl |
| Variant | Inside Serrated |
| Width W (Imperial) | 0.18 |
| Width W (Metric) | 4.7 |
| Bundle Diameter Min (Imperial) | 0.12 |
| Bundle Diameter Min (Metric) | 3.0 |
| Bundle Diameter Max (Imperial) | 3.94 |
| Bundle Diameter Max (Metric) | 100.0 |
| Height H (Imperial) | 0.23 |

| | |
|---------------------------------------|----------------------------------|
| Height H (Metric) | 5.84 |
| Mounting Hole Diameter D (Imperial) | 0.22 |
| Mounting Hole Diameter D (Metric) | 5.5 mm |
| Mounting Hole Diameter D Max (Metric) | 5.5 |
| Material | Polyamide 6.6 (PA66) |
| Material Shortcut | PA66 |
| Flammability | UL 94 V-2 |
| UV Resistant (Yes/No) | No |
| Operating Temperature | -40°F to +185°F (-40°C to +85°C) |
| Reach Compliant (Article 33) | No |
| ROHS Compliant | Yes |
| Certification/Specification | UL 62275 |
| UL Recognized (US) | Yes |
| UL Listed (US and Canada) | Yes |
| UL Recognized (US and Canada) | Yes |

| | |
|-----------------------------|------------|
| UL Listed (US) | Yes |
| Package Quantity (Imperial) | 1000 |
| Package Quantity (Metric) | 1000 |
| Customs Number | 3926909988 |