
HellermannTyton

Specification Sheet

Part Number: TYHC20



Handi-Cards are kitted on the card so that specific markers can be removed without affecting the other markers on the card.

Markers are pre-printed so no additional post printing is required, saving time and money.

Label material is a conformable cloth that ensures markers stay on wires and cables for the life of the application.



Handi-Card Wire and Cable Markers, 0.25" x 1.5", Solid #20, 36 Per Card, TYHC, White, 25/pkg

Article Number 598-00043

Type TYHC20

Color White (WH)

Quantity Per pack

Product Description HellermannTyton Handi-Cards are e

HellermannTyton Handi-Cards are easy release pre-printed cloth markers, on a plastic card, with a strong adhesive for a long lasting bond on wire and cable. The markers are available in Solid format where each marker on the card contains the same legend and Sequence format where each marker on the card contains a different number or letter which is usually printed in sequence from lowest to

highest in sort order.

Short Description	Handi-Card Wire and Cable Markers, 0.25" x 1.5", Solid #20, 36 Per Card, TYHC, White, 25/pkg
Global Part Name	TYHC20-TYHC-WH
Length L (Imperial)	1.5
Length L (Metric)	38.1
Width W (Imperial)	0.25
Width W (Metric)	6.35
Bundle Diameter Min (Imperial)	.13
Bundle Diameter Min (Metric)	3.40
Bundle Diameter Max (Imperial)	.29
Bundle Diameter Max (Metric)	7.50
Height H (Imperial)	1.50
Height H (Metric)	38.10
Outside Diameter Max (Imperial)	.290
Outside Diameter Min (Metric)	3.40

.130

Outside Diameter Min (Imperial)

Outside Diameter	Max ((Metric)
-------------------------	-------	----------

7.50

Material

Vinyl Cloth (TYHC)

Material Shortcut

TYHC

Adhesive

Rubber

UV Resistant (Yes/No)

No

Adhesive Operating Temperature

-40°F to +248°F (-40°C to +120°C)

Operating Temperature

-40°F to +248°F (-40°C to +120°C)

Reach Compliant (Article 33)

No

ROHS Compliant

Yes

Package Quantity (Imperial)

25

Package Quantity (Metric)

25

Customs Number

5903103000

Labels per Column

1

Labels per Row

36

© 2023 HellermannTyton. All Rights Reserved. Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions