

Quick Ship Work Center Solutions

Featuring

- ▶ ergonomics
- ▶ adjustability
- ▶ ESD options

...all shipped within 5 days!





Welcome to Quick Ship, IAC's speedy procurement system.

Products ordered from this catalog are shipped on, or before, the fifth working day (quantities of 10 or fewer) after receiving an order. The Quick Ship collection is based on IAC's most popular products and accessory options.

IAC products are proudly made in Arizona, USA, and are the finest industrial furnishings and productivity equipment available.

To Order please call 714.990.8997

Product Series		Page
	Dimension 4 Workstations	3-5
	Workmaster™ Workbenches	6-7
	Pro Series Adjustable Height Work	8-9
	Instrument Shelving	10
	Multi-Task System MTS-I (3 post) & MTS-II (2 post) Upper Structures for Workbenches	11-14
	Packaging Stations Packaging Accessory Stations	15-19
	Smart Mobile Stations	20-21
General Purpose Options		22
Terms and Conditions		23

* Due to printing limitations, some color swatches represented in this catalog may not accurately match true paint color.

Dimension 4 Modular Workstations

Dimension 4 workstations are fully adjustable, enabling each worker to set up footrests, shelving, worksurface and other components for personal comfort and efficiency.

The Single Sided Starter is the first building block for the single sided system. You will receive two uprights and a worksurface assembly with 180° rolled front edge. ESD worksurfaces and options are available.



Options Shown:

- Light Fixture
- Tool Trolley
- 12" Shelf
- Parts Cup Stringer
- Electrical Channel
- Flat Panel Display Arm
- FPD Keyboard/Mouse Holder
- Swing Arm Pegboard
- 6" Drawer (includes lock)
- 12" Drawer (includes lock)
- CPU Holder
- Footrest Tube
- Foot Pan



Starter Units

	UNIT TYPE	DIMENSIONS	SHIP. WT.	PART NUMBERS	
				STANDARD VERSION	ESD VERSION
UL	Starter, Single Sided	30"D x 60"L x 72"H Workstation	185 lbs.	QS-2000044	QS-2000344
		30"D x 72"L x 72"H Workstation	210 lbs.	QS-2000074	QS-2000374

Add-On Units

	UNIT TYPE	DIMENSIONS	SHIP. WT.	PART NUMBERS	
				STANDARD VERSION	ESD VERSION
UL	Add-on, Single Sided	30"D x 60"L x 72"H Workstation	150 lbs.	QS-2001044	QS-2001344
		30"D x 72"L x 72"H Workstation	175 lbs.	QS-2001074	QS-2001374

Options

	COLOR	DIMENSIONS	SHIP. WT.	PART NUMBER
6" Drawer  12" Drawer  <ul style="list-style-type: none"> Constructed of heavy-gauge steel and equipped with full-extension, 100-lb. capacity metal ball bearing drawer slides May be mounted left or right and stacked for multiple drawer units Safety recessed handles Lock included. Multiple drawers can be keyed alike, upon request. Powder coat paint finish 	Textured Gray 	6"H x 20"D x 15"W	30 lbs.	QS-2050002
	Textured Gray 	12"H x 20"D x 15"W	35 lbs.	QS-2050004
12" Shelving   <ul style="list-style-type: none"> Adjustable Height, Depth, Angle Front lip included 	Textured Gray Laminate: Dove Gray 	12"D x 60"L	30 lbs.	QS-2011922
		12"D x 72"L	36 lbs.	QS-2011932
	Textured Gray ESD Laminate: Gray 	12" x 60" ESD	30 lbs.	QS-2011962
		12" x 72" ESD	36 lbs.	QS-2011972
Light Fixture   <ul style="list-style-type: none"> Mounts to the uprights and adjusts up/down and in/out, as well as angle-adjustable Accepts two (2) T8 tube lights (not included) Standard prismatic diffuser 8-ft. power cord with on/off switch 	Ivory (C) 	60"	35 lbs.	QS-2012302
		72"	42 lbs.	QS-2012303
Tool Trolley  <ul style="list-style-type: none"> Tool Trolley assembly includes one sliding Tool Trolley Hanger 	Textured Gray 	60"	20 lbs.	QS-2012452
		72"	25 lbs.	QS-2012453
Tool Trolley Hanger  <ul style="list-style-type: none"> Additional Tool Trolley Hanger for multiple tools or replacement 	No Finish		2 lbs.	QS-2012459
Electrical Assembly   <ul style="list-style-type: none"> Includes three (3) duplex outlets, on/off switch with pilot light, 15-amp circuit breaker and molded 8-ft power cord 	Textured Gray Trim: Apollo Blue 	60"	15 lbs.	QS-2012212
		72"	20 lbs.	QS-2012213
Parts Cup Stringer  <ul style="list-style-type: none"> Adjusts up/down and in/out; accepts standard parts cup and other accessories; ESD includes ground cord 	Textured Black 	60"	10 lbs.	QS-2012172
		72"	14 lbs.	QS-2012173
	ESD Black 	60" ESD	10 lbs.	QS-2012182
		72" ESD	14 lbs.	QS-2012183

Options (continued)

	COLOR	DIMENSIONS	SHIP. WT.	PART NUMBER
Footrest Tube  <ul style="list-style-type: none"> Footrest Tube assembly can be used alone or with Foot Pan (ordered separately) 	Bright Zinc	60"	10 lbs.	QS-2012122
		72"	16 lbs.	QS-2012123
Foot Pan  <ul style="list-style-type: none"> 36" Foot Pan w/non-skid surface provides full foot support Rounded safety corners 	Textured Black 	For 60" or 72" Footrest Tubes	10 lbs.	QS-2012158
Slide-Out Universal CPU Holder  <ul style="list-style-type: none"> Safely suspends the CPU beneath the worksurface; Saves valuable workspace Slide mechanism permits easy access to CPU Keeps CPU off of floor for easier housekeeping Rugged metal construction; durable powder coated paint finish 	Textured Black 	Will handle CPU up to 10" wide x 22" high.	14 lbs.	QS-2012639
CRT Platform and Keyboard Holder  <p>CRT Platform</p> <ul style="list-style-type: none"> Rotates 360° on a swing arm Mounts to the inside or outside of vertical uprights of the workstation Weight Capacity: 75 lbs. Edged in Black T-mold <p>Keyboard Holder</p> <ul style="list-style-type: none"> Attaches to bottom of CRT platform Adjustable front to rear Weight Capacity: 5 lbs. 	Laminate: Dove Gray 	CRT Platform 15" x 15" x 1.25" thick	20 lbs.	QS-2012622
	Textured Black 	Keyboard Holder 18"W x 2-3/4"H x 9 1/4"D (useable area)	3 lbs.	QS-2012633
Flat Panel Display Arm and Keyboard/Mouse Holder  <p>Flat Panel Display Arm</p> <ul style="list-style-type: none"> Provides positioning in two planes for optimum viewing angles Universal display mount complies with VESA MIS-D 100/75mm interface standards <p>Keyboard/Mouse Holder</p> <ul style="list-style-type: none"> This keyboard holder mounts to the Flat Panel Display Arm shown above. It adjusts up and down and includes comfortable angle adjustment. Tray is supplied with a mat to secure both the keyboard and mouse. 	Textured Black 	Flat Panel Display Arm 26" Fully Extended	18 lbs.	QS-2012632
	Textured Black 	Keyboard/Mouse Holder 22"W x 8.5"D (keyboard tray)	18 lbs.	QS-1022918
Swing Arm Pegboard  <ul style="list-style-type: none"> Accepts standard pegboard pegs Organizes hand tools and other accessories 	Textured Black 	16"W x 16"H with lip	20 lbs.	QS-2012629
Parts Cup Rack  <ul style="list-style-type: none"> 12-cup capacity (on four 13" rails) Mounts to inside or outside of uprights Swivels on swing arm 	Textured Black 	Rack: 13"W x 14-3/8"H Swing Arm: 12"L	20 lbs.	QS-2012626

For additional options, please refer to page 22.

Call to Order: 714.990.8997 • Or build your own online: www.IACindustries.com/Configurator

Workmaster™ Workbenches

Whether you need a basic bench or an option-loaded technician's bench, you can get it fast through our 5-Day Quick Ship program! Workmaster benches feature 1000 lb. load capacities.



Basic Bench



Basic Bench shown with Instrument Shelf options (page 10)



Basic Bench shown with MTS-I options (page 11)

The workbenches above feature Sky Blue paint; drawers and cabinets are Sky Blue with white contrast.

Color


{	Paint	Contrast Paint	Standard Laminate	ESD Laminate	- OR -	Paint	Standard Laminate	ESD Laminate
	Sky Blue	White	LoGlare White	White		EZE Blue	LoGlare White	White

Base Workbench

<p>Standard Bench</p>	<p>Grounding Studs</p> <p>ESD Bench</p>	COLOR	DIMENSIONS	SHIP. WT.	PART NUMBERS		
			STANDARD VERSION	ESD VERSION			
<ul style="list-style-type: none"> Bolt-on heavy-duty leg extensions accept floor glides Adjustable Leg Extender Kit included Worksurface height 30"; adjusts to 32", 34", and 36" high Front and rear heavy-gauge top support beams allow 1000 lbs. distributed weight on worksurface Worksurface is laminated over industrial-grade particle board to a full 1-1/4" thickness; metal threaded inserts are installed in sealed underside for easy installation and strength Assembly hardware: All attachment points have pre-installed inserts for easy assembly and high-strength connections ESD includes dual ground studs and a 10-ft. ground cord 180° rolled front edge standard on all worksurfaces Powder coat paint finish 		Sky Blue		30"D x 48"L	100 lbs.	QS-1000001-D	QS-1006001-D
		30"D x 60"L	125 lbs.	QS-1000002-D	QS-1006002-D		
		30"D x 72"L	140 lbs.	QS-1000003-D	QS-1006003-D		
		30"D x 96"L	178 lbs.	QS-1000005-D	QS-1006005-D		
		36"D x 72"L	144 lbs.	QS-1000013-D	QS-1006013-D		
		36"D x 96"L	185 lbs.	QS-1000015-D	QS-1006015-D		
		EZE Blue		30"D x 48"L	100 lbs.	QS-1000001-BL	QS-1006001-BL
		30"D x 60"L	125 lbs.	QS-1000002-BL	QS-1006002-BL		
		30"D x 72"L	140 lbs.	QS-1000003-BL	QS-1006003-BL		
		30"D x 96"L	178 lbs.	QS-1000005-BL	QS-1006005-BL		
36"D x 72"L	144 lbs.	QS-1000013-BL	QS-1006013-BL				
36"D x 96"L	185 lbs.	QS-1000015-BL	QS-1006015-BL				

See pages 10 for Instrument Shelves and page 11 for Multi-Task System (MTS) —Versatile “above the worksurface” options.

Options

DRAWERS AND CABINETS		COLOR	DIMENSIONS	SHIP. WT.	PART NUMBER
 <ul style="list-style-type: none"> Drawers are constructed of a heavy-gauge steel and are equipped with full extension, 100-lb. capacity metal ball bearing drawer slides May be mounted left or right and stacked for multiple-drawer/cabinet combinations Safety recessed handles Locks are optional. Multiple drawers can be keyed alike, upon request. 	Sky Blue with White contrast on face of drawer or cabinet 	6"H x 15"W x 18"D single drawer	30 lbs.	QS-1050002-D	
		(2) 6"H x 15"W x 18"D double drawer	40 lbs.	QS-1050003-D	
		12"H x 15"W x 18"D single file drawer	35 lbs.	QS-1050004-D	
		12"H x 15"W x 18"D single locker	30 lbs.	QS-1050005-D	
		Lock (optional)	1 lb.	QS-1050033	
	EZE Blue (No contrast on face of drawer or cabinet) 	6"H x 15"W x 18"D single drawer	30 lbs.	QS-1050002-BL	
		(2) 6"H x 15"W x 18"D double drawer	40 lbs.	QS-1050003-BL	
		12"H x 15"W x 18"D single file drawer	35 lbs.	QS-1050004-BL	
		12"H x 15"W x 18"D single locker	30 lbs.	QS-1050005-BL	
		Lock (optional)	1 lb.	QS-1050033	
 <ul style="list-style-type: none"> Four (4) 15-amp, 60-Hz duplexes, circuit breaker and 8-ft. cord Electrical channels may be mounted (1) top/rear of worksurface, (2) under shelf front or rear, or (3) top rear of shelf Engineered and manufactured by IAC to meet rigid UL requirements and are ETL (Electric Testing Lab) approved. 	Sky Blue 	48"L Electrical Channel	13 lbs.	QS-1022121-D	
		60"L Electrical Channel	15 lbs.	QS-1022122-D	
		72"L Electrical Channel	17 lbs.	QS-1022123-D	
		96"L Electrical Channel	23 lbs.	QS-1022125-D	
	EZE Blue 	48"L Electrical Channel	13 lbs.	QS-1022121-BL	
		60"L Electrical Channel	15 lbs.	QS-1022122-BL	
		72"L Electrical Channel	17 lbs.	QS-1022123-BL	
		96"L Electrical Channel	23 lbs.	QS-1022125-BL	
	 <ul style="list-style-type: none"> Heavy-duty tubular design Adjusts front to rear 	Bright Zinc (Finish)	48"L Footrest Assembly	4 lbs.	QS-1021501
			60"L Footrest Assembly	5 lbs.	QS-1021502
72"L Footrest Assembly			6 lbs.	QS-1021503	
96"L Footrest Assembly			9 lbs.	QS-1021505	
 <ul style="list-style-type: none"> Attaches to Footrest Tube Non-skid surface 	Textured Black 	24"L	7 lbs.	QS-1021622	
 <ul style="list-style-type: none"> Safely suspends the CPU beneath the worksurface; Saves valuable workspace Slide mechanism permits easy access to CPU Lifts CPU off of floor 	Textured Black 	Will handle CPU up to 10" wide x 22" high.	14 lbs.	QS-1021659	
 <ul style="list-style-type: none"> 4 leg extenders per kit 4 locking wheel casters With Casters installed, worksurface height begins at 34.25". 	Sky Blue 	Leg Extender 4" Caster Kit	18 lbs.	QS-1050509-D	
	EZE Blue 	Leg Extender 4" Caster Kit	18 lbs.	QS-1050509-BL	

Pro Series Adjustable Height Workbenches

The ergonomically designed 930/940 Pro Series delivers the efficiency and convenience of height adjustability at a remarkable price. We've engineered these workbenches for quality performance. A cantilever support system, housing the hydraulic lifters, provides maximum leg room, while the bolted steel channel frame delivers a full 500-pound evenly-distributed load capacity. You can easily move up or down to the efficient functionality of a height adjustable worksurface.

Features:

- 12-inch adjustment range, from 30" to 42" worksurface height
- 1-1/4" thick worksurface with 180° rolled front edge for comfort. Surfaces are available in Standard or ESD laminate, with a wide variety of colors.
- Welded steel frame, finished in a choice of durable, baked-on powder-coat paint.
- Available options for suspended drawers/cabinets, electrical channels, and upper utility structures with shelving and lighting offer endless configurations.

Options Shown:

- MTS-I
- Light Fixture
- Tool Trolley
- 12" Shelf
- Multi Bin Panel
- Electrical Channel
- Swing Arm Pegboard



930 Pro Series

Height adjustment is manually controlled by a rotating hand crank positioned on the right or left side under the worksurface support frame and . The crank handle folds out of the way when not in use.



940 Pro Series

Height adjustment is electrically actuated via Up/Down pushbuttons. This controller is positioned on the right or left side, under the worksurface support frame.


Color

	Paint	Contrast Paint	Standard Laminate	ESD Laminate		Paint	Standard Laminate	ESD Laminate
{					- OR -			
	Sky Blue	White	LoGlare White	White		EZE Blue	LoGlare White	White

Base Workbench

	COLOR	DIMENSIONS	SHIP. WT.	PART NUMBERS	
				STANDARD VERSION	ESD VERSION
930 Pro Series Hand Crank Workbench  <ul style="list-style-type: none"> • Hydraulic hand-operated crank moves worksurface up or down • Height Adjustability Range: Approx. 12" • 180° rolled front edge • Weight Capacity: 500 lbs. evenly distributed; 600 lbs. static load 	Sky Blue 	30"D x 60"L	170 lbs.	QS-1005802-D	QS-1011802-D
	EZE Blue 	30"D x 60"L	170 lbs.	QS-1005802-BL	QS-1011802-BL
940 Pro Series Motorized Hydraulic Workbench  <ul style="list-style-type: none"> • Hydraulic motorized actuator moves worksurface up or down • Height Adjustability Range: Approx. 12" • 180° rolled front edge • Weight Capacity: 500 lbs. evenly distributed; 600 lbs. static load 	Sky Blue 	30"D x 60"L	185 lbs.	QS-1005822-D	QS-1011822-D
	EZE Blue 	30"D x 60"L	185 lbs.	QS-1005822-BL	QS-1011822-BL

Options

Drawers and Cabinets	COLOR	DIMENSIONS	SHIP. WT.	PART NUMBER
 <ul style="list-style-type: none"> • Drawers are constructed of a heavy-gauge steel and are equipped with full extension, 100-lb. capacity metal ball bearing drawer slides • May be mounted left or right and stacked for multiple-drawer/cabinet combinations • Safety recessed handles • Locks are optional. Multiple drawers can be keyed alike, upon request. 	<p>Sky Blue with White contrast on face of drawer or cabinet</p> 	6"H x 15"W x 18"D single drawer	30 lbs.	QS-1050002-D
		(2) 6"H x 15"W x 18"D double drawer	40 lbs.	QS-1050003-D
		12"H x 15"W x 18"D single file drawer	35 lbs.	QS-1050004-D
		12"H x 15"W x 18"D single locker	30 lbs.	QS-1050005-D
		Lock (optional)	1 lb.	QS-1050033
	<p>EZE Blue (No contrast on face of drawer or cabinet)</p> 	6"H x 15"W x 18"D single drawer	30 lbs.	QS-1050002-BL
		(2) 6"H x 15"W x 18"D double drawer	40 lbs.	QS-1050003-BL
		12"H x 15"W x 18"D single file drawer	35 lbs.	QS-1050004-BL
		12"H x 15"W x 18"D single locker	30 lbs.	QS-1050005-BL
		Lock (optional)	1 lb.	QS-1050033
<p>Electrical Channel</p>  <ul style="list-style-type: none"> • Four (4) 15-amp, 60-Hz duplexes, circuit breaker and 8-ft. cord • Electrical channels may be mounted (1) top/rear of worksurface, (2) under shelf front or rear, or (3) top rear of shelf • Engineered and manufactured by IAC to meet rigid UL requirements and are ETL (Electric Testing Lab) approved 	<p>Sky Blue</p> 	60"L Electrical Channel	15 lbs.	QS-1022122-D
	<p>EZE Blue</p> 	60"L Electrical Channel	15 lbs.	QS-1022122-BL
<p>Slide-Out Universal CPU Holder</p>  <ul style="list-style-type: none"> • Safely suspends the CPU beneath the worksurface; Saves valuable workspace • Slide mechanism permits easy access to CPU • Keeps CPU off of floor for easier housekeeping 	<p>Textured Black</p> 	Will handle CPU up to 10" wide x 22" high.	14 lbs.	QS-1021659

Versatile "above the worksurface" options.

Instrument Shelves on page 10



Multi-Task Systems on page 11



Instrument Shelving

If heavy scopes, monitors or other equipment are being used at the workbench, an instrument shelf is a must. Workmaster™ Instrument Shelves **may be added to any Workmaster™ workbench or Pro Series Workstation**. They are finished in either Sky Blue or EZE Blue powder coat paint with White Laminate. All instrument shelf units are available in lengths to fit any basic, pedestal or cantilever bench.



Instrument Shelf shown with Sky Blue paint and White Laminate. Bench shown with Sky Blue paint and White contrast.

Color

Paint: Sky Blue - or - EZE Blue

Standard Laminate: LoGlare White

ESD Laminate: White

Instrument Shelves

	COLOR	DIMENSIONS	SHIP. WT.	PART NUMBERS		
				STANDARD VERSION	ESD VERSION	
<p>Standard Shelf</p> <p>ESD Shelf</p> <p>Grounding Studs</p> <ul style="list-style-type: none"> • Heavy-gauge, formed steel risers clamp onto work surface and attach to underside • Access covers detach for installation of optional Riser Electrical Panels • Full-length under-shelf channel support beams allow up to 500 lbs. distributed weight on worksurface • Shelf is constructed in same manner as worksurface with matching low-glare white laminate and pre-installed threaded inserts • ESD includes dual ground studs and 5-ft. coiled ground cord • Powder coat paint finish • 18"H shelves have a clearance height of 13.75" • 21.25"H shelves have a clearance height of 17.5" 	<p>Sky Blue with LoGlare White Laminate Top</p>	18"H x 15"D x 48"L	65 lbs.	QS-1020001-D	QS-1020101-D	
		18"H x 15"D x 60"L	75 lbs.	QS-1020002-D	QS-1020102-D	
		18"H x 15"D x 72"L	85 lbs.	QS-1020003-D	QS-1020103-D	
		18"H x 15"D x 96"L	105 lbs.	QS-1020005-D	QS-1020105-D	
		21.25"H x 15"D x 48"L	65 lbs.	QS-1020091-D	QS-1020191-D	
		21.25"H x 15"D x 60"L	75 lbs.	QS-1020092-D	QS-1020192-D	
		21.25"H x 15"D x 72"L	85 lbs.	QS-1020093-D	QS-1020193-D	
		21.25"H x 15"D x 96"L	105 lbs.	QS-1020095-D	QS-1020195-D	
		<p>EZE Blue with LoGlare White Laminate Top</p>	18"H x 15"D x 48"L	65 lbs.	QS-1020001-BL	QS-1020101-BL
			18"H x 15"D x 60"L	75 lbs.	QS-1020002-BL	QS-1020102-BL
18"H x 15"D x 72"L	85 lbs.		QS-1020003-BL	QS-1020103-BL		
18"H x 15"D x 96"L	105 lbs.		QS-1020005-BL	QS-1020105-BL		
21.25"H x 15"D x 48"L	65 lbs.		QS-1020091-BL	QS-1020191-BL		
21.25"H x 15"D x 60"L	75 lbs.		QS-1020092-BL	QS-1020192-BL		
21.25"H x 15"D x 72"L	85 lbs.		QS-1020093-BL	QS-1020193-BL		
21.25"H x 15"D x 96"L	105 lbs.		QS-1020095-BL	QS-1020195-BL		

Options

	COLOR	DIMENSIONS	SHIP. WT.	PART NUMBER
<p>Riser Electrical Panel</p> <ul style="list-style-type: none"> • Four (4) 115v, 15-amp, 60-Hz duplexes with switch and cord; 15-amp pilot light switch/circuit breaker combination • Replaces a riser cover on Instrument Shelf – sold individually 	<p>Sky Blue</p>	Fits 18" Riser Box on Instrument Shelf	10 lbs.	QS-1022161-D
		Fits 21.25" Riser Box on Instrument Shelf	10 lbs.	QS-1022167-D
	<p>EZE Blue</p>	Fits 18" Riser Box on Instrument Shelf	10 lbs.	QS-1022161-BL
		Fits 21.25" Riser Box on Instrument Shelf	10 lbs.	QS-1022167-BL
<p>Undershelf Light</p> <ul style="list-style-type: none"> • Single tube fluorescent fixture with on/off switch mounts under the Instrument Shelf • Includes wrap-around diffuser, single outlet and cord (tube not included) 	<p>White</p>	36"L; use with 48" Instrument Shelf	12 lbs.	QS-1022321
		48"L; use with 60"L, 72"L or 96"L Instrument Shelf	12 lbs.	QS-1022322

Multi-Task System Upper Structure

The Multi-Task System enables users to configure above-the-worksurface storage and options on an existing workbench. Perfect for upgrading on a budget!

The MTS is available in two models: MTS-I with three uprights for side-by-side shelves and options, and MTS-II with two uprights that allow full width shelves and options. Each twelve-gauge steel, double slotted upright is 48" x 2" wide x 1-7/8" deep. Heavy gauge, steel c-clamp mountings provide secure fastening to the worksurface with heavy duty thru-bolts. MTS upper structures will fit most benches, provided there is a clear 1.5" overhang in the rear.


Drilling and inserting will be required (a template will be supplied). If detailed specifications are required, please consult the factory.



MTS-I models provide three uprights for side-by-side mounting of half-width shelves and optional accessories



MTS-II models feature two uprights that allow full width shelves and optional accessories



MTS-I Upright Structures

 <ul style="list-style-type: none"> • 3 posts provide 2 side-by-side racks • 16 gauge tie beam at top of frame system • Mounts to a 1.25" or 1.75" work surface • Half length options are easy and convenient to adjust from shift-to-shift as needed • Options can be aligned or independently adjusted for maximum flexibility • Double slots allow all options to adjust in 1" increments • Template included with upright package • Retrofits to most other workbenches 	COLOR	DIMENSIONS	SHIP. WT.	PART NUMBER
	Sky Blue 	60" L 3-Post Frame	50 lbs.	QS-1022532-D
		72" L 3-Post Frame	53 lbs.	QS-1022533-D
		96" L 3-Post Frame	60 lbs.	QS-1022535-D
	EZE Blue 	60" L 3-Post Frame	50 lbs.	QS-1022532-BL
		72" L 3-Post Frame	53 lbs.	QS-1022533-BL
96" L 3-Post Frame		60 lbs.	QS-1022535-BL	

MTS-II Upright Structures

 <ul style="list-style-type: none"> • 2 posts allow full length options • 16 gauge tie beam at top of frame system • Mounts to a 1.25" or 1.75" work surface • Options can be aligned or independently adjusted for maximum flexibility • Double slots allow all options to adjust in 1" increments • Template included with upright package • Retrofits to most other workbenches 	COLOR	DIMENSIONS	SHIP. WT.	PART NUMBER
	Sky Blue 	48" L 2-Post Frame	48 lbs.	QS-1023131-D
		60" L 2-Post Frame	52 lbs.	QS-1023132-D
		72" L 2-Post Frame	56 lbs.	QS-1023133-D
	EZE Blue 	48" L 2-Post Frame	48 lbs.	QS-1023131-BL
		60" L 2-Post Frame	52 lbs.	QS-1023132-BL
72" L 2-Post Frame		56 lbs.	QS-1023133-BL	

MTS-I Options



3-Upright model

Utility Shelves



- The utility shelf provides off-the-worksurface storage
- ESD shelves are supplied with snap and coiled ground cord
- ESD shelves are topped with White ESD Laminate
- Shelf angle is adjustable from 0°-15° and is formed from 16-gauge steel; shelf lip acts as a parts rail

 ESD Laminate Color White

COLOR	DIMENSIONS			SHIP. WT.	PART NUMBERS	
	BENCH LENGTH	SHELF LENGTH	SHELF DEPTH		STANDARD VERSION	ESD VERSION
Sky Blue 	60"	26"	12"	15 lbs.	QS-1022602-D	QS-1022622-D
	72"	32"	12"	17 lbs.	QS-1022603-D	QS-1022623-D
	96"	44"	12"	23 lbs.	QS-1022605-D	QS-1022625-D
EZE Blue 	60"	26"	12"	15 lbs.	QS-1022602-BL	QS-1022622-BL
	72"	32"	12"	17 lbs.	QS-1022603-BL	QS-1022623-BL
	96"	44"	12"	23 lbs.	QS-1022605-BL	QS-1022625-BL

Multi Bin Panel



- 18-gauge bin panel is welded to 14-gauge brackets
- 6 rails per section
- Accepts industry standard parts bins; ideal for stacking when a large number of bins are used
- 6 inch height

COLOR	DIMENSIONS		SHIP. WT.	PART NUMBER
	BENCH LENGTH	RAIL LENGTH		
Sky Blue 	60"	28"	15 lbs.	QS-1022722-D
	72"	34"	18 lbs.	QS-1022723-D
	96"	46"	20 lbs.	QS-1022725-D
EZE Blue 	60"	28"	15 lbs.	QS-1022722-BL
	72"	34"	18 lbs.	QS-1022723-BL
	96"	46"	20 lbs.	QS-1022725-BL
ESD Black 	60"	28"	15 lbs.	QS-1022732
	72"	34"	18 lbs.	QS-1022733
	96"	46"	20 lbs.	QS-1022735

Electrical Channel



- The MTS Electrical Channel is mounted to 14-gauge brackets and can be positioned where electrical access is needed: at the worksurface, above or below shelves for test equipment, etc., or anywhere along the uprights
- Includes an 8-ft. molded power cord and a 15-amp circuit breaker; wired for 15-amp, 120-volt AC; meets UL requirements and is ETL approved

COLOR	DIMENSIONS			SHIP. WT.	PART NUMBER
	BENCH LENGTH	CHANNEL LENGTH	NO. OF OUTLETS		
Sky Blue 	60"	28"	6	12 lbs.	QS-1022742-D
	72"	34"	6	13 lbs.	QS-1022743-D
	96"	46"	8	15 lbs.	QS-1022745-D
EZE Blue 	60"	28"	6	12 lbs.	QS-1022742-BL
	72"	34"	6	13 lbs.	QS-1022743-BL
	96"	46"	8	15 lbs.	QS-1022745-BL

MTS-II Options



2-Upright model

Utility Shelves




- The utility shelf provides off-the-worksurface storage
- ESD shelves are supplied with snap and coiled ground cord
- ESD shelves are topped with White ESD Laminate
- Shelf angle is adjustable from 0°-15° and is formed from 16-gauge steel; shelf lip acts as a parts rail

 ESD Laminate Color White

COLOR	DIMENSIONS			SHIP. WT.	PART NUMBERS	
	BENCH LENGTH	SHELF LENGTH	SHELF DEPTH		STANDARD VERSION	ESD VERSION
Sky Blue 	48"	43.5"	12"	23 lbs.	QS-1023201-D	QS-1023221-D
	60"	55.75"	12"	23 lbs.	QS-1023202-D	QS-1023222-D
	72"	67.75"	12"	27 lbs.	QS-1023203-D	QS-1023223-D
EZE Blue 	48"	43.5"	12"	23 lbs.	QS-1023201-BL	QS-1023221-BL
	60"	55.75"	12"	23 lbs.	QS-1023202-BL	QS-1023222-BL
	72"	67.75"	12"	27 lbs.	QS-1023203-BL	QS-1023223-BL

Multi Bin Panel



- 18-gauge bin panel is welded to 14-gauge brackets
- 6 rails per section
- Accepts industry standard parts bins; ideal for stacking when a large number of bins are used
- 6 inch height

COLOR	DIMENSIONS		SHIP. WT.	PART NUMBER
	BENCH LENGTH	RAIL LENGTH		
Sky Blue 	48"	45"	20 lbs.	QS-1023321-D
	60"	57"	25 lbs.	QS-1023322-D
	72"	69"	30 lbs.	QS-1023323-D
EZE Blue 	48"	45"	20 lbs.	QS-1023321-BL
	60"	57"	25 lbs.	QS-1023322-BL
	72"	69"	30 lbs.	QS-1023323-BL
ESD Black 	48"	45"	21 lbs.	QS-1023331
	60"	57"	26 lbs.	QS-1023332
	72"	69"	31 lbs.	QS-1023333

Electrical Channel



- The MTS Electrical Channel is mounted to 14-gauge brackets and can be positioned where electrical access is needed: at the worksurface, above or below shelves for test equipment, etc., or anywhere along the uprights
- Includes an 8-ft. molded power cord and a 15-amp circuit breaker; wired for 15-amp, 120-volt AC; meets UL requirements and is ETL approved

COLOR	DIMENSIONS			SHIP. WT.	PART NUMBER
	BENCH LENGTH	CHANNEL LENGTH	NO. OF OUTLETS		
Sky Blue 	48"	45.5"	8	15 lbs.	QS-1023341-D
	60"	57.5"	10	15 lbs.	QS-1023342-D
	72"	69.5"	10	15 lbs.	QS-1023343-D
EZE Blue 	48"	45.5"	8	15 lbs.	QS-1023341-BL
	60"	57.5"	10	15 lbs.	QS-1023342-BL
	72"	69.5"	10	15 lbs.	QS-1023343-BL

See next page for additional MTS-I and MTS-II options.

Common Options – MTS-I & MTS-II

	COLOR	DIMENSIONS	SHIP. WT.	PART NUMBER	
<p>Top Mount Utilities</p>  <p>Econo Light</p> <ul style="list-style-type: none"> • Accepts two (2) T8 Tube lights (not included) • 48" light mounted to a 48", 60", 72" or 96" support structure • On/off switch in an 8-ft. power cord • Brackets and supports are painted per color choices at right. Light fixture is painted white. <p>Tool Trolley</p> <ul style="list-style-type: none"> • Mounts to Econo Light support brackets <p>Tool Trolley with Mounting Brackets</p> <ul style="list-style-type: none"> • Includes brackets and supports • For use without the Econo Light 	<p>Sky Blue</p> 	48"L Econo Light	33 lbs.	QS-1022971-D	
		60"L Econo Light	35 lbs.	QS-1022972-D	
		72"L Econo Light	40 lbs.	QS-1022973-D	
		96"L Econo Light	48 lbs.	QS-1022975-D	
	<p>EZE Blue</p> 	48"L Econo Light	33 lbs.	QS-1022971-BL	
		60"L Econo Light	35 lbs.	QS-1022972-BL	
		72"L Econo Light	40 lbs.	QS-1022973-BL	
		96"L Econo Light	48 lbs.	QS-1022975-BL	
	<p>Textured Black</p> 	48"L Tool Trolley	15 lbs.	QS-1022796	
		60"L Tool Trolley	15 lbs.	QS-1022792	
		72"L Tool Trolley	18 lbs.	QS-1022793	
		96"L Tool Trolley	25 lbs.	QS-1022795	
	<p>Textured Black</p> 	48"L Tool Trolley with Brackets	12 lbs.	QS-1022806	
		60"L Tool Trolley with Brackets	12 lbs.	QS-1022802	
		72"L Tool Trolley with Brackets	15 lbs.	QS-1022803	
		96"L Tool Trolley with Brackets	22 lbs.	QS-1022805	
<p>CRT Platform and Keyboard Holder</p>  <p>CRT Platform</p> <ul style="list-style-type: none"> • Swing arm allows wide range of monitor locations • Uses Grip-Tite 12-gauge bracket; adjusts on the inside or outside slot of upright • Weight Capacity: 25 lbs. <p>Keyboard Holder</p> <ul style="list-style-type: none"> • Attaches to bottom of CRT Platform (above) • Adjustable front to rear • Weight Capacity: 5 lbs. 	<p>Laminate: LoGlare White</p> 	CRT Platform 15" x 15" x 1.25" thick	20 lbs.	QS-1022911	
		<p>Textured Black</p> 	Keyboard Holder 18"W x 9-1/4" x 2-3/4"H (useable area)	3 lbs.	QS-2012633
		<p>Textured Black</p> 	Flat Panel Display Arm 26" Fully Extended	18 lbs.	QS-1022912
<p>Flat Panel Display Arm and Keyboard/Mouse Holder</p>  <p>Flat Panel Display Arm</p> <ul style="list-style-type: none"> • Provides positioning in two planes for optimum viewing angles • Universal display mount complies with VESA MIS-D 100/75mm interface standards <p>Keyboard/Mouse Holder</p> <ul style="list-style-type: none"> • This keyboard holder mounts to the Flat Panel Display Arm shown above. It adjusts up and down and includes comfortable angle adjustment. Tray is supplied with a mat to secure both the keyboard and mouse. 	<p>Textured Black</p> 	Keyboard/Mouse Holder 22"W x 8.5"D (keyboard tray)	10 lbs.	QS-1022918	
		<p>Textured Black</p> 	Swing Arm Pegboard 16"W x 16"H with lip	20 lbs.	QS-1012629
<p>Swing Arm Pegboard</p>  <ul style="list-style-type: none"> • Accepts standard pegboard pegs • Organizes hand tools and other accessories 					

Pre-Configured Packaging Stations

Get Productive Fast. Everything You Need for Quick Deployment.



Packaging Station




Shipping/Receiving Station



Mobile Packaging Accessory Station

Color

	Paint	Laminate
}		
	Soft Gray	White

We've seen what our customers like to build for themselves, so we've taken the liberty of sharing a few of the most popular configurations with you. These component combos form three super-functional packaging/shipping workhorses. And they couldn't be simpler to order; there's just a single part number for each. Chances are that one of these preconfigured models will suit you well. But if not, simply turn the page and build one configured just for you.

	COLOR	DIMENSIONS	SHIP. WT.	PART NUMBER
Packaging Station  <p>Includes:</p> <ul style="list-style-type: none"> • Packaging Station Bench • LT Light Fixture • 12" Shelf with Backsplash and 6 Dividers • 6" Shelf with Backsplash • Upper Paper Roll Holder • Electrical Channel • Middle Shelf • Lower Shelf with 4 Dividers 	(MD) Soft Gray Laminate: White  	30"D x 60"L	310 lbs.	QS-00230-6001
		30"D x 72"L	360 lbs.	QS-00230-6002
		36"D x 72"L	360 lbs.	QS-00230-6004
Shipping/Receiving Station  <p>Includes:</p> <ul style="list-style-type: none"> • Packaging Station Bench • LT Light Fixture • 12" Shelf with Backsplash and 6 Dividers • 6" Shelf with Backsplash • Flat Panel Display Arm with Keyboard/Mouse Holder • Electrical Channel • Middle Shelf • Lower Shelf 	(MD) Soft Gray Laminate: White  	30"D x 60"L	305 lbs.	QS-00230-7001
		30"D x 72"L	355 lbs.	QS-00230-7002
		36"D x 72"L	355 lbs.	QS-00230-7004
Mobile Packaging Accessory Station  <p>Includes:</p> <ul style="list-style-type: none"> • Packaging Accessory Station • 12" Shelf with Backsplash and 6 Dividers • Electrical Channel 	(MD) Soft Gray 	60"L x 84"H	102 lbs.	QS-00230-9212

Packaging Stations

IAC's Packaging Equipment provides shippers with rugged and versatile platforms to efficiently handle the most demanding packaging tasks.

- Versatile Configurations
- Many Utility Options
- Heavy Duty Structures
- Ergonomically Designed



Color {

Paint	Laminate
Soft Gray	White

Packaging Stations

PS Series—Bench style for seated or standing users. Telescoping legs provide worksurface height adjustment ranging between 30 to 36 inches in 2-inch increments. Impact- and chemical-resistant worksurface features with 180° rolled front edge for comfortable use. Shown with multiple options.

Packaging Accessory Stations

PAS Series—Go mobile and roll the PAS adjacent to existing workbenches and conveyors to provide access to packaging materials, electrical outlets, tools, labels, books, manuals and more. Integrated 4-inch locking caster wheels are standard. Shown with multiple options.

Basic Packaging and Packaging Accessory Stations

	COLOR	DIMENSIONS	SHIP. WT.	PART NUMBER
Packaging Station Bench (PS) <ul style="list-style-type: none"> • Weight Capacity: 1000 lbs. evenly distributed • Steel frame finished with powder coat paint • Industrial-grade, low-glare laminate worksurface with 180° rolled front edge • Uprights constructed of 1-5/8" heavy-duty square channel with 250 lbs. evenly distributed overall weight capacity 	(MD) Soft Gray Laminate: White 	30"D x 60"L	125 lbs.	QS-00230-5001
		30"D x 72"L	140 lbs.	QS-00230-5002
		36"D x 72"L	144 lbs.	QS-00230-5004
Packaging Accessory Station (PAS) <ul style="list-style-type: none"> • Weight Capacity: 250 lbs. evenly distributed • Steel frame finished with powder coat paint • Stand-up height (SU) • Set of 4" plate-mount casters with wheel locks 	(MD) Soft Gray 	60"L x 84"H SU	58 lbs.	QS-00230-8212
		72"L x 84"H SU	68 lbs.	QS-00230-8213

PS Bench Options

	COLOR	DIMENSIONS	SHIP. WT.	PART NUMBER
Middle Shelf Assembly  <ul style="list-style-type: none"> Mounts directly beneath the worksurface with 6-in. vertical clearance for storage of flat items, supply trays, etc. (not for use on benches where personnel require knee clearance for sitting) Includes a 3-in. back panel Includes bracket kit to attach shelf to bench legs 	(MD) Soft Gray 	12"D x 60"L Middle Shelf Assembly	20 lbs.	QS-01261-1260
		12"D x 72"L Middle Shelf Assembly	25 lbs.	QS-01261-1272
Slide-Out Universal CPU Holder  <ul style="list-style-type: none"> Safely suspends the CPU beneath the worksurface; Saves valuable workspace Slide mechanism permits easy access to CPU Keeps CPU off of floor for easier housekeeping Rugged metal construction; durable powder coated paint finish Not for use with Middle Shelf Assembly 	Textured Black 	Will handle CPU up to 10" wide x 22" high.	14 lbs.	QS-01620-1917
Lower Shelf Assembly  <ul style="list-style-type: none"> Mounts to cross-beam supports between bench legs (not for use with Lower Paper Roll Holder) Accepts mounting of Shelf Dividers (below) in 6" increments (maximum of 7 dividers for 60" shelf and 9 dividers for 72" shelf) Weight Capacity: 75 lbs. evenly distributed 	(MD) Soft Gray 	22"D x 60"L Lower Shelf Assembly	35 lbs.	QS-01262-2260
		22"D x 72"L Lower Shelf Assembly	40 lbs.	QS-01262-2272
Lower Shelf Divider  <ul style="list-style-type: none"> Mounts to Lower Shelf Assembly (see shelf specifications, above) May also be used as shelf end caps 	(MD) Soft Gray 	13"H x 18"D Lower Shelf Divider	2 lbs.	QS-08402-1318
Lower Paper Roll Holder  <ul style="list-style-type: none"> Mounts to cross-beam supports between bench legs (not for use with Lower Shelf Assembly) Accommodates rolls to 27" dia. (depending on worksurface height) Weight Capacity: 50 lbs. 	(MD) Soft Gray 	60"L Lower Paper Roll Holder (holds rolls up to 52"L)	12 lbs.	QS-01620-1760
		72"L Lower Paper Roll Holder (holds rolls up to 64" long)	15 lbs.	QS-01620-1772
Leg Extender Caster Kit  <ul style="list-style-type: none"> 4 leg extenders per kit 4 locking wheel casters With Casters installed, worksurface height begins at 34.25". 	(MD) Soft Gray 	Leg Extender 4" Caster Kit	18 lbs.	QS-08713-0101

Common Options – PS & PAS

	COLOR	DIMENSIONS	SHIP. WT.	PART NUMBER
Upper Paper Roll Holder  <ul style="list-style-type: none"> Adjusts up and down along uprights and in/out from 1" to 9" (from face of upright to center of roll) Weight Capacity: 50 lbs. 	(MD) Soft Gray 	60"L Upper Paper Roll Holder (holds rolls up to 52"L)	12 lbs.	QS-01620-1660
		72"L Upper Paper Roll Holder (holds rolls up to 64" long)	15 lbs.	QS-01620-1672
Flat Panel Display Support Rail  <ul style="list-style-type: none"> Flat Panel Display bracket can be manually positioned anywhere along the rail Universal display mount complies with VESA MIS-D 100/75mm interface standards 	(MD) Soft Gray 	60"	21 lbs.	QS-01620-1922
		72"	28 lbs.	QS-01620-1923
Parts Cup Rail  <ul style="list-style-type: none"> Adjusts up/down and in/out; accepts standard parts cup and other accessories 	Textured Black 	60"	10 lbs.	QS-01620-1860
		72"	14 lbs.	QS-01620-1872
Electrical Channel   <ul style="list-style-type: none"> Four (4) 15-amp, 60-Hz duplexes Includes 15-amp circuit breaker and 8-ft. molded power cord 	(MD) Soft Gray 	52"L Electrical Channel (fits 60" bench)	15 lbs.	QS-02241-6000
		64"L Electrical Channel (fits 72" bench)	17 lbs.	QS-02241-7200
LT Light Fixture  <ul style="list-style-type: none"> Accepts two (2) T8 Tube lights (not included) 48" light mounted to a 60" or 72" support structure Includes 8-ft. power cord with switch Built to rigid UL and NEC standards 	(MD) Soft Gray White fixture  	60" LT Light Fixture	35 lbs.	QS-01620-1960
		72" LT Light Fixture	40 lbs.	QS-01620-1972
Upper Shelf Assembly  <ul style="list-style-type: none"> Mounts to upright assembly with brackets that double as shelf end caps Accepts mounting of Shelf Dividers in 6" increments (maximum of 9 dividers for 60" shelf and 11 dividers for 72" shelf) Weight Capacity: 100 lbs. evenly distributed Powder coat paint finish 	(MD) Soft Gray 	12"D x 60"L x 6"H	20 lbs.	QS-01264-1260
		12"D x 72"L x 6"H	25 lbs.	QS-01264-1272
		12"D x 60"L x 12"H	25 lbs.	QS-01260-1260
		12"D x 72"L x 12"H	30 lbs.	QS-01260-1272
Upper Shelf Backsplash  <ul style="list-style-type: none"> Mounts to back of Upper Shelf Assembly to prevent supplies from falling off shelf's back Powder coat paint finish 	(MD) Soft Gray 	60"L x 6"H	3 lbs.	QS-01263-4060
		72"L x 6"H	4 lbs.	QS-01263-4072
		60"L x 12"H	3 lbs.	QS-01263-3060
		72"L x 12"H	4 lbs.	QS-01263-3072
Upper Shelf Divider  <ul style="list-style-type: none"> Mounts to Upper Shelf Assembly for sorting and organizing supplies (see shelf specifications, above) Powder coat paint finish 	(MD) Soft Gray 	12"D x 6"H	2 lbs.	QS-08402-0612
		12"D x 12"H	2 lbs.	QS-08402-1212

Common Options – PS & PAS (continued)

	COLOR	DIMENSIONS	SHIP. WT.	PART NUMBER
<p>Clip Portrait Document Holder</p>  <ul style="list-style-type: none"> • Swing arm pivots at bracket and at pan for maximum position options; can be positioned anywhere up and down the uprights • Clip and bottom lip hold documents in place 	(MD) Soft Gray pan Textured Black bracket	12"W x 14"H Document Holder	15 lbs.	QS-01620-1904
<p>CRT Swing Arm Platform and Keyboard Holder</p>  <p>CRT Swing Arm Platform</p> <ul style="list-style-type: none"> • Platform rotation allows wide range of monitor locations • Weight Capacity: 25 lbs. • Edged in Black T-mold <p>Keyboard Holder</p> <ul style="list-style-type: none"> • Mounts to CRT Swing Arm Platform (QS-01620-1910) • Accommodates most extended keyboards and mouse 	<p>Laminate: LoGlare White</p> 	CRT Swing Arm Platform 15"W x 15"D x 1.25" Thick	20 lbs.	QS-01620-1910
	(MD) Soft Gray	Keyboard Holder 25"W x 8"D Keyboard Holder	12 lbs.	QS-01620-1915
<p>Flat Panel Display Arm and Keyboard/Mouse Holder</p>  <p>Flat Panel Display Swing Arm</p> <ul style="list-style-type: none"> • Provides positioning in two planes for optimum viewing angles • Universal display mount complies with VESA MIS-D 100/75mm interface standards <p>Keyboard/Mouse Holder</p> <ul style="list-style-type: none"> • This keyboard holder mounts to the Flat Panel Display Arm shown above. It adjusts up and down and includes comfortable angle adjustment. Tray is supplied with a mat to secure both the keyboard and mouse. 	Textured Black	Flat Panel Display Arm 26" Fully Extended	18 lbs.	QS-01620-1916
	Textured Black	Keyboard/Mouse Holder 22"W x 8.5"D (keyboard tray)	10 lbs.	QS-1022918

Smart Mobile Stations

See these Mobile Processing Stations and more Smart Mobile Station carts on the next page.




Smart Mobile Stations

The perfect partner to speed tasks in a wide variety of business environments.

- scanning
- diagnostics
- weighing
- order picking
- stocking
- testing
- inventory control
- printing

SMS carts are specialized, function-forward hybrids of the award-winning Dimension 4 workstation, rolling cart, and storage products. They combine the sophistication and unsurpassed quality of Dimension 4 design, scaled down for a very personal and mobile interaction. And they are strong! The Main Worksurface (top) supports 150 lbs., and the Bottom Shelf supports another 100 lbs. SMS Carts embody the IAC focus on ergonomics, and fit within any lean strategy (5S, Lean Manufacturing and/or Six Sigma). In short Smart Mobile Stations are the most functionally useful and versatile carts you can find.



Color



Preconfigured Smart Mobile Stations

	<p>S1 QS-2052001</p> <ul style="list-style-type: none"> • 60-inch Upright (68.5" Overall Height) • 10-Outlet Electrical Channel • Main Worksurface (top) 		<p>S2 QS-2052002</p> <ul style="list-style-type: none"> • 60-inch Upright (68.5" Overall Height) • 10-Outlet Electrical Channel • Main Worksurface (top) • Bottom Shelf
	<p>S3 QS-2052003</p> <ul style="list-style-type: none"> • 60-inch Upright (68.5" Overall Height) • 10-Outlet Electrical Channel • Main Worksurface (top) • Suspended Locker • Bottom Shelf 		<p>S4 QS-2052004</p> <ul style="list-style-type: none"> • 60-inch Upright (68.5" Overall Height) • 10-Outlet Electrical Channel • Main Worksurface (top) • Flat Panel Display Mount with Swing Arm (monitor not included) • Keyboard Tray • Suspended Locker • Bottom Shelf • CPU Holder
	<p>S5 QS-2052005</p> <ul style="list-style-type: none"> • 60-inch Upright (68.5" Overall Height) • 10-Outlet Electrical Channel • Main Worksurface (top) • Flat Panel Display Mount (monitor not included) • Keyboard Tray • CPU Holder 		<p>S6 QS-2052011</p> <ul style="list-style-type: none"> • 40-inch Upright (48.5" Overall Height) • 8-Outlet Electrical Channel • Main Worksurface (top)

Mobile Processing Stations

	<p>S8 QS-2052008</p> <ul style="list-style-type: none"> • 60-inch Upright (68.5" Overall Height) • 10-Outlet Electrical Channel • Main Worksurface (top) • Flat Panel Display Mount • Keyboard Tray • Single Drawer • Lower Shelf • CPU Holder 		<p>S9 QS-2052009</p> <ul style="list-style-type: none"> • 60-inch Upright (68.5" Overall Height) • 10-Outlet Electrical Channel • Main Worksurface (top) • Flat Panel Display Mount • Keyboard Tray • Single Drawer • Parts Cup Rail (bin not included) • CPU Holder
--	---	--	---

Options

	COLOR	DIMENSIONS	SHIP. WT.	PART NUMBER
<p>Single 6" Drawer</p>  <ul style="list-style-type: none"> Constructed of heavy-gauge steel and equipped with full-extension, 100-lb. capacity metal ball bearing drawer slides Safety recessed handles 	<p>Charcoal Gray</p> 	6"H x 14"D	18 lbs.	QS-2052202
<p>Single 12" Locker</p>  <ul style="list-style-type: none"> Lock included on 6-inch drawer Powder coat paint finish 	<p>Charcoal Gray</p> 	12"H x 14"D	19 lbs.	QS-2052206
<p>Part Cups Rail</p>  <ul style="list-style-type: none"> Adjusts up/down; accepts standard parts cup and other accessories 	<p>Textured Black</p> 	22"L	3 lbs.	QS-2052221
<p>Lower Shelf</p>  <ul style="list-style-type: none"> 100 lb. weight capacity Laminated worksurface with T-mold edge 	<p>Laminate: Winter Gray Matrix</p> 	28"L x 22"D	28 lbs.	QS-2052101
<p>Upright Mounted CPU Holder</p>  <ul style="list-style-type: none"> Secures CPU to rear side of the upright Rugged metal construction; durable powder coated paint finish 	<p>Textured Black</p> 		8 lbs.	QS-2052131
<p>Flat Panel Display Swing Arm Assembly</p>  <ul style="list-style-type: none"> Universal display mount complies with VESA MIS-D 100/75mm interface standard 	<p>Textured Black</p> 		6 lbs.	QS-2052151
<p>Flat Panel Display Mounting for Upright</p>  <ul style="list-style-type: none"> Universal display mount complies with VESA MIS-D 100/75mm interface standard Mounts along front of upright 	<p>Textured Black</p> 		4 lbs.	QS-2052161
<p>Flat Panel Display Keyboard and Mouse Holder</p>  <ul style="list-style-type: none"> This keyboard holder mounts to the Flat Panel Display Arms shown above. It adjusts up and down and includes comfortable angle adjustment. Tray is supplied with a mat to secure both the keyboard and mouse. 	<p>Textured Black</p> 	22"W x 8.5"D (keyboard tray)	10 lbs.	QS-1022918
<p>Slide Out Keyboard Tray</p>  <ul style="list-style-type: none"> Slide out tray glides smoothly on steel ball bearing drawer slides Allows full size keyboard to tuck away when not in use Palm rest included for comfort 	<p>Charcoal Gray</p> 	19.5"L	20 lbs.	QS-2052208

General Purpose Options

The IAC Options featured on this page are useable in association with a wide range of workstations or workbenches, including those made by other companies.

- Free Standing Footrest adds comfort to any workstation or desk.
- Bin Rail accessories will attach to any standard bin rail.
- ESD accessories are suitable for any ESD protected worksurface.

General Options

	COLOR	DIMENSIONS	SHIP. WT.	PART NUMBER
Free Standing Footrest  <ul style="list-style-type: none"> • Independent adjustments for foot pan height and angle • Heavy-gauge steel base with non-skid rubber floor glides on base and non-slip V-ribbed black rubber surface on foot pan • Rounded safety corners 	Textured Black 	8-1/2"H x 29"W x 15"D	25 lbs.	QS-2012159
Tool Holder  <ul style="list-style-type: none"> • Holds pliers, screwdrivers and other tools • Attaches to Parts Cup Stringer, Parts Cup Rack and Multi Bin Panel 	Textured Black 	2-1/2"H x 10-1/2"W x 3-1/2"D	3 lbs.	QS-2012646
Solder Spool Holder  <ul style="list-style-type: none"> • Hold 1-lb. spools of wire solder • Attaches to Parts Cup Stringer, Parts Cup Rack and Multi Bin Panel 	Textured Black 	3"H x 3"W x 2"D – Single	2 lbs.	QS-2012608
		3"H x 6"W x 2"D – Double	2 lbs.	QS-2012609
Kimwipe® Holder  <ul style="list-style-type: none"> • Attaches to Parts Cup Stringer, Parts Cup Rack and Multi Bin Panel 	Textured Black 	3"H x 4"W x 4-3/4"D	3 lbs.	QS-2012641
Bottle Holder  <ul style="list-style-type: none"> • Holds solvent and flux bottles • Attaches to Parts Cup Stringer, Parts Cup Rack and Multi Bin Panel 	Textured Black 	2"H x 4 -3/4"W x 4-3/4"D	3 lbs.	QS-2012643

ESD Options

	DIMENSIONS	SHIP. WT.	PART NUMBER
Personal Ground Block  <ul style="list-style-type: none"> • Attaches to worksurface and is connected to ESD grounding lug on worksurface • Provides two banana jacks for personal grounding devices • Includes ground cord 	1/2"H x 1-1/8"W x 2-1/2"D	1 lbs.	QS-6-6A
Personal Grounding Kit  <ul style="list-style-type: none"> • Includes Ground Block, plus wrist strap and ground cord 	5-16"H x 1"W x 1-1/4"D	1 lbs.	QS-PGK

Terms and Conditions

Orders placed directly with the factory are due and payable net 30 days. The F.O.B. point is our factory in Goodyear, Arizona, and shipments are freight collect or 3rd party billing. The minimum order amount is \$100.00 net, and all cancelled orders are subject to a cancellation charge of up to 25% of the original order amount.

“Quick Ship” five-day shipments will ship on or before the 5th working day ARO. Change orders received after 48 hours will not be accepted on five-day shipment orders. Five-day shipment is subject to availability.

Shipment

In order to achieve the most economical cost for the transportation of your work stations, the product is shipped K.D.F. (knocked down freight), which means that it will arrive disassembled and palletized ready for assembly.

Damage in Transit

For your protection, examine each shipment carefully for external damage. If there is any evidence of damage or shortage in transit, insist that the delivery carrier make appropriate notation on the freight bill before you sign anything. If, after receipt, any internal (or concealed) damage is discovered, immediately notify the carrier and request an inspection report to support your claim. Claims for damage or shortage in transit must be filed with the delivery carrier. IAC industries will not accept any return of merchandise that has been damaged in transit.

YOUR RECOURSE IS WITH THE DELIVERY CARRIER.

Packaging

Our packaging does not contain ODC's.

Return Merchandise

No goods are to be returned to IAC Industries without written factory authorization. A handling charge of 25% or \$50.00, whichever is greater, will be charged on all merchandise returned.

Specifications

IAC Industries reserves the right to make changes at any time, without notice, in color, prices, materials, equipment, specifications, and models. Although every effort has been made to insure the accuracy of all information contained in this brochure, IAC Industries cannot be held responsible for any omissions or errors in printing. Please check with your local IAC representative, or contact the factory direct, for the most complete and up-to-date information before ordering.

Warranty

IAC Industries' products are warranted to the original user to be free from defects in design, material and workmanship, given normal use and care, for a period of ten (10) years of single shift service, from the date of purchase.

With the exceptions noted below, IAC Industries, at its option, will repair or replace any product or part thereof which fails as a result of such a defect during the following warranty periods. (Pro-rated for multi-shift use.)

All IAC Industries' products (except as noted) *Ten years*

Operating components, functional mechanisms, high-wear parts such as chair pneumatic cylinders and casters. *Five years*

Wood or wood/metal framed products *Two years*

Textiles, covering materials, foam, finishes, exposed wood, fabrics, laminates, electrical components, and bench height adjustment cylinders and components *One year*

Exclusion — HEPA filters (all HEPA filters are inspected, installed, and tested at the factory and are certified to meet Federal Standard 209E).

This warranty is limited to the replacement and/or repair only, of such defective part(s) authorized in writing to be returned to IAC Industries with transportation charges and costs prepaid by the purchaser, and provided that examination by IAC Industries discloses such defect. In no way shall IAC Industries be responsible for any damage caused by the carrier, abuse, negligence, misuse, user modifications, or customer's material. IAC Industries does not warrant the matching of color, grain, or texture.

Options, component parts, and laminates not manufactured by IAC Industries are warranted only to the extent of the original manufacturer's warranty.

IAC Industries will not accept unauthorized charges for expenses (i.e. labor and freight) incurred by the customer. Products which have been repaired or altered by anyone other than IAC Industries; or without IAC Industries' written authorization; or in IAC Industries' judgment have been subject to misuse, neglect, or accident; or use outside specifications by purchases; or others are excluded from this warranty.

This warranty is in lieu of any other expressed or implied warranty, including any implied warranty of merchantability or fitness for a particular purpose, and of any other obligations or liability on the part of IAC Industries.



Quick Ship Work Center Solutions

Go from “basic” to “fully loaded” in just days...
with our full complement of options!

Build any of these Quick Ship products online with
our convenient online configurators.

www.IACindustries.com/Configurator



3831 S. Bullard Avenue • Goodyear, AZ • 85338

Tel 714.990.8997 • Fax 714.990.0557

www.iacindustries.com

