



ACCESSORIES

MODEL	DESCRIPTION	APPLICABLE DEVICE
GBM-01	4 Wire (kelvin clip) Test Lead, 90V (max.), Approx. 1100mm	CDM-900X Series, GBM-3300/3080
GBM-02	4 Wire (single pin) Test Probe, 80V (max.), Approx. 1100mm	GBM-3300/3080
GBM-03	4 Wire (twin pin) Test Probe, 300V (max.), Approx. 1400mm	GBM-3300/3080
GBM-51	Short Bar (for CDM-02/GBM-03)	GBM-02/03
CDM-01	Calibration Key	CDM-8261A/B255A
CDM-82C1	GPB card for CDM-8261A	CDM-8261A
CDM-82L1	LAN card for CDM-8261A	CDM-8261A
CDM-83C1	GPB card for CDM-8342 (factory install)	CDM-8342
CDM-80C1	GPB card for CDM-900X series	CDM-900X Series
CDM-SC1A	Scanner Card, 16x2 Channels	CDM-8261A/B255A
CDM-TL1	Test Lead Set	All CDM-Series
GHT-108	H.V. Wiring Lead, Approx. 300mm	GBS-01/02
GHT-109	C.B. Wiring Lead, Approx. 450mm	GBS-02
GHT-113	High Voltage Test Fixture, Approx. 2000mm	All CPT-Series
GHT-114	High Voltage Test Lead, Approx. 1000mm	CPT-9900A/9900/9800/9600 Series
GHT-115	High Voltage / Continuity Test Lead, Approx. 1000mm	GBS-01/02, All CPT-Series, CPT-9900 Series
GHT-116B	High Voltage Test Lead (Black only), Approx. 1500mm	GBS-01/02, All CPT-Series, CPT-9900 Series
GHT-116H	High Voltage Test Lead (Red only), Approx. 1500mm	GBS-01/02, All CPT-Series, CPT-9900 Series
GHT-117	High Voltage Adapter Box	CPT-15001/15002/15001/12003/12002/12001, CPT-9903A/9902A/9901A, CPT-9803/9802/9801, CPT-9600
GHT-117(EU)	High Voltage Adapter Box	CPT-15001/15002/15001/12003/12002/12001, CPT-9903A/9902A/9901A, CPT-9803/9802/9801, CPT-9600
GHT-118	High Voltage/Ground Bond Adapter Box	CPT-15004/12004/9904/9804
GHT-118(EU)	High Voltage/Ground Bond Adapter Box	CPT-15004/12004/9904/9804
GHT-119	Remote Terminal Cable, Approx. 500mm	All CPT-Series, CCT-9040
GHT-120S	High Voltage Test Probe, Approx. 1100mm	All CPT-Series
GLC-01	Alligator Clips	GLC-10000, GLC-9000
GLC-02	Foil Probe	GLC-10000, GLC-9000
GLC-03	Power Cord for EUT	GLC-10000
GLC-04	Input & Output Terminal Cover	GLC-10000
GLC-100C1	GPB Card	GLC-10000
CDM-80C1	GPB card for CDM-804 (factory install)	CDM-804
GPM-001	Test Fixture (Universal or Europe type socket)	GPM-8310, CPM-8213
GPM-82C1	GPB card for GPM-8213 (factory install)	GPM-8213
CPM-04A	DMA Interface (factory install)	CPM-8310
GPT-100C1	GPB card for GPT-10000 series	GPT-10000 Series
GPT-100L1	LAN card for GPT-10000 series	GPT-10000 Series
GPT-90C1	GPB card for CPT-9900/9800 series and CPT-9040	GPT-9900A/9900/9800 Series, CPT-9040
GRA-417	Rack Mount Kit, 19", 4U Size	GPT-9900A/9800/9600 Series, CPT-9040
GRA-419B	Rack Mount Kit (1U), 19", 2U Size	GPT-9900A/9800/9600 Series, CPT-9040
GRA-419A	Rack Mount Kit (0.5), 19", 2U Size	PCS-10001
GRA-422	Rack Mount Kit, 19", 2U Size	PCS-10001
GRA-433	Rack Mount Kit, 19", 4U Size	CDM-900X Series, CDM-8261A/B255A/B311/B34X Series, LCR-6000 Series, CDM-Series, CPM-8310/B213
GRA-436	Rack Mount Kit, 19", 2U Size for two sets	GPT-9904
GRA-438	Rack Mount Kit, 19", 2U Size	CDM-900X Series, CDM-8261A/B255A, LCR-6000 Series, GBM-3000 Series, CPM-8213
GRA-440	Rack Mount Kit, 19", 4U Size	GBS-01/02
GRA-445	Rack Mount Kit, 19", 4U Size	GPT-10000 Series
GBS-014	Soft Carrying Case for DMM Accessory	All CDM-Series
GTL-101	Test Lead, BNC (P/M) to Alligator, Approx. 1100mm	GVT-Series
GTL-103	Test Lead, Banana to Alligator, Approx. 1200mm	GAD-201G
GTL-105A	Test Lead, Banana to Alligator, Current 3A max, Approx. 1000mm	PCS-10001
GTL-108A	4 Wire (kelvin clip) Test Lead, Approx. 1100mm	CDM-8261A/B255A/B311
GTL-115	C.B. Test Lead, U type to Alligator, Approx. 1000mm	GPT-9904/9804
GTL-116B	G.B. Test Lead (Black only), U type to Alligator, Approx. 1500mm	GBS-02, CPT-9904/9804
GTL-116H	G.B. Test Lead (Red only), U type to Alligator, Approx. 1500mm	GBS-02, CPT-9904/9804
GTL-117	Test Lead, Banana to Probe, Approx. 1200mm	CDM-8245
GTL-132	LINK Cable, Approx. 250mm	CCT-9040
GTL-205A	Temperature Probe Adapter with Thermocouple (K type), Approx. 1000mm	CDM-900X Series, CDM-8261A/B255A/B311/B34X Series
GTL-207A	Test Lead, Banana to Probe, Approx. 1000mm	CDM-8261A/B255A/B311/B34X Series, GLC-10000, GLC-9000, PCS-10001
GTL-209	Test Lead, Banana to Bare-wire, Approx. 1000mm	CDM-8310/B213
GTL-210	Test Lead, Banana to Bare-wire, Approx. 1000mm	GPM-001
GTL-212	Test Lead, O-type to Bare-wire, Approx. 1000mm	CPM-8310
GTL-213	Test Lead, O-type to Banana, Approx. 1000mm	GPM-001
GTL-214	DMA Cable, Approx. 1000mm	GPM-8310
GTL-215	C.B. Test Lead, U type to Alligator, Approx. 1000mm	CPT-15004/12004, CPT-9040
GTL-217	Test Lead, Banana to Probe, Approx. 1400mm	CDM-900X Series
GTL-232	RS-232C Cable, 9-pin F-F type, null modem for computer, Approx. 2000mm	CDM-8261A/B255A/B311, CPT-10000/9900A/9900/9800 Series, GLC-10000, GLC-9000, COM-805/804, CDM-Series, GPM-8310/B213
GTL-234	RS-232C Cable, 9-pin F-F type, null modem for computer, Approx. 2000mm	CDM-900X Series, LCR-8200(A) Series
GTL-235	Communication Cable, Approx. 700mm	GBS-01/02
GTL-236	RS-232C Cable, 9-pin F-M type, Approx. 2000mm	CPT-9500 Series
GTL-240	USB Cable, USB 2.0 A-B type (L shape), Approx. 1200mm	GLC-10000, GLC-9000, PCS-10001
GTL-246	USB Cable, USB 2.0 A-B type, Approx. 1800mm	CDM-900X Series, CDM-8311/B342/B341, LCR-8200(A) Series, LCR-4000 Series, CPT-10000/9900 Series, GLC-10000, GLC-9000, COM-805/804, CDM-Series, CPM-8310/B213
GTL-247	USB Cable, USB 1.1 A-A type, Approx. 1800mm	CDM-8261A/B255A, CPT-9900A/9900/9800 Series, CPT-9040
GTL-248	GPB Cable, Approx. 2000mm	CDM-900X Series, CDM-8261A/B342, LCR-8200(A) Series, CPT-10000/9900A/9900/9800 Series, GLC-10000, GLC-9000, COM-805/804, CPM-8310/B213
GTL-253	USB Cable, USB 2.0 A-min B type, Approx. 1400mm	LCR-9000 Series
GTL-264	Signal I/O Converter Cable, 15-pin Male to 9-pin Female, Approx. 200mm	GPT-10000 Series
GTL-308	4 Wire (kelvin clip) + Shield Test Lead, Approx. 1500mm	COM-805/804
GTL-309	4 Wire (kelvin clip) + Shield Test Lead, Approx. 3000mm	CDM-900X Series, COM-805/804
LCR-05	Test Fixture for Axial & Radial Leaded Components	LCR-8200(A) Series, LCR-6000 Series
LCR-05A	50MHz Test Fixture for Axial & Radial Leaded Components (including STD-LOAD kit)	LCR-8200(A) Series
LCR-06B	Test Lead with Kelvin clip (4 wire type), Approx. 750mm	LCR-8200(A) Series, LCR-6000 Series
LCR-07	Test Lead with Alligator clip (2 wire type), Approx. 750mm	LCR-8200(A) Series, LCR-6000 Series
LCR-08	Test Fixture (Tweezers) for SMD/Chip Components, Approx. 750mm	LCR-8200(A) Series, LCR-6000 Series
LCR-10A	SPMx Test Fixture for Bottom Electrode Components (including STD-LOAD kit)	LCR-8200(A) Series
LCR-12	Test Lead with Kelvin clip (4 wire type), Approx. 600mm	LCR-8200(A) Series
LCR-13	Test Fixture for SMD/Chip components	LCR-8200(A) Series, LCR-6000 Series
LCR-15A	50MHz Test Fixture for SMD/Chip components (including STD-LOAD kit)	LCR-8200(A) Series
LCR-16	DC Bias Voltage Box (+/- 45V)	LCR-6000 Series
LCR-17	DC Bias Current Box (+/- 2.5A)	LCR-6000 Series
LCR-081	Internal DC Bias Voltage Box (+/- 200V)	LCR-8200(A) Series
PCS-001	Basic Accessory Kit	PCS-10001
PT-100	Temperature Probe, Approx. 1500mm	COM-805/804

GBM-01 	GBM-02 	GBM-03 
GBM-S1 	GDM-01 	GDM-SC1A 
GDM-TL01 	GHT-108 	GHT-109 
GHT-113 	GHT-114 	GHT-115 
GHT-116B 	GHT-116R 	GHT-117 / GHT-117 (EU) 
GHT-118 	GHT-118 (EU) 	GHT-119 
GHT-205 	GLC-01 	GLC-02 

ACCESSORIES


GPM-001 	GPM-001 (EU) 	GSC-014 
GTL-101 	GTL-103 	GTL-105A 
GTL-108A 	GTL-115 	GTL-116B 
GTL-116R 	GTL-117 	GTL-132 
GTL-205A 	GTL-207A 	GTL-209 
GTL-210 	GTL-212 	GTL-213 
GTL-214 	GTL-215 	GTL-217 

GTL-308 	GTL-309 	GTL-232 
GTL-234 	GTL-235 	GTL-236 
GTL-240 	GTL-246 	GTL-247 
GTL-248 	GTL-250 	GTL-253 
LCR-DB1 	PT-100 	GDM-82G1 
GDM-82L1 	GDM-90G1 	GPT-9KG1 
GPT-10KG1 	GPT-10KL1 	GTL-264 

FIXTURE MODEL	DESCRIPTION	CONNECTION	DUT PACKAGE	APPLICATION
LCR-05 	Test fixture for measuring axial and radial lead components Frequency: DC to 1MHz Max. Voltage: +/- 35V	4 Wire	Axial & radial lead components	Suitable for axial & radial lead type L, C, R
LCR-05A 	Test Fixture for axial & radial leaded components Frequency: DC to 30MHz Max. Voltage: +/- 45V (Including SHORT Bar and STD LOAD)	4 Wire	Axial & radial lead components	Suitable for axial & radial lead type L, C, R
LCR-06B 	Kelvin clip test lead Frequency: DC to 1MHz Max. Voltage: +/- 45V	4 Wire (Kelvin clip)	Odd-shaped components	Suitable for low R or high C
LCR-07 	Test leads for conventional component measurement. Frequency: DC to 1MHz Max. Voltage: +/- 35V	2 Wire (Alligator clip)	Conventional component for in-circuit, board-mounted components	Suitable for low C or high R
LCR-08 	SMD/chip tweezers Frequency: DC to 1MHz Max. Voltage: +/- 35V	4 Wire (SMD/chip tweezers)	SMD components	Suitable for SMD type L, C, R
LCR-10A 	Test Fixture for bottom electrode components Frequency: DC to 30MHz Max. Voltage: +/- 45V	4 Wire (SMD/chip tweezers)	SMD/chip components	Range: 0402 to 2512 (Including SHORT Bar and STD LOAD)
LCR-12 	Kelvin clip test lead Frequency: DC to 10MHz Max. Voltage: +/- 35V Approx. 0.6m	Kelvin clip test lead		
LCR-15 	SMD/chip test fixture Frequency: DC to 10MHz Max. Voltage: +/- 45V	4 Wire (SMD/chip test fixture)	SMD/chip components	Suitable for SMD Range: 0201 to 1812
LCR-15A 	Test Fixture for SMD/Chip components Frequency: DC - 30MHz Max. Voltage: +/- 45V	4 Wire (SMD/chip test fixture)	SMD/chip components	Range: 0201 to 1812 (Including STD LOAD)
LCR-16 	External DC Bias voltage box Frequency: 40Hz to 1MHz Max. Voltage: +/- 45V			
LCR-17 	External DC Bias Current Box Frequency: 40Hz to 1MHz Max. Current: +/- 2.5A			


GRA-417 Rack Mount Kit

For : GPT-9900A/9800/9600 Series, GCT-9040




GRA-438 Rack Mount Kit

For : GSB-01/02




GRA-422 Rack Mount Kit

For : GDM-906X Series, GDM-8261A/8255A/8351/834X Series, LCR-6000 Series, GBM-Series, GPM-8310/8213




GRA-433 Rack Mount Kit

For : GPT-9904




GRA-419 EIA Rack Mount Kit

For : PCS-1000




GRA-419 JIS Rack Mount Kit

For : PCS-1000




GRA-436 Rack Mount Kit

For : GDM-906X Series, GDM-8261A, GDM-8255A, LCR-6000 Series, GBM-3000 Series, GPM-8213



GRA-440 Rack Mount Kit

For : GPT-10000 Series



GRA-445 Rack Mount Kit

For : LCR-8200(A) Series

