
Keysight Technologies

B2900A SMUs Can Perform Both Basic IV Sourcing and Complex Characterization and Analysis Tasks - Product Fact Sheet

Keysight B2900A Series Precision Source/Measure Unit

The B2900A series SMUs have multiple free software control options, allowing you to choose the solution that best fits your particular application.



A common software solution for the entire B2900 family

EasyEXPERT group+

Vth gmMax [2HL]

Powerful software for detailed characterization and analysis of devices, circuits and materials

A

th gmMa [2HL]

-Vd [2H

🤏 R-1 [1HL]

Orl Shift

lav OFF 🔯 Standby OFF 📧 SMU Zero OFF 📰 Auto Export OFF 🔳 Auto Reci



BenchVue

Software options

The table summarizes the features and functions of software.

		BenchVue	Graphical Web Interface	Quick I/V Measurement Software	EasyEXPERT group+
Supported Model	B2900A series	\checkmark	\checkmark	\checkmark	✓
	B2960A series	\checkmark	✓	✓	
	B2980A series		√	\checkmark	
Supported Interface	GPIB	✓		\checkmark	✓
	USB	\checkmark		✓	
	LAN	\checkmark	✓	✓	
Source Mode	Constant voltage	\checkmark	✓	✓	✓
	Constant current	\checkmark	✓	✓	✓
	Sweep output		\checkmark	✓	✓
Functions	Graph	\checkmark		✓	\checkmark
	Math			\checkmark	\checkmark
	Analysis				\checkmark
	Database				✓
	Export screen image	\checkmark		\checkmark	✓
	Export data	\checkmark		\checkmark	✓
	Multiple unit control	\checkmark		\checkmark	\checkmark
	Application test setup			-	√

Keysight B2900A Precision Source/Measure Unit (SMU)

source

Ł

meter

Current Voltage

source meter

The SMU combines the capabilities of a current source, a voltage source, a current meter and a Voltage Current voltage meter along with the capability to switch easily between these various functions into a single instrument. Its innovative graphical user interfaces improves usability and productivity of bench-top tests, debug and characterizations dramatically.

www.keysight.com/find/precisionSMU



Source/Measure Unit

Key Features of the B2900 Precision Instrument Family

B2900A precision source/measure unit

- ✓ Display I-V curves and other types of graphs on the front panel
- ✓ Best-in-class 6.5-digit sourcing and measurement resolution
- ✓ Wide application coverage from 100 nV / 10 fA to 210 V/3 A DC and 10.5 A pulsed

B2960A series 6.5 digit low noise power source

- ✓ Precision current and voltage source with ultra-low noise 10 uVrms
- ✓6.5 Digit resolution (100nV/10 fA)
- ✓ Innovative and precision ARB capability;six built-in waveforms with speeds up to 10 kHz

B2980A series femto/picoammeter & electrometer

- ✓ World's-best current measurement resolution of 0.01 fA (0.01 x 10⁻¹⁵ A)
- ✓ Resistance measurements up to 10 PΩ (10 x 10^{15} Ω)
- ✓Available in battery-powered versions for low-level measurements in the presence of AC power line noise

myKeysight

www.keysight.com/find/mykeysight myKeysight

A personalized view into the information most relevant to you.

Keysight Assurance Plans

www.keysight.com/find/AssurancePlans

Up to ten years of protection and no budgetary surprises to ensure your instruments are operating to specification, so you can rely on accurate measurements.

To learn more please visit: www.keysight.com/find/b2900a

> This information is subject to change without notice. © Keysight Technologies, 2015, 2016 Published in USA, January 6, 2016 5992-1214EN www.keysight.com



Unlocking Measurement Insights