Keysight Technologies

N9320B Spectrum Analyzer

The Most Cost-effective RF Measurement Instrument for the Manufacture of Consumer Wireless Electronics





Introduction

Since the Industrial, Scientific and Medical (ISM) 2.4 GHz frequency band is the most universal, unlicensed RF band in most of the world, in that it can be used without any government permits, makes this a popular band for numerous consumer electronics, e.g. from wireless keyboards and mice, microwave ovens, Bluetooth devices to wireless remotes for game controllers, miniature toy cars, boats and aircraft and wireless speaker, etc.. Because these consumer electronics transmit or radiate RF energy in the ISM band and there are RF circuit modules inside, an RF spectrum analyzer is critical on the production lines to measure relevant RF power, frequency and modulation including unintended radiation to ensure proper operation of such electronics.

Facing fierce market competition, manufacturers must minimize the cost of testing while guaranteeing product quality and meeting government regulations. Utilizing an RF spectrum analyzer with high measurement speed and reliability, guaranteed performance and low budget impact can meet these manufacturers' needs.

Professional, low-cost RF measuring instrument for manufacturing

To meet these testing requirements for production of consumer electronics, Keysight Technologies, Inc. has developed the cost-effective N9320B bench top 3 GHz RF spectrum analyzer, providing the rapid testing, guaranteed measurement specifications, reliability and ease-of-use for electronics manufacturing, thus helping manufacturers achieve their marketplace goals. On the production lines for consumer electronics, the N9320B RF spectrum analyzer is commonly used for testing the RF channel parameters such as carrier frequency, carrier power, channel power and occupied bandwidth, providing professional performance and flexibility.

Powerful, easy-to-use "one-button" measurement features – which can reduce not only the overall cost of test for each unit but operator training as well.

- Channel power
- Occupied bandwidth
- Adjacent channel power
- Intermodulation distortion
- Spectrum emission mask

These one-button measurement routines will not only help ensure the measurement accuracy of the entire test system, but also make the measurements for production lines simpler and more reliable, thus reducing the demand for the professional skills of technicians and help reduce labor costs.

Accuracy

With a new digital IF, the N9320B enables dramatic improvements in its standard power measurement accuracy to ±0.5 dB typically. Plus the new built-in power meter functionality (standard feature) with Keysight U2000 series USB power sensors support to add exceedingly accurate RF and MW power measurements.

Connectivity

The N9320B offers LAN and USB as standard interfaces. The flexibility of selecting from two I/O interfaces gives you the optimum convenience and choice for remotely operating the instrument.

Compatibility

Programming code compatibility between the N9320B and Keysight ESA-L spectrum analyzers ensures a smooth migration so it is quicker and easier for manufacturing to increase throughput and maximize yields.

Efficient and complete testing solutions from Keysight?

In the production testing of consumer electronics, usually, one needs to measure the product's operating current and voltage in addition to the relevant RF parameters. The Keysight programmable power supplies, e.g., E3632A, and the programmable digital multimeters, e.g. 34401A, can fulfill testing needs completely. An efficient and low-cost automatic testing system can easily be assembled using Keysight power supplies and multimeters together with the N9320B RF spectrum analyzer, dedicated fixtures for testing, shielding boxes and computers.

Configuration for testing consumer wireless products

- N9320B 9kHz-3GHz RF spectrum analyzer
- N9320B-1HB Handle and rubber sheath
- N9320B-1CM Rack installation package
- N9320B-PA3 3 GHz preamplifier for added sensitivity




Figure 1 Channel power measurement



Figure 2 Channel bandwidth measurement




Figure 3 Carrier frequency and power measurement



Figure 4 Testing system – N9320B RF spectrum analyzer, E3632A power supply and 34401A digital multimeter

For more information on Keysight Technologies' products, applications or services, please contact your local Keysight office. The complete list is available at: www.keysight.com/find/contactus

Americas

Canada	(877) 894 4414
Brazil	55 11 3351 7010
Mexico	001 800 254 2440
United States	(800) 829 4444

Asia Pacific

Australia	1 800 629 485
China	800 810 0189
Hong Kong	800 938 693
India	1 800 112 929
Japan	0120 (421) 345
Korea	080 769 0800
Malaysia	1 800 888 848
Singapore	1 800 375 8100
Taiwan	0800 047 866
Other AP Countries	(65) 6375 8100

Europe & Middle Fast

Europe & Milaule East	
Austria	0800 001122
Belgium	0800 58580
Finland	0800 523252
France	0805 980333
Germany	0800 6270999
Ireland	1800 832700
Israel	1 809 343051
Italy	800 599100
Luxembourg	+32 800 58580
Netherlands	0800 0233200
Russia	8800 5009286
Spain	800 000154
Sweden	0200 882255
Switzerland	0800 805353
	Opt. 1 (DE)
	Opt. 2 (FR)
	Opt. 3 (IT)

For other unlisted countries: www.keysight.com/find/contactus (BP-09-23-14)

United Kingdom

0800 0260637

