
Material Safety Data Sheet







Issue date: 01/04/2011

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: Product type:

Company address:

Henkel Corporation

Rocky Hill, Connecticut 06067

One Henkel Way

LOCTITE® 262[™] THREADLOCKER HIGH STRENGTH Anaerobic Sealant IDH number:

135375

Item number:26241Region:United StatesContact information:Edephone: 860.571.510MEDICAL EMERGENCY Phone: Poison Control Center1-877-671-4608 (toll free) or 1-303-592-1711TRANSPORT EMERGENCY Phone: CHEMTREC1-800-424-9300 (toll free) or 1-703-527-3887Internet: www.henkelna.com

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW			
Physical st Color: Odor:	ate: Liqui Red Mild	HMIS: HEALTH: *2 FLAMMABILITY: 1 PHYSICAL HAZARD: 1 Personal Protection: See MSDS Section 8	
W	/ARNING:	CAUSES EYE IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION. MAY CAUSE RESPIRATORY TRACT IRRITATION. MAY CAUSE SKIN IRRITATION.	
Relevant routes of exposure:		Skin, Inhalation, Eyes, Respiratory system	
Potential Health Effects			
	Inhalation: Skin contact: Eye contact: Ingestion:	May cause respiratory tract irritation. May cause allergic skin reaction. May cause skin irritation with discomfort or rash. Contact with eyes will cause irritation. May be harmful if swallowed.	
Existing co exposure:	onditions aggravated	y Eye, skin, and respiratory disorders.	
		This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFF 1910.1200).	

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous components	CAS NUMBER	%	
Polyglycol dimethacrylate	25852-47-5	60 - 100	
Bisphenol A fumarate resin	39382-25-7	10 - 30	
Saccharin	81-07-2	1 - 5	
Cumene hydroperoxide	80-15-9	1 - 5	
N,N-Diethyl-p-toluidine	613-48-9	1 - 5	

4.	. FIRST AID MEASURES
Inhalation:	Move to fresh air. If symptoms develop and persist, get medical attention.
Skin contact:	Wash with soap and water. Remove contaminated clothing and footwear. Wash clothing before reuse. If symptoms develop and persist, get medical attention.
Eye contact:	Flush with copious amounts of water, preferably, lukewarm water for at leas 15 minutes, holding eyelids open all the time. Get medical attention.
Ingestion:	Do not induce vomiting. Keep individual calm. Get medical attention.
5. F	IRE FIGHTING MEASURES
Flash point:	> 93.3 ℃ (> 199.94 年) Tagliabue closed cup
Autoignition temperature:	Not available
Flammable/Explosive limits - lower:	Not available
Flammable/Explosive limits - upper:	Not available
Extinguishing media:	If product is involved in fire extinguish with dry powder, foam or carbon dioxide.
Special firefighting procedures:	Wear self-contained breathing apparatus and full protective clothing, such a turn-out gear.
Unusual fire or explosion hazards:	None
Hazardous combustion products:	Thermal decomposition can lead to release of irritating gases and vapors. Oxides of carbon. Oxides of nitrogen.
6. ACCI	DENTAL RELEASE MEASURES
Use personal protection recommended in Se	ection 8, isolate the hazard area and deny entry to unnecessary and unprotec personnel.
Environmental precautions:	Do not allow product to enter sewer or waterways. Do not allow product to enter sewer or waterways.
Clean-up methods:	Ensure adequate ventilation. Soak up with inert absorbent material (e.g. sar silica gel, acid binder, universal binder, sawdust). Scrape up spilled materia and place in a closed container for disposal. Ensure adequate ventilation. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Scrape up spilled material and place in a closed container for disposal.
7. ł	HANDLING AND STORAGE
Handling:	Avoid contact with eyes, skin and clothing. Avoid breathing vapors or mists this product. Wash thoroughly after handling.
Storage:	For safe storage, store at or below 38 $^{\circ}$ (100.4 $^{\circ}$) Keep in a cool, well ventilated area away from heat, sparks and open flame

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous components	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Polyglycol dimethacrylate	None	None	None	None
Bisphenol A fumarate resin	None	None	None	None
Saccharin	None	None	None	None
Cumene hydroperoxide	None	None	1 ppm (6 mg/m3) TWA (SKIN)	None
N,N-Diethyl-p-toluidine	None	None	None	None

Engineering controls:	No specific ventilation requirements noted, but forced ventilation may still be required if concentrations exceed occupational exposure limits.
Respiratory protection:	Use a NIOSH approved supplied air respirator with an organic cartridge if the potential to exceed established exposure limits exists.
Eye/face protection:	Safety goggles or safety glasses with side shields.
Skin protection:	Use impermeable gloves and protective clothing as necessary to prevent skin contact. Natural rubber gloves. Neoprene gloves. Butyl rubber gloves.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:
Color:
Odor:
Odor threshold:
pH:
Vapor pressure:
Boiling point/range:
Melting point/ range:
Specific gravity:
Vapor density:
Flash point:
Flammable/Explosive limits - lower:
Flammable/Explosive limits - upper:
Autoignition temperature:
Evaporation rate:
Solubility in water:
Partition coefficient (n-octanol/water):
VOC content:

Liquid Red Mild Not available Not applicable < 5 mm hg (27 °C (80.6 °F)) > 149 °C (> 300.2 °F) Not available 1.05 Not available > 93.3 ℃ (> 199.94 F) Tagliabue closed cup Not available Not available Not available Not available Slight Not available 0 %; 0 g/l

10. STABILITY AND REACTIVITY

Stability:	Stable	
Hazardous reactions:	Will not occur.	
Hazardous decomposition products:	Oxides of carbon. Oxides of sulfur. Oxides of nitrogen. Phenolics. Irritating organic vapours.	
Incompatible materials:	Iron. Copper. Rust. Aluminum. Zinc. Reducing agents. Strong acids and oxidizing agents. Oxygen scavengers. Strong alkalis.	
Conditions to avoid:	See "Handling and Storage" (Section 7) and "Incompatibility" (Section 10).	
11. TOXICOLOGICAL INFORMATION		

Acute oral product toxicity:

LD50 (rat) > 10,000 mg/kg

Acute dermal product toxicity:

LD50 (rabbit) > 5,000 mg/kg

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)	
Polyglycol dimethacrylate	No	No	No	
Bisphenol A fumarate resin	No	No	No	
Saccharin	No	No	No	
Cumene hydroperoxide	No	No	No	
N,N-Diethyl-p-toluidine	No	No	No	
Hazardous components		Health Effects/Targe	t Organs	
Polyglycol dimethacrylate		Irritant, Allergen		
Bisphenol A fumarate resin		No Target Organs		
Saccharin		No Target Organs		
Cumene hydroperoxide	Allerge	Allergen, Central nervous system, Corrosive, Irritant, Mutagen		
N,N-Diethyl-p-toluidine		No Target Organs		

12. ECOLOGICAL INFORMATION

Ecological information:

Not available

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.			
Recommended method of disposal:	Follow all local, state, federal and provincial regulations for disposal.		

Hazardous waste number:

Not a RCRA hazardous waste.

14. TRANSPORT INFORMATION

The shipping classifications in this sections are for non-bulk packaging only (unless otherwise specified). Shipping classification may be different for bulk packaging.

U.S. Department of Transportation Ground (4	19 CFR)
Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None
International Air Transportation (ICAO/IATA)	
Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None
Water Transportation (IMO/IMDG)	
Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status:

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory. TSCA 12(b) Export Notification: None above reporting de minimus

CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA 313:	None above reporting de minimus Immediate Health, Delayed Health This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40			
CERCLA Reportable quantity:	CFR 372). Cumene hydroperoxide (CAS# 80-15-9). Cumene hydroperoxide (CAS# 80-15-9) 10 lbs. (4.54 kg) Saccharin (CAS# 81-07-2) 100 lbs. (45.4 kg)			
California Proposition 65:	This product contains a chemical known in the State of California to cause cancer.			
Canada Regulatory Information				
CEPA DSL/NDSL Status:	All components are listed on or are exempt from listing on the Canadian Domestic Substances List.			
WHMIS hazard class:	D.2.B			
16. OTHER INFORMATION				

This material safety data sheet contains changes from the previous version in sections: New Material Safety Data Sheet format. 2, 8, 11

Prepared by: Kyra Kozak Woods, Manager, Regulatory Affairs

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.