



Revision Number: 007.0

Issue date: 08/17/2022

**1. PRODUCT AND COMPANY IDENTIFICATION**


|                            |   |                             |   |
|----------------------------|---|-----------------------------|---|
| <b>Product name:</b>       | <b>LOCTITE SI 5083 LC known as<br/>LOCTITE 5083 NUVASIL FLW</b>       | <b>IDH number:</b>          | 229524  |
| <b>Product type/use:</b>   | Silicone sealant  | <b>Item number:</b>         | 17528   |
| <b>Restriction of Use:</b> | None identified   | <b>Region:</b>              | United States   |
| <b>Company address:</b>    | Henkel Corporation<br>One Henkel Way<br>Rocky Hill, Connecticut 06067 | <b>Contact information:</b> | Telephone: +1 (860) 571-5100<br>MEDICAL EMERGENCY Phone: Poison Control Center<br>1-877-671-4608 (toll free) or 1-303-592-1711<br>TRANSPORT EMERGENCY Phone: CHEMTREC<br>1-800-424-9300 (toll free) or 1-703-527-3887<br>Internet: www.henkelna.com |

**2. HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW**

**DANGER:** CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.  
MAY DAMAGE FERTILITY OR THE UNBORN CHILD.

| HAZARD CLASS          | HAZARD CATEGORY |
|-----------------------|-----------------|
| SKIN CORROSION        | 1C - Corrosive  |
| SERIOUS EYE DAMAGE    | 1               |
| REPRODUCTIVE TOXICITY | 1B              |



**Precautionary Statements**

|                    |  |
|--------------------|--|
| <b>Prevention:</b> | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust or fumes. Wash affected area thoroughly after handling. Wear protective gloves, clothing, eye and face protection.   |
| <b>Response:</b>   | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical attention. Wash contaminated clothing before reuse. |
| <b>Storage:</b>    | Store locked up.   |
| <b>Disposal:</b>   | Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.  |

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

| Hazardous Component(s)                    | CAS Number | Percentage* |
|---|------------|-------------|
| Silica, amorphous, treated                | 68909-20-6 | 10 - 30     |
| 3-[tris(acetoxy)silyl]propyl methacrylate | 51772-85-1 | 1 - 5       |
| Methylsilanetriyl triacetate              | 4253-34-3  | 0.1 - 1     |
| Triacetoxethylsilane                      | 17689-77-9 | 0.1 - 1     |

|  |              |         |
|--|--------------|---------|
| 1,3-Bis(3-methacryloxypropyl)-1,1,3,3-tetraacetoxysiloxane | 2296688-20-3 | 0.1 - 1 |
| acetic acid  | 64-19-7      | 0.1 - 1 |
| Acetic anhydride   | 108-24-7     | 0.1 - 1 |
| dibutyltin dilaurate                                       | 77-58-7      | 0.1 - 1 |

\* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

#### 4. FIRST AID MEASURES

|                      |   |
|----------------------|---|
| <b>Inhalation:</b>   | Move to fresh air. If symptoms persist, seek medical advice.  |
| <b>Skin contact:</b> | Wipe off paste with paper towel or cloth. Wash with soap and water. If skin irritation persists, call a physician.            |
| <b>Eye contact:</b>  | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.               |
| <b>Ingestion:</b>    | DO NOT induce vomiting unless directed to do so by medical personnel. If symptoms develop and persist, get medical attention. |
| <b>Symptoms:</b>     | See Section 11.   |

#### 5. FIRE FIGHTING MEASURES

|   |  |
|---|--|
| <b>Extinguishing media:</b>               | Foam, dry chemical or carbon dioxide. Do not use high volume water jet.                      |
| <b>Special firefighting procedures:</b>   | Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear. |
| <b>Unusual fire or explosion hazards:</b> | In case of fire, keep containers cool with water spray.                                      |
| <b>Hazardous combustion products:</b>     | Oxides of carbon. Oxides of silicon. Formaldehyde.   |

#### 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

|                                   |  |
|-----------------------------------|--|
| <b>Environmental precautions:</b> | Do not allow material to contaminate ground water system.  |
| <b>Clean-up methods:</b>          | Scrape up as much material as possible. Place scrap material in a well ventilated area and allow to cure to rubber. Spilled material will solidify. Store in a partly filled, closed container until disposal. Maintain good ventilation for large spills. |

#### 7. HANDLING AND STORAGE

|                  |  |
|------------------|--|
| <b>Handling:</b> | Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. |
| <b>Storage:</b>  | Store in a dry area below 90° F.   |

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous Component(s)                                       | ACGIH TLV   | OSHA PEL                              | AIHA WEEL | OTHER |
|--|---|---------------------------------------|-----------|-------|
| Silica, amorphous, treated                                   | 10 mg/m <sup>3</sup> TWA<br>Inhalable dust.   | 6 mg/m <sup>3</sup> TWA               | None      | None  |
| 3-[tris(acetoxy)silyl]propyl methacrylate                    | None  | None                                  | None      | None  |
| Methylsilanetriyl triacetate                                 | None  | None                                  | None      | None  |
| Triacetoxyethylsilane  | None  | None                                  | None      | None  |
| 1,3-Bis(3-methacryloxypropyl)-1,1,3,3-tetraacetoxydisiloxane | None  | None                                  | None      | None  |
| acetic acid  | 15 ppm STEL<br>10 ppm TWA   | 10 ppm (25 mg/m <sup>3</sup> )<br>PEL | None      | None  |
| Acetic anhydride   | 1 ppm TWA<br>3 ppm STEL   | 5 ppm (20 mg/m <sup>3</sup> )<br>PEL  | None      | None  |
| dibutyltin dilaurate   | 0.1 mg/m <sup>3</sup> TWA (as Sn)<br>0.2 mg/m <sup>3</sup> STEL (as Sn)<br>(SKIN) (as Sn) | 0.1 mg/m <sup>3</sup> PEL (as Sn)     | None      | None  |

|                                |   |
|--------------------------------|---|
| <b>Engineering controls:</b>   | Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits.                           |
| <b>Respiratory protection:</b> | Use NIOSH approved respirator if there is potential to exceed exposure limit(s).  |
| <b>Eye/face protection:</b>    | Safety goggles or safety glasses with side shields.   |
| <b>Skin protection:</b>        | Use chemical resistant, impermeable clothing including gloves and either an apron or body suit to prevent skin contact. |

## 9. PHYSICAL AND CHEMICAL PROPERTIES

|   |                                     |
|---|-------------------------------------|
| <b>Physical state:</b>                          | Paste                               |
| <b>Color:</b>                                   | Transparent                         |
| <b>Odor:</b>                                    | Acetic acid                         |
| <b>Odor threshold:</b>                          | Not available.                      |
| <b>pH:</b>                                      | 7 - 9                               |
| <b>Vapor pressure:</b>                          | < 10 mm hg (21 °C (69.8 °F))        |
| <b>Boiling point/range:</b>                     | > 145 °C (> 293°F)                  |
| <b>Melting point/ range:</b>                    | > 400 °C (> 752°F)                  |
| <b>Specific gravity:</b>                        | 1.1                                 |
| <b>Vapor density:</b>                           | Not applicable, Product is a solid. |
| <b>Flash point:</b>                             | Not applicable                      |
| <b>Flammable/Explosive limits - lower:</b>      | Not available.                      |
| <b>Flammable/Explosive limits - upper:</b>      | Not available.                      |
| <b>Autoignition temperature:</b>                | Not available.                      |
| <b>Flammability:</b>                            | The product is not flammable.       |
| <b>Evaporation rate:</b>                        | Not available.                      |
| <b>Solubility in water:</b>                     | Polymerises in presence of water.   |
| <b>Partition coefficient (n-octanol/water):</b> | Not available.                      |
| <b>VOC content:</b>                             | 3.36 %; 37.7 g/l                    |
| <b>Viscosity:</b>                               | Not available.                      |
| <b>Decomposition temperature:</b>               | > 100 °C                            |

## 10. STABILITY AND REACTIVITY

|  |  |
|--|--|
| <b>Stability:</b>                        | Stable under recommended storage conditions.   |
| <b>Hazardous reactions:</b>              | Will not occur.  |
| <b>Hazardous decomposition products:</b> | Acetic acid is liberated slowly upon contact with moisture. Oxides of carbon. Oxides of silicon. Formaldehyde. |
| <b>Incompatible materials:</b>           | Acids. Bases. Oxidizing agents. Heat, sunlight, or UV light. Water.  |
| <b>Reactivity:</b>                       | Not available.   |
| <b>Conditions to avoid:</b>              | Product is sensitive to light and moisture.  |

## 11. TOXICOLOGICAL INFORMATION

**Relevant routes of exposure:** Skin, Inhalation, Eyes

### Potential Health Effects/Symptoms

|                      |  |
|----------------------|--|
| <b>Inhalation:</b>   | Acetic acid produced during cure may irritate eyes, nose and throat. When heated to temperatures exceeding 300° F (150° C) in the presence of air, silicones may form formaldehyde vapors. Formaldehyde is a potential cancer hazard and a known skin and respiratory sensitizer. Vapors irritate the eyes, nose and throat. Safe handling conditions may be maintained by keeping formaldehyde vapor concentrations below the OSHA permissible limit. |
| <b>Skin contact:</b> | Causes skin irritation.  |
| <b>Eye contact:</b>  | Causes serious eye damage.   |
| <b>Ingestion:</b>    | Not expected under normal conditions of use.   |

| Hazardous Component(s)   | LD50s and LC50s   | Immediate and Delayed Health Effects   |
|--|---|--|
| Silica, amorphous, treated                                       | None  | No Target Organs   |
| 3-[tris(acetoxy)silyl]propyl methacrylate                        | None  | Irritant, Allergen   |
| Methylsilanetriyl triacetate                                     | None  | Irritant, Allergen   |
| Triacetoxymethylsilane   | None  | No Target Organs   |
| 1,3-Bis(3-methacryloxypropyl)-1,1,3,3-tetraacetoxymethylsiloxane | None  | No Data  |
| acetic acid  | Oral LD50 (Rabbit) = 1,200 mg/kg<br>Oral LD50 (Mouse) = 4,960 mg/kg<br>Oral LD50 (Rat) = 3.53 g/kg<br>Oral LD50 (Rat) = 3.31 g/kg<br>Dermal LD50 (Rabbit) = 1,060 mg/kg<br>Inhalation LC50 (Rat, 4 h) = > 16000 ppm | Allergen, Corrosive, Eyes, Gastrointestinal, Immune system, Irritant, Kidney |
| Acetic anhydride   | Oral LD50 (Rat) = 1,780 mg/kg<br>Dermal LD50 (Rabbit) = 4,000 mg/kg   | Allergen, Corrosive, Irritant, Respiratory                                   |
| dibutyltin dilaurate   | Oral LD50 (Rat) = 175 mg/kg   | No Data  |

| Hazardous Component(s)   | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen (Specifically Regulated) |
|--|----------------|-----------------|--|
| Silica, amorphous, treated                                       | No             | No              | No                                       |
| 3-[tris(acetoxy)silyl]propyl methacrylate                        | No             | No              | No                                       |
| Methylsilanetriyl triacetate                                     | No             | No              | No                                       |
| Triacetoxymethylsilane   | No             | No              | No                                       |
| 1,3-Bis(3-methacryloxypropyl)-1,1,3,3-tetraacetoxymethylsiloxane | No             | No              | No                                       |
| acetic acid  | No             | No              | No                                       |
| Acetic anhydride   | No             | No              | No                                       |
| dibutyltin dilaurate   | No             | No              | No                                       |

## 12. ECOLOGICAL INFORMATION

**Ecological information:** Not available.

## 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:** Follow all local, state, federal and provincial regulations for disposal.

## 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

### U.S. Department of Transportation Ground (49 CFR)

|                                  |               |
|----------------------------------|---------------|
| <b>Proper shipping name:</b>     | Not regulated |
| <b>Hazard class or division:</b> | None          |
| <b>Identification number:</b>    | None          |
| <b>Packing group:</b>            | None          |

### International Air Transportation (ICAO/IATA)

|                                  |               |
|----------------------------------|---------------|
| <b>Proper shipping name:</b>     | Not regulated |
| <b>Hazard class or division:</b> | None          |
| <b>Identification number:</b>    | None          |
| <b>Packing group:</b>            | None          |

### Water Transportation (IMO/IMDG)

|                                  |               |
|----------------------------------|---------------|
| <b>Proper shipping name:</b>     | Not regulated |
| <b>Hazard class or division:</b> | None          |
| <b>Identification number:</b>    | None          |
| <b>Packing group:</b>            | None          |

|                    |      |
|--------------------|------|
| <b>Exceptions:</b> | None |
|--------------------|------|

## 15. REGULATORY INFORMATION

### United States Regulatory Information

|   |  |
|---|--|
| <b>TSCA 8 (b) Inventory Status:</b>     | All components are listed as active or are exempt from listing on the Toxic Substances Control Act (TSCA) inventory. |
| <b>TSCA 12 (b) Export Notification:</b> | None above reporting de minimis  |
| <b>CERCLA/SARA Section 302 EHS:</b>     | None above reporting de minimis.   |
| <b>CERCLA/SARA Section 311/312:</b>     | Immediate Health, Delayed Health   |
| <b>CERCLA/SARA Section 313:</b>         | None above reporting de minimis.   |
| <b>California Proposition 65:</b>       | No California Proposition 65 listed chemicals are known to be present.   |

### Canada Regulatory Information

|                              |   |
|------------------------------|---|
| <b>CEPA DSL/NDSL Status:</b> | All components are listed on or are exempt from listing on the Canadian Domestic Substances List. |
|------------------------------|---|

## 16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: 2,3,8,9,11,16

**Prepared by:** Product Safety and Regulatory Affairs

**Issue date:** 08/17/2022

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on OSHA Hazard Communication Standard (29 CFR 1910.1200) and provides information in accordance with U.S. federal law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.