

Revision Number: 004.0 Issue date: 10/10/2019

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product name: LOCTITE ECCOBOND FP4527 known IDH number:

as FP4527 10CC UNDRFILL -40CD

Product type/use: Encapsulant Restriction of Use: None identified

Company address: Henkel Corporation One Henkel Way

Rocky Hill, Connecticut 06067

**IDH number:** 397713

Item number: FP4527-V20
Region: United States

Contact information:

Telephone: +1 (860) 571-5100

MEDICAL EMERGENCY Phone: Poison Control Center 1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC

1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

## 2. HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW** 

DANGER: CAUSES SKIN IRRITATION.

MAY CAUSE AN ALLERGIC SKIN REACTION.

CAUSES SERIOUS EYE IRRITATION.

MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR BREATHING

DIFFICULTIES IF INHALED.

MAY CAUSE RESPIRATORY IRRITATION.

HAZARD CLASS	HAZARD CATEGORY
SKIN IRRITATION	2
EYE IRRITATION	2A
RESPIRATORY SENSITIZATION	1
SKIN SENSITIZATION	1
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	3

#### PICTOGRAM(S)



### **Precautionary Statements**

Prevention: Avoid breathing vapors, mist, or spray. Wash affected area thoroughly after handling. Use only

outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves, eye protection, and face protection. In case of

inadequate ventilation wear respiratory protection.

**Response:** IF ON SKIN: Wash with plenty of water. IF INHALED: Remove victim to fresh air and keep at

rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical attention. If eye irritation persists: Get medical attention. If experiencing respiratory symptoms: Call a

poison center or physician. Take off contaminated clothing.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal: Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

IDH number: 397713 Product name: LOCTITE ECCOBOND FP4527 known as FP4527 10CC UNDRFILL -40CD Page 1 of 7

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Percentage*	
Silica, vitreous	60676-86-0	60 - 80	
hexahydromethylphthalic anhydride	25550-51-0	10 - 30	
Epoxy resin	Proprietary	5 - 10	
Resin	Proprietary	1 - 5	
Epoxy resin	Proprietary	1 - 5	
Epoxy resin	Proprietary	1 - 5	
Substituted phthalic anhydride	34090-76-1	1 - 5	
Epoxy resin	Proprietary	1 - 5	
Epoxy resin	Proprietary	0.1 - 1	
Substituted imidazole	Proprietary	0.1 - 1	
Epoxy resin modifier	Proprietary	0.1 - 1	

<sup>\*</sup> Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

## 4. FIRST AID MEASURES

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get medical attention.

Skin contact: Immediately flush skin with plenty of water (using soap, if available). Remove

contaminated clothing and footwear. Wash clothing before reuse. Thoroughly

clean shoes before reuse. Get medical attention.

**Eye contact:** Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Check for and remove any contact lenses. Get medical attention.

**Ingestion:** DO NOT induce vomiting unless directed to do so by medical personnel.

Never give anything by mouth to an unconscious person. Give a conscious

person several glasses of water. Get medical attention.

Symptoms: See Section 11.

IDH number: 397713

## 5. FIRE FIGHTING MEASURES

Extinguishing media: Water spray (fog), foam, dry chemical or carbon dioxide.

Special firefighting procedures: Wear self-contained breathing apparatus and full protective clothing, such as

turn-out gear. In case of fire, keep containers cool with water spray.

**Unusual fire or explosion hazards:** Violent steam generation may occur upon application of direct water stream.

Closed containers may rupture (due to build up of pressure) when exposed to

extreme heat.

Hazardous combustion products:

Oxides of carbon, oxides of nitrogen, irritating organic vapors. Phenolics.

Aldehydes. Acids. Hydrocarbons.

### 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

**Environmental precautions:** Do not allow product to enter sewer or waterways.

Clean-up methods: Remove all sources of ignition. Evacuate and ventilate spill area; dike spill to prevent entry into water system; wear full protective equipment during clean-

prevent entry into water system; wear full protective equipment during cleanup. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Remove the absorbed material, and place in an appropriate chemical waste container for disposal. Refer to Section 8

"Exposure Controls / Personal Protection" prior to clean up.

## 7. HANDLING AND STORAGE

**Handling:** Use only with adequate ventilation. Prevent contact with eyes, skin and

clothing. Do not breathe vapor and mist. Wash thoroughly after handling.

Keep container closed. Refer to Section 8.

Storage: Keep away from heat, spark and flame. Keep container closed.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Silica, vitreous	None	20 MPPCF TWA 0.8 mg/m3 TWA	None	None
hexahydromethylphthalic anhydride	None	None	None	None
Epoxy resin	None	None	None	None
Resin	None	None	None	None
Epoxy resin	None	None	None	None
Epoxy resin	None	None	None	None
Substituted phthalic anhydride	(SKIN) 0.0003 ppm STEL 0.00007 ppm TWA 0.7 mg/100 cm2 TLV- SL (Dermal sensitization) (Respiratory sensitization)	None	None	None
Epoxy resin	None	None	None	None
Epoxy resin	None	None	None	None
Substituted imidazole	None	None	None	None
Epoxy resin modifier	None	None	None	None

Engineering controls: Provide adequate local exhaust ventilation to maintain worker exposure below

exposure limits.

**Respiratory protection:** Use a NIOSH approved respirator if ventilation is inadequate.

Eye/face protection: Safety goggles or safety glasses with side shields. Full face protection should

be used if the potential for splashing or spraying of product exists. Safety

showers and eye wash stations should be available.

IDH number: 397713 Product name: LOCTITE ECCOBOND FP4527 known as FP4527 10CC UNDRFILL -40CD Page 3 of 7

**Skin protection:**Use chemical resistant, impermeable clothing including gloves and either an

apron or body suit to prevent skin contact.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid Color: Blue Odor: Aromatic Odor threshold: Not available. Not applicable pH: Vapor pressure: Not available. Boiling point/range: Not available. Melting point/ range: Not available. Specific gravity: 1.8 Vapor density: Not available. Flash point: > 260 °C (> 500°F)

Flash point: > 260 °C (> 50
Flammable/Explosive limits - lower: Not available.
Flammable/Explosive limits - upper: Not available.
Autoignition temperature: Not available.
Flammability: Not applicable
Evaporation rate: Not available.

Solubility in water: Not miscible or difficult to mix

Partition coefficient (n-octanol/water): Not available.

**VOC content:** 0 %; 0 g/l (ASTM D2369)

Viscosity: Not available.

Decomposition temperature: Not available.

## 10. STABILITY AND REACTIVITY

**Stability**: Stable under normal conditions of storage and use.

**Hazardous reactions:** None under normal processing.

Hazardous decomposition Oxides of carbon. Oxides of nitrogen. Aldehydes. Phenolics. Acids. Hydrocarbons. Irritating

**products:** organic vapours.

Incompatible materials: Oxidizing agents. Acids and bases. Alcohols. Water. Amines. Sodium. Zinc. Magnesium.

Reactivity: Not available.

IDH number: 397713

Conditions to avoid: Store away from incompatible materials. Exposure to moisture. Heat, flames, sparks and other

sources of ignition.

### 11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure: Skin, Inhalation, Eyes, Ingestion

#### Potential Health Effects/Symptoms

Inhalation: May cause respiratory tract irritation. May cause allergic respiratory reaction. These symptoms,

which can include chest tightness, wheezing, cough, shortness of breath or asthma attack,

could be immediate or delayed (up to several hours after exposure).

Skin contact:Causes skin irritation. May cause allergic skin reaction.Eye contact:Causes serious eye irritation. May cause corneal injury.Ingestion:May cause burns of mouth and throat if swallowed.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
Silica, vitreous	None	Nuisance dust
hexahydromethylphthalic anhydride	None	Allergen, Respiratory, Irritant
Epoxy resin	None	Allergen, Irritant
Resin	None	Irritant, Allergen, Mutagen
Epoxy resin	None	Allergen, Irritant
Epoxy resin	None	No Target Organs
Substituted phthalic anhydride	None	Irritant, Allergen, Respiratory
Epoxy resin	None	Irritant, Allergen
Epoxy resin	None	No Target Organs
Substituted imidazole	None	No Records
Epoxy resin modifier	None	Irritant, Allergen

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
			(Specifically Regulated)
Silica, vitreous	No	No	No
hexahydromethylphthalic anhydride	No	No	No
Epoxy resin	No	No	No
Resin	No	No	No
Epoxy resin	No	No	No
Epoxy resin	No	No	No
Substituted phthalic anhydride	No	No	No
Epoxy resin	No	No	No
Epoxy resin	No	No	No
Substituted imidazole	No	No	No
Epoxy resin modifier	No	No	No

## 12. ECOLOGICAL INFORMATION

**Ecological information:** Not available.

# 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Follow all local, state, federal and provincial regulations for disposal.

Hazardous waste number: Not a RCRA hazardous waste.

### 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

### U.S. Department of Transportation Ground (49 CFR)

Proper shipping name:Not regulatedHazard class or division:NoneIdentification number:NonePacking group:None

IDH number: 397713 Product name: LOCTITE ECCOBOND FP4527 known as FP4527 10CC UNDRFILL -40CD

Page 5 of 7

Exceptions: Up to 12 oz. max per inner/primary package when shipped as originally packaged

only

International Air Transportation (ICAO/IATA)

Proper shipping name: Not regulated

Hazard class or division:
Identification number:
Packing group:
None

**Exceptions:** Up to 12 oz. max per inner/primary package when shipped as originally packaged

only

Water Transportation (IMO/IMDG)

Proper shipping name: Not regulated

Hazard class or division:
Identification number:
None
Packing group:
None

Exceptions: Up to 12 oz. max per inner/primary package when shipped as originally packaged

nly

## 15. REGULATORY INFORMATION

**United States Regulatory Information** 

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act

Inventory.

TSCA 12 (b) Export Notification: None above reporting de minimis

CERCLA/SARA Section 302 EHS:
CERCLA/SARA Section 311/312:
CERCLA/SARA Section 313:

None above reporting de minimis.
Immediate Health, Delayed Health
None above reporting de minimis.

California Proposition 65: This product contains a chemical known in the State of California to cause cancer. This

product contains a chemical known to the State of California to cause birth defects or other

reproductive harm.

**Canada Regulatory Information** 

IDH number: 397713

CEPA DSL/NDSL Status: Contains one or more components listed on the Non-Domestic Substances List. All other

components are listed on or are exempt from listing on the Domestic Substances List. Components listed on the NDSL must be tracked by all Canadian Importers of Record as required by Environment Canada. They may be imported into Canada in limited quantities.

Please contact Regulatory Affairs for additional details.

## 16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: 3,8,9,11,16

Prepared by: Product Safety and Regulatory Affairs

**Issue date:** 10/10/2019

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on OSHA Hazard Communication Standard (29 CFR 1910.1200) and provides information in accordance with U.S. federal law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.

IDH number: 397713