Material Safety Data Sheet





Revision Number: 004.0

Issue date: 03/08/2013

1. PRODUCT AND COMPANY IDENTIFICATION

IDH number:

Product name: Product type: Quickstix(TM) 668(TM) Retaining Compound-High Temp Anaerobic Adhesive

Company address: Henkel Corporation One Henkel Way Rocky Hill, Connecticut 06067 Item number:39148Region:United StatesContact information:Telephone:860.571.510MEDICAL EMERGENCY Phone:Poison Control Center1-877-671-4608 (toll free)or 1-303-592-1711TRANSPORT EMERGENCY Phone:CHEMTREC1-800-424-9300 (toll free)or 1-703-527-3887Internet:www.henkelna.com

640470

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW				
HMIS:				
Physical s	tate: Semi-S			
Color:	Green			
Odor:	Mild	PHYSICAL HAZARD: 1		
		Personal Protection: See MSDS Section 8		
\ \	WARNING:	CAUSES EYE AND SKIN IRRITATION.		
		MAY CAUSE ALLERGIC SKIN REACTION.		
		MAY CAUSE RESPIRATORY TRACT IRRITATION.		
		MAY BE HARMFUL IF SWALLOWED.		
Relevant r	outes of exposure:	Skin, Lungs, Eyes		
Potential Health Effects				
	Inhalation:	May cause respiratory tract irritation.		
	Skin contact:	May cause allergic skin reaction. Causes skin irritation. May cause skin irritation with discomfort or rash.		
	Eye contact:	Contact with eyes will cause irritation.		
	Ingestion:	May be harmful if swallowed.		
Existing conditions aggravated by exposure:		y Eye, skin, and respiratory disorders.		

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous components	CAS NUMBER	%		
2-Propenoic acid, 2-methyl-, (1-methylethylidene)	24448-20-2	30 - 60		
Polyglycol dimethacrylate	Proprietary	10 - 30		
Maleimide resin	3006-93-7	10 - 30		
Thixotropic agent	Unknown	10 - 30		
Hydroxyalkyl methacrylate	27813-02-1	5 - 10		
Silica, amorphous, fumed, crystal-free	112945-52-5	1 - 5		
Cumene hydroperoxide	80-15-9	1 - 5		
1-Acetyl-2-phenylhydrazine	114-83-0	0.1 - 1		
Cumene	98-82-8	0.1 - 1		
4. FIRST AID MEASURES				
Inhalation:	Move to fresh air. If symptoms develop and persist, get medical attention.			
Skin contact:	If symptoms develop and persist, get medical attention. Wash clothing before reuse. Remove contaminated clothing and footwear. Wash with soap and water.			
Eye contact:		nts of water, preferably, lukewarm water for at least s open all the time. Get medical attention.		
Ingestion:	Do not induce vomiting. K	eep individual calm. Get medical attention.		
5. FIRE FIGHTING MEASURES				
Flash point:	Not applicableProduct is a	a solid.		
Autoignition temperature:	Not available.			
Flammable/Explosive limits - lower:	Not available.			
Flammable/Explosive limits - upper:	Not available.			

Foam, dry chemical or carbon dioxide.

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

None

Irritating organic vapours. Oxides of carbon. Oxides of sulfur. Toxic fumes. Oxides of nitrogen.

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.			
Environmental precautions:	Do not allow product to enter sewer or waterways.		
Clean-up methods:	Ensure adequate ventilation. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Store in a partly filled, closed container until disposal.		

7. HANDLING AND STORAGE

Handling:

Extinguishing media:

Special firefighting procedures:

Unusual fire or explosion hazards:

Hazardous combustion products:

Use only with adequate ventilation. Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling.

Storage:

For safe storage, store between 0 $\ C(32\ F)$ and 38 $\ C(100.4\ F)$ Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use.

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous components	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
2-Propenoic acid, 2-methyl-, (1-methylethylidene)	None	None	None	None
Polyglycol dimethacrylate	None	None	None	None
Maleimide resin	None	None	None	None
Thixotropic agent	None	None	None	None
Hydroxyalkyl methacrylate	None	None	None	1 ppm TWA 3 ppm STEL
Silica, amorphous, fumed, crystal-free	10 mg/m3 TWA Inhalable dust. 3 mg/m3 TWA Respirable fraction.	20 MPPCF TWA 0.8 mg/m3 TWA	None	None
Cumene hydroperoxide	None	None	(SKIN) 1 ppm (6 mg/m3) TWA	None
1-Acetyl-2-phenylhydrazine	None	None	None	None
Cumene	50 ppm TWA	50 ppm (245 mg/m3) TWA (SKIN)	None	None

Engineering controls:

No specific ventilation requirements noted, but forced ventilation may still be required if concentrations exceed occupational exposure limits. Use NIOSH approved respirator if there is potential to exceed exposure

Respiratory protection:

Eye/face protection:

Skin protection:

Safety goggles or safety glasses with side shields.

Neoprene gloves. Nitrile gloves. Use impermeable gloves and protective clothing as necessary to prevent skin contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

limit(s).

Physical state: Color: Odor: Odor threshold: pH: Vapor pressure: Boiling point/range: Melting point/ range: Specific gravity: Vapor density: Flash point: Flammable/Explosive limits - lower: Flammable/Explosive limits - upper: Autoignition temperature: Evaporation rate: Solubility in water: Partition coefficient (n-octanol/water): **VOC content:**

Semi-Solid Green Mild Not available. Not applicable < 5 mm hg (80 ℉ (26.7 ℃)) > 300 𝗜 (> 148.9 ℃) Not available. 1.1228 Not available. Not applicableProduct is a solid. Not available. Not available. Not available. Not available. Slight Not available. 0.79 %; 8.86 g/l

10. STABILITY AND REACTIVITY

Stability:

Stable

Hazardous reactions:

Will not occur.

Hazardous decomposition products:

Incompatible materials:

Oxides of carbon. Oxides of nitrogen. Toxic fumes. Irritating organic vapours. Oxides of sulfur.

Acids. Reducing agents. Alkalis. Amines. This chemical contains heavy metals. Peroxides. Oxygen scavengers. Free radical initiators. Other polymerization initiators. Strong oxidizing agents.

Conditions to avoid:

See "Handling and Storage" (Section 7) and "Incompatibility" (Section 10).

11. TOXICOLOGICAL INFORMATION

Acute oral product toxicity:

LD50 (rat) > 10,000 mg/kg

Acute dermal product toxicity:

LD50 (rabbit) > 2,000 mg/kg (Estimated)

Hazardous components NTP Car		Jen IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)	
2-Propenoic acid, 2-methyl-, (1- methylethylidene)	No	No	No	
Polyglycol dimethacrylate	No	No	No	
Maleimide resin	No	No	No	
Thixotropic agent	No	No	No	
Hydroxyalkyl methacrylate	No	No	No	
Silica, amorphous, fumed, crystal-free	No	No	No	
Cumene hydroperoxide	No	No	No	
1-Acetyl-2-phenylhydrazine	No	No	No	
Cumene	No	Group 2B	No	
Hazardous components		Health Effects/Targe	et Organs	
2-Propenoic acid, 2-methyl-, (1-methylethylidene)		Irritant, Allergen		
Polyglycol dimethacrylate		Irritant, Allergen		
Maleimide resin		No Target Organs		
Thixotropic agent		No Data		
Hydroxyalkyl methacrylate		Irritant, Allergen		
Silica, amorphous, fumed, crystal-free		Nuisance dust		
Cumene hydroperoxide		Allergen, Central nervous system, Corrosive, Irritant, Mutagen		
1-Acetyl-2-phenylhydrazine		Allergen, Blood, Kidney, Mutagen, Some evidence of carcinogenicity		
Cumene		Central nervous system, Irritant, Lung		

12. ECOLOGICAL INFORMATION

Ecological information:

Not available.

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal:

Hazardous waste number:

Follow all local, state, federal and provincial regulations for disposal.

Not a RCRA hazardous waste.

14. TRANSPORT INFORMATION

The shipping classifications in this sections are for non-bulk packaging only (unless otherwise specified). Shipping classification may be different for bulk packaging.

U.S. Department of Transportation Ground (49 CFR)		
Proper shipping name:	Not regulated	
Hazard class or division:	None	
Identification number:	None	
Packing group:	None	
International Air Transportation (ICAO/IATA)		
Proper shipping name:	Not regulated	
Hazard class or division:	None	
Identification number:	None	
Packing group:	None	
Water Transportation (IMO/IMDG)		
Proper shipping name:	Not regulated	
Hazard class or division:	None	
Identification number:	None	
Packing group:	None	

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status:	All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.			
TSCA 12(b) Export Notification:	None above reporting de minimus			
CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA 313:	None above reporting de minimis Delayed Health, Immediate Health This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). Cumene hydroperoxide (CAS# 80-15-9).			
California Proposition 65:	This product contains a chemical known in the State of California to cause cancer. This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.			
Canada Regulatory Information				
CEPA DSL/NDSL Status:	All components are listed on or are exempt from listing on the Canadian Domestic Substances List.			
WHMIS hazard class:	D.2.A, D.2.B			
16. OTHER INFORMATION				

This material safety data sheet contains changes from the previous version in sections: 1, 3, 8, 11, 15

Prepared by: Kyra Kozak Woods, Manager, Regulatory Affairs

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.