

Henkel Corporation

Hisco Austin
Bldg A Suite 100
7000 Burleson Rd
Austin, TX 78744-3202
United States

Date:

11/26/2021

Dear Valued Customer:

Enclosed please find a new or revised Safety Data Sheet(s) (SDSs). You are receiving this/these in accordance with country/regional regulatory requirements.

Item Number

IDH Number

Product Description

20235

230167

LOCTITE 3609

Previous versions of these documents should be replaced by the newer version.

SDSs should be forwarded to personnel responsible for workplace safety and to employees who will be handling this/these product(s) to ensure awareness and understanding of safety concerns and regulatory responsibilities. SDSs must also be forwarded on to your customers if you further distribute or resell the product.

If you have any questions, please contact your local Product Safety and Regulatory Affairs Specialist.

Henkel is committed to creating a sustainable future by promoting opportunities along the entire value chain. If you would like to contribute by switching from a paper to the electronic version of SDS, please contact the local Customer Service representative. We recommend to use a non-personal email address (e.g. SDS@your_company.com).

For Safety Data Sheet updates please visit our website https://mysds.henkel.com/index.html#/appSelection or www.henkel-adhesives.com.

Sincerely,

Henkel Product Safety and Regulatory Affairs



Makelant Cornoration

Hilsco Austin Bidg A Sulle 100 700 Budgeon Rd Austin, TX 78744-3202 United States

Sale: 14/23/202

Dear Valued Custoiner

Enclosed please find a new or revised Safety Data Shaetta) (SDSs). You are receiving this/finese in accordance with country/regional regulatory requirements.

tedmuki 2001 meter Mumber

Englace Designable LOCTITE 330%

Previous Versions of these documents should be replaced by the newer vertion.

SDSs should be forwarded to personnal responsible for workplace is lety and to employees who will be handling this/hope product(s) to ensure awareness and understanding of safety concerns and regulatory responsibilities. SDSs must also be forwarded on to your customers if you further distribute or responsibilities.

seve any questions offsets contact your local Product Salety and Regulatory Alfairs Specialist

Hentical is committed to creating a sustainable future by promoting opportunities along the entire value chain. If you would like to contribute by switching from expense to the electronic version of SDS, please confect the local Customer Service representative. We recommend to use a non-personal analysides address (e.e. SDS:@vour company.com).

Fo**r** Sate**ty Dota Sheet updates plans**e visk our webelte h**ttps://**my**sds.benicel.com/index.htmis/spn/Selection** or www.htmisel-saftesives.com

Singerally

sarah Kedind Sajah wan Rednision yapaks

Safety Data Sheet



Revision Number: 008.0

Issue date: 11/05/2021

1. PRODUCT AND COMPANY IDENTIFICATION

Product name:

LOCTITE 3609

Product type/use: Restriction of Use:

One-part epoxy None identified

Company address: Henkel Corporation

One Henkel Way

Rocky Hill, Connecticut 06067

IDH number:

230167

Item number:

20235

Region:

United States

Contact information:

Telephone: +1 (860) 571-5100 MEDICAL EMERGENCY Phone: Poison Control Center

1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC

1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER:

HARMFUL IF SWALLOWED. CAUSES SKIN IRRITATION.

MAY CAUSE AN ALLERGIC SKIN REACTION.

CAUSES SERIOUS EYE IRRITATION.

MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR BREATHING

DIFFICULTIES IF INHALED.

MAY CAUSE RESPIRATORY IRRITATION.

HAZARD CLASS	HAZARD CATEGORY	
ACUTE TOXICITY ORAL	4	
SKIN IRRITATION	2	
EYE IRRITATION	24	
RESPIRATORY SENSITIZATION	1	
SKIN SENSITIZATION	1	
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	3	
THIS II THE STATE	3	

PICTOGRAM(S)



Precautionary Statements

Prevention:

Avoid breathing vapors, mist, or spray. Wash affected area thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves, eye protection, and face protection. In case of inadequate ventilation wear respiratory protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical attention. If eye irritation persists: Get medical attention. If experiencing respiratory symptoms: Call a poison center or physician. Take off contaminated clothing

Storage: Disposal: Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

IDH number: 230167

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Percentage*
Epichlorohydrin-4,4'-isopropylidene diphenol resin	25068-38-6	30 - 60
Reaction mass of 2-[[[2-[(2- aminoethyl)amino]ethyl]amino]carbonyl]- benzoic acid and 2,2' -[iminobis(2,1- ethanediyliminocarbonyl)]bi	Control PGI Control PGI Control PGI	10 - 30
Dipropylene glycol diglycidyl ether	41638-13-5	10 - 30
Siloxanes and Silicones, di-Me, reaction products with silica	67762-90-7	5 - 10
2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	1675-54-3	1 - 5
Diethylenetriamine	111-40-0	0.1 - 1

^{*} Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

4. FIRST AID MEASURES

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get medical attention.

Skin contact: Remove contaminated clothing and footwear. Immediately flush skin with

plenty of water (using soap, if available). If symptoms develop and persist, get medical attention. Wash clothing before reuse. Thoroughly clean shoes before

reuse.

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Get medical attention.

Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious

person. Get medical attention.

Symptoms: See Section 11.

5. FIRE FIGHTING MEASURES

Extinguishing media: Water spray (fog), foam, dry chemical or carbon dioxide.

Special firefighting procedures: Wear self-contained breathing apparatus and full protective clothing, such as

turn-out gear. In case of fire, keep containers cool with water spray.

Unusual fire or explosion hazards: Closed containers may rupture (due to build up of pressure) when exposed to

extreme heat.

Hazardous combustion products: Oxides of carbon. Oxides of nitrogen. Phenolics. Aldehydes. Irritating vapors.

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions: Do not allow product to enter sewer or waterways.

Clean-up methods: Ensure adequate ventilation. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Store in a partly filled,

closed container until disposal. Refer to Section 8 "Exposure Controls /

Personal Protection" prior to clean up.

HANDLING AND STORAGE

Handling:

Use only with adequate ventilation. Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling.

Keep container closed. Refer to Section 8.

Storage:

Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Epichlorohydrin-4,4'-isopropylidene diphenol resin	None	None	None	None
Reaction mass of 2-[[[2-[(2- aminoethyl)amino]ethyl]amino]carbonyl]- benzoic acid and 2,2' -[iminobis(2,1- ethanediyliminocarbonyl)]bi	None	None None		None
Dipropylene glycol diglycidyl ether	None	None	None	None
Siloxanes and Silicones, di-Me, reaction products with silica	10 mg/m3 TWA 15 mg/m3 TWA Total Silicones, di-Me, reaction Inhalable dust. dust.		None	None
2,2'-[(1-Methylethylidene)bis(4,1- phenyleneoxymethylene)]bisoxirane	None	None	None	None
Diethylenetriamine	1 ppm TWA (SKIN)	None	None	None

Engineering controls:

Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination below occupational exposure

limits.

Respiratory protection:

Use NIOSH approved respirator if there is potential to exceed exposure

limit(s).

Eye/face protection:

Safety goggles or safety glasses with side shields. Full face protection should be used if the potential for splashing or spraying of product exists. Safety

showers and eye wash stations should be available.

Skin protection:

Use impermeable gloves and protective clothing as necessary to prevent skin

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:

Color: Odor:

Odor threshold:

pH:

Vapor pressure:

Boiling point/range: Melting point/ range:

Specific gravity: Vapor density:

Flash point:

Flammable/Explosive limits - lower: Flammable/Explosive limits - upper:

Autoignition temperature: Flammability: **Evaporation rate:** Solubility in water:

Partition coefficient (n-octanol/water):

VOC content: Viscosity:

Decomposition temperature:

Liquid

Red, Orange Mild, Petroleum Not available.

Not available.

< 5.0 mm hg (20 °C (68°F))

Not available. Not available.

Not available.

> 93 °C (> 199.4 °F) Tagliabue closed cup

Not determined Not determined Not determined Not applicable Not available. Not miscible

Not available. 0.22 %; 2.46 g/l Not available. Not available.

IDH number: 230167

Product name: LOCTITE 3609

Page 3 of 6

10. STABILITY AND REACTIVITY

Stability:

Stable at normal conditions.

Hazardous reactions:

None under normal processing.

Hazardous decomposition

products:

Oxides of carbon. Oxides of nitrogen. Aldehydes. Phenolics. Smoke. Hydrocarbons.

Incompatible materials:

Oxidizing agents. Acids. Bases. Amines.

Reactivity:

Not available.

Conditions to avoid:

Store away from incompatible materials. Heat, flames, sparks and other sources of ignition.

11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure:

Skin, Inhalation, Eyes, Ingestion

Potential Health Effects/Symptoms

Inhalation:

May cause respiratory tract irritation. May cause allergic respiratory reaction. These symptoms,

which can include chest tightness, wheezing, cough, shortness of breath or asthma attack, could be immediate or delayed (up to several hours after exposure).

Skin contact: Eye contact: Ingestion:

Causes skin irritation. May cause allergic skin reaction. Causes serious eye irritation.

Harmful if swallowed.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
Epichlorohydrin-4,4'-isopropylidene diphenol resin	None	Allergen, Irritant
Reaction mass of 2-[[[2-[(2- aminoethyl)amino]ethyl]amino]carbonyl]- benzoic acid and 2,2' -[iminobis(2,1- ethanediyliminocarbonyl)]bi	None	No Data
Dipropylene glycol diglycidyl ether	None	Irritant, Allergen
Siloxanes and Silicones, di-Me, reaction products with silica	None	No Data
2,2'-[(1-Methylethylidene)bis(4,1- phenyleneoxymethylene)]bisoxirane	Oral LD50 (Rabbit) = 1,980 mg/kg Oral LD50 (Mouse) = 15,600 mg/kg Oral LD50 (Rat) = > 1,000 mg/kg Oral LD50 (Mouse) = > 500 mg/kg Dermal LD50 (Rabbit) = 20 mg/kg Dermal LD50 (Rat) = > 1,600 mg/kg Dermal LD50 (Mouse) = > 800 mg/kg	No Data
Diethylenetriamine	Oral LD50 (Rat) Approximate 1,140 mg/kg Oral LD50 (Rat) = 1,080 mg/kg Oral LD50 (Rat) = 2.33 g/kg	Allergen, Irritant, Eyes

Hazardous Component(s)	Component(s) NTP Carcinogen IARC Carcinogen		OSHA Carcinogen (Specifically Regulated)	
Epichlorohydrin-4,4'-isopropylidene diphenol resin	No	No	No	
Reaction mass of 2-[[[2-[(2- aminoethyl)amino]ethyl]amino]carbonyl]- benzoic acid and 2,2' -[iminobis(2,1- ethanediyliminocarbonyl)]bi	No	No	No	
Dipropylene glycol diglycidyl ether	No	No	No	
Siloxanes and Silicones, di-Me, reaction products with silica	No	No	No	
2,2'-[(1-Methylethylidene)bis(4,1- phenyleneoxymethylene)]bisoxirane	No	No	No	
Diethylenetriamine	No	No	No	

12. ECOLOGICAL INFORMATION

Ecological information:

Not available.

IDH number: 230167

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal:

Follow all local, state, federal and provincial regulations for disposal.

14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name:

Not regulated (Up to 300 ml max per inner/primary package when shipped as

originally packaged only)

Hazard class or division:

None None

Identification number: Packing group:

None

International Air Transportation (ICAO/IATA)

Proper shipping name:

Environmentally hazardous substance, liquid, n.o.s. (Bisphenol-A Epichlorhydrin

resin) (Up to $300 \; \text{ml}$ max per inner/primary package when shipped as originally packaged only)

Hazard class or division:

9

Identification number:

UN 3082

III

Water Transportation (IMO/IMDG)

Packing group:

Proper shipping name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol-A

Epichlorhydrin resin) (Up to 300 ml max per inner/primary package when shipped

as originally packaged only)

Hazard class or division:

Identification number:

UN 3082

Packing group:
Marine pollutant:

Bisphenol-A Epichlorhydrin resin

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status:

All components are listed as active or are exempt from listing on the Toxic Substances

Control Act (TSCA) inventory.

TSCA 12 (b) Export Notification:

None above reporting de minimis

CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312:

None above reporting de minimis. Immediate Health, Delayed Health

CERCLA/SARA Section 313:

None above reporting de minimis.

California Proposition 65:

This product contains a chemical known in the State of California to cause cancer. This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Canada Regulatory Information

CEPA DSL/NDSL Status:

All components are listed on or are exempt from listing on the Canadian Domestic

Substances List.

16. OTHER INFORMATION

Page 5 of 6

This safety data sheet contains changes from the previous version in sections: 3,8,11,16

Prepared by:

Product Safety and Regulatory Affairs

Issue date:

11/05/2021

IDH number: 230167

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on OSHA Hazard Communication Standard (29 CFR 1910.1200) and provides information in accordance with U.S. federal law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.

IDH number: 230167