

Revision Date: 02/06/2023

RTV106

SAFETY DATA SHEET

Classified in accordance with 29 CFR 1910.1200

1. Identification

Product identifier: RTV106

Other means of identification

Synonyms: ACETOXY SEALANT (red)

Recommended use and restriction on use

Recommended use: Silicone Elastomer Restrictions on use: For industrial use only.

Manufacturer/Importer/Distr :

Momentive Performance Materials USA LLC ibutor Information

2750 Balltown Road, Niskayuna, NY 12309

Contact person commercial.services@momentive.com

Telephone General information

+1-800-295-2392

Emergency telephone

number

Supplier **CHEMTREC**

1-800-424-9300

2. Hazard(s) identification

Hazard Classification

Health Hazards

Category 2 Toxic to reproduction

Label Elements

Hazard Symbol:



Signal Word: Warning

SDS_US 1/15



Revision Date: 02/06/2023

RTV106

Hazard Statement: H361f; Suspected of damaging fertility.

Precautionary Statements

Prevention: Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Use personal protective

equipment as required.

Response: IF exposed or concerned: Get medical advice/attention.

Storage: Store locked up.

Disposal: Dispose of contents/ container to an approved facility in accordance with

local, regional, national and international regulations.

Hazard(s) not otherwise classified (HNOC):

None.

Substance(s) formed under the

conditions of use:

Generates acetic acid during cure.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*	Notes
Treated Fumed Silica	68583-49-3	10 - <20%	# This substance has workplace exposure limit(s).
Methyltriacetoxysilane	4253-34-3	3 - <5%	No data available.
Red iron oxide	1309-37-1	1 - <5%	# This substance has workplace exposure limit(s).
Octamethylcyclotetrasiloxane	556-67-2	1 - <3%	No data available.

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information: No action shall be taken involving any personal risk or without suitable

training.

SDS_US 2/15

⁽¹⁾ The respirable particle(s) listed above are inextricably bound within the polymer matrix, and therefore does not present an inhalation hazard during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.



Revision Date: 02/06/2023

RTV106

Ingestion: If swallowed, do NOT induce vomiting. Give a glass of water. Do not give

victim anything to drink if he is unconscious. Get medical attention.

Inhalation: If inhaled, remove to fresh air. If not breathing give artificial respiration

using a barrier device. If breathing is difficult give oxygen. Get medical

attention.

Skin Contact: Wash with soap and water.

Eye contact: In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

Most important symptoms/effects, acute and delayed

Symptoms: None known.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Treatment is symptomatic and supportive.

5. Fire-fighting measures

General Fire Hazards: Use standard firefighting procedures and consider the hazards of other

involved materials. Prevent runoff from fire control or dilution from entering

streams, sewers, or drinking water supply.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

All standard extinguishing agents are suitable.

Unsuitable extinguishing

media:

Do not use water jet.

Specific hazards arising from

the chemical:

In case of fire, carbon monoxide and carbon dioxide may be formed. Acute overexposure to the products of combustion may result in irritation of the respiratory tract. Pay attention to the corrosive effects arising from contact

with water.

Special protective equipment and precautions for fire-fighters

Special fire-fighting

procedures:

Use water spray to keep fire-exposed containers cool.

Special protective equipment

for fire-fighters:

Firefighters must wear NIOSH/MSHA approved positive pressure selfcontained breathing apparatus with full face mask and full protective

clothing.

SDS_US 3/15



Revision Date: 02/06/2023

RTV106

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Avoid contact with eyes, skin, and clothing. Use only in well-ventilated areas. Avoid accidental ingestion of this material. Wash hands and face before eating, drinking, smoking, using toilet facilities, or applying cosmetics.

Remove contact lenses before using sealant. Do not handle lenses until all sealant has been cleaned from the finger and hands. Keep out of reach of children. Keep container closed. May generate formaldehyde at temperatures greater than 150 C(300 F). See Section 8 of the SDS for Personal Protective Equipment.

Methods and material for containment and cleaning up:

Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

Notification Procedures:

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). See Section 8 of the SDS for Personal Protective Equipment.

7. Handling and storage

Precautions for safe handling:

Sensitivity to static discharge is not expected. Acetic acid is formed during processing. Wear appropriate personal protective equipment. Use only in well-ventilated areas. Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Keep containers tightly closed. See Section 8 of the SDS for Personal Protective Equipment.

Conditions for safe storage, including any incompatibilities:

Keep container tightly closed in a cool, well-ventilated place.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values	Source
Red iron oxide - Respirable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2015)
Red iron oxide - Dust and fume as Fe	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
Red iron oxide - Fume.	PEL	10 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	TWA	10 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	TWA	10 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended (06 2008)
	TWA PEL	5 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as

SDS_US 4/15



Revision Date: 02/06/2023

RTV106

			amended (01 2015)
Red iron oxide - Total dust.	TWA	50 millions of	US. OSHA Table Z-3 (29 CFR 1910.1000), as
		particles per	amended (03 2016)
		cubic foot of	
		air	
Red iron oxide - Respirable	TWA	5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as
fraction.		_	amended (03 2016)
	TWA	15 millions of	US. OSHA Table Z-3 (29 CFR 1910.1000), as
		particles per	amended (03 2016)
		cubic foot of	
		air	
Red iron oxide - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as
		_	amended (03 2016)
Red iron oxide	IDLH	2,500 mg/m3	US. NIOSH. Immediately Dangerous to Life or
			Health (IDLH) Values, as amended (10 2017)

Appropriate Engineering

Controls

Provide adequate general and local exhaust ventilation. Eye washes and

showers for emergency use.

Individual protection measures, such as personal protective equipment

General information: Ventilation and other forms of engineering controls are preferred for

controlling exposures. Respiratory protection may be needed for non-

routine or emergency situations.

Eye/face protection: Safety glasses with side shields

Skin Protection

Hand Protection: Butyl rubber gloves are recommended.

Other: Wear suitable protective clothing and eye/face protection.

Respiratory Protection: If inhalation exposure is expected, NIOSH/MSHA approved respiratory

protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in

accordance with OSHA regulations (see 29CFR 1910.134).

Hygiene measures: Avoid contact with eyes, skin, and clothing. Ensure adequate ventilation,

especially in confined areas. Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product.

When using do not eat, drink or smoke.

9. Physical and chemical properties

Appearance

Physical state:solidForm:PasteColor:Red

Odor: Acetic acid.

Odor threshold:

pH:

No data available.

Not applicable

Melting point/freezing point:

No data available.

SDS_US 5/15



Revision Date: 02/06/2023

RTV106

Initial boiling point and boiling range:

Not applicable
> 93.3 °C (estimated)

Evaporation rate: < 1

Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper:

Explosive limit - lower:

No data available.

No data available.

No data available.

No data available.

Vapor pressure: Not applicable

Vapor density:Not applicableDensity:1.06 g/cm3 (23 °C)

Relative density: ca. 1.06

Solubility(ies)

Solubility in water: Insoluble
Solubility (other): Toluene

Partition coefficient (n-octanol/water) Log No data available.

Pow:

Auto-ignition temperature:

Decomposition temperature:

No data available.

VOC: 26 g/l ;

10. Stability and reactivity

Reactivity: Reacts with water.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

Hazardous polymerization does not occur.

Conditions to avoid: Keep away from moisture. Reacts with water liberating small amounts of

acetic acid.

Incompatible Materials: Strong Acids, Strong Bases Water.

SDS_US 6/15



Revision Date: 02/06/2023

RTV106

Hazardous Decomposition

Products:

Carbon dioxide Silicon dioxide. Formaldehyde. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

11. Toxicological information

Information on likely routes of exposure

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix: 6,701.07 mg/kg

Specified substance(s):

Octamethylcyclotetrasilox LD 50 (Rat): > 4,800 mg/kg

ane

Dermal

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Octamethylcyclotetrasilox LD 50 (Rat): > 2,375 mg/kg

ane

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Octamethylcyclotetrasilox LC50 (Rat): 36 mg/l

ane

Repeated dose toxicity

Product: No data available.

SDS_US 7/15



Revision Date: 02/06/2023

RTV106

Skin Corrosion/Irritation

Product: No data available.

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasil OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit): Non irritating

oxane

Respiratory or Skin Sensitization

Product: No data available.

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasilox

ane

Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic)

Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic)

In vivo

ane

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasilox

Chromosomal aberration (OECD 475) Inhalation (Rat, male and female):

negative

Dominant lethal assay (OECD 478) Oral (Rat, male and female): negative

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

SDS_US 8/15



Revision Date: 02/06/2023

RTV106

Specific Target Organ Toxicity - Repeated Exposure
Product:
No data available.

Aspiration Hazard

Product: No data available.

Other effects:

Acetic acid released during curing. Octamethylcyclotetrasiloxane (D4) Ingestion: Rodents given large doses via oral gavage of Octamethylcyclotetrasiloxane (1600mg/kg/day,14 days), developed increased liver weights relative to unexposed control animals due to hepatocellular hyperplasia (increased number of liver cells which appear normal) as well as hypertrophy (increased cell size). Inhalation: In inhalation studies, laboratory rodents exposed to Octamethylcyclotetrasiloxane (300 ppm five days/week, 90 days) developed increased liver weights in female animals relative to unexposed control animals. When the exposure was stopped, liver weights returned to normal. Microscopic examination of the liver cells did not show any evidence of pathology. This response in rats, which does not affect the animal's health, is well-documented and widely recognized. It is related to an increase of liver enzymes that metabolize and eliminate a material from the body. The increased liver weight reverses even while the D4 exposure continues. The finding is not adverse, but is considered a natural adaptive change in rats, and does not represent a hazard to humans. Inhalation studies utilizing laboratory rabbits and guinea pigs showed no effects on liver weights. Inhalation exposures typical of industrial usage (5-10 ppm) showed no toxic effects in rodents. Range finding reproductive studies were conducted (whole body inhalation, 70 days prior to mating, through mating, gestation and lactation), with D4. Rats were exposed to 70 and 700 ppm. In the 700 ppm group, there was a statistically significant reduction in mean litter size and in implantation sites. No D4 related clinical signs were observed in the pups and no exposure related pathological findings were found. A two-year, combined chronic/carcinogenicity study, during which rats were exposed to D4 by inhalation, data showed a statistically significant increase in a benign uterine tumor in female rats exposed at the highest level--a level much higher than the low levels that consumers or workers may encounter. An expert panel of independent scientists who have reviewed the results of this research concur that the finding seen in the two-year study occurred through a biological pathway that is specific to the rat and is not relevant to humans. Therefore, this observed effect does not indicate a potential health hazard to humans. In developmental toxicity studies, rats and rabbits were exposed to D4 at concentrations up to 700 ppm and 500 ppm, respectively. No teratogenic effects (birth defects) were observed in either study.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

SDS_US 9/15



Revision Date: 02/06/2023

RTV106

Fish

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasilox No toxicity at the limit of solubility; LC50 (Oncorhynchus mykiss, 96 h): >

ane 0.022 mg/l

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasilox No toxicity at the limit of solubility; EC50 (Daphnia magna, 48 h): > 0.015

ane m

Chronic hazards to the aquatic environment:

Fish

ane

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasilox No toxicity at the limit of solubility; NOEC (Oncorhynchus mykiss, 93 d): >=

0.0044 mg/l

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasilox No toxicity at the limit of solubility; NOEC (Daphnia magna, 21 d): > 0.015

m

Toxicity to Aquatic Plants

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasilox No toxicity at the limit of solubility; ErC50 (Selenastrum capricornutum, 96

ane h): > 0.022 mg/l

Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasilox 3.7 % (29 d, 310 Ready Biodegradability - CO₂ in Sealed Vessels

ane (Headspace Test)) Not readily biodegradable.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

SDS_US 10/15



Revision Date: 02/06/2023

RTV106

Specified substance(s):

Octamethylcyclotetrasilox Bioconcentration Factor (BCF): 12,400

ane

Partition Coefficient n-octanol / water (log Kow)
Product:
No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Treated Fumed Silica
Methyltriacetoxysilane
Red iron oxide
Octamethylcyclotetrasiloxa
No data available.
No data available.
No data available.
No data available.

ne

Other adverse effects: No data available.

13. Disposal considerations

General information: The generation of waste should be avoided or minimized wherever

possible. See Section 8 for information on appropriate personal protective equipment. Do not discharge into drains, water courses or onto the ground.

Disposal instructions: Disposal should be made in accordance with federal, state and local

regulations.

Contaminated Packaging: Dispose of as unused product.

14. Transport information

DOT

Not regulated.

IMDG

Not regulated.

IATA

Not regulated.

Special precautions for user: This product is not regarded as dangerous goods according to the

national and international regulations on the transport of

dangerous goods.

SDS_US 11/15



Revision Date: 02/06/2023

RTV106

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

<u>Chemical Identity</u> <u>Reportable quantity</u>

Octamethylcyclotetrasilox The minimum concentration: TSCA 4: 1.0%

ane One-Time Export Notification only.

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

Chemical IdentityOSHA hazard(s)DimethylpolysiloxaneNo OSHA Hazards

Siloxanes and Silicones,

di-Me hydroxy terminated

Siloxanes and Silicones, di-Me, polymers with Me silsesquioxanes, hydroxy-

terminated

Methyltriacetoxysilane

Corrosive to skin and eyes.; Corrosive to eyes

Red iron oxide Causes mild skin irritation.; Respiratory hazard.

No OSHA Hazards

No OSHA Hazards

Octamethylcyclotetrasilox

ane

Systemic effects

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Reproductive toxicity

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u> <u>Threshold Planning Quantity</u>

US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting

None present or none present in regulated quantities.

SDS_US 12/15



Revision Date: 02/06/2023

RTV106

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Dimethylpolysiloxane

Siloxanes and Silicones, di-Me hydroxy terminated

Treated Fumed Silica

Siloxanes and Silicones, di-Me, polymers with Me silsesquioxanes,

hydroxy-terminated

Methyltriacetoxysilane

Red iron oxide

US. Massachusetts RTK - Substance List

Chemical Identity

Red iron oxide

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Red iron oxide

US. Rhode Island RTK

Chemical Identity

Red iron oxide

SDS_US 13/15



Revision Date: 02/06/2023

RTV106

Inventory Status:

Tentory Status.	T	
REACH:	If purchased from Momentive Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006 (REACH). For polymers, this includes the constituent monomers and other reactants.	Remarks: None.
Australia Industrial Chem. Act (AIIC):	On or in compliance with the inventory	Remarks: None.
Canada DSL Inventory List:	Q (quantity restricted)	Remarks: None.
Canada NDSL Inventory:	Not in compliance with the inventory.	Remarks: None.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory	Remarks: None.
Japan (ENCS) List:	On or in compliance with the inventory	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory	Remarks: None.
New Zealand Inventory of Chemicals:	On or in compliance with the inventory	Remarks: None.
Philippines PICCS:	On or in compliance with the inventory	Remarks: None.
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory	Remarks: None.
US TSCA Inventory:	On or in compliance with the inventory	Remarks: Commercial Status: Active

16.Other information, including date of preparation or last revision

HMIS Hazard ID

Health	*	0	
Flammability		0	
Physical Hazards		1	Ī
PERSONAL PROTECTION			

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

Issue Date: 02/06/2023

SDS_US 14/15



Revision Date: 02/06/2023

RTV106

Revision Date: No data available.

Version #: 4.4

Further Information: No data available.

Disclaimer:

Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives.

Keep out of the reach of children.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warrantyor quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

® and TM indicate trademarks owned by or licensed to Momentive.

SDS_US 15/15