


THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

PART NUMBER	MATERIAL	LABELS PER SHEET	SHEET PER PKG	STD. PKG. QTY.
S075X150YAJ	GMY13	54	47	2500



.75 ± .062
[19.0 ± 1.6]
TYP. 9 PLCS.

CLEAR AREA

WHITE IMPRINT AREA



.50 ± .062
[12.7 ± 1.6]
TYP. 6 PLCS.

1.50 ± .062 [38.1 ± 1.6]
TYP. 6 PLCS.

11.00 ± .062 [279 ± 1.6]

B

B

A

A

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
4	6/2/2020	RVU	RCMC	JHAC	GMY13 WAS GMY6. UPDATE LABELS.	GAECN05687
3	10/29/09	RVU			UPDATE ON TOLERANCES. ADD +/- .062.	5898
2	8/12/08	RVU			CHG. FORMAT FROM 'B' TO 'A' SIZE. TITLE AREA TOL. INCORRECT.	5516
1	1/8/07	RVU			REVISED TOLERANCES.	4830
0	9/1/06	RVU			DRAWING RELEASE.	4671

TITLE					
OPTIMUM SELF-LAMINATING S075X150YAJ LASER INKJET PRINTABLE LABELS					
CUSTOMER DRAWING					
ITEM REVISION NAME		100472JX/06			
DATASET FILE NAME		100472JX_DC_C10471/04E			
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]					PANDUIT MATERIAL: SEE TABLE DRAWING NUMBER: C10471
.x ± .12 [3.05]		.xxx ± .025 [.635]			
.xx ± .062 [1.57]		ANGLES ±			
		THIRD ANGLE PROJECTION			
DRAWN BY	DATE	CHK	SCALE		
RVU	9/22/04	JHAC	NTS	SHT 1 OF 1	A