



PANDUIT PART NO	BUNDLE DIAM		A in (mm)	B in (mm)	C in (mm)	D in (mm)	E in (mm)	F in (mm)	LOOP TENSILE lbs (N)	CROSS SECTION	WEIGHT lbs(g)/100 pcs	TIP STYLE
	MIN in (mm)	MAX in (mm)										
S5-50	.12 (3.0)	.94 (24)	.051 (1.3)	.19 (4.8)	.307 (7.8)	.23 (5.9)	.331 (8.4)	4.72 (120)	50 (222)	STANDARD	0.197 (89.3)	CURVED
S6-50	.12 (3.0)	1.50 (38)	.051 (1.3)	.19 (4.8)	.307 (7.8)	.23 (5.9)	.331 (8.4)	6.30 (160)	50 (222)	STANDARD	0.262 (118.8)	CURVED
S7-50	.12 (3.0)	1.81 (46)	.051 (1.3)	.19 (4.8)	.307 (7.8)	.23 (5.9)	.331 (8.4)	7.40 (188)	50 (222)	STANDARD	0.273 (124)	CURVED
S8-50	.12 (3.0)	2.09 (53)	.049 (1.2)	.19 (4.8)	.307 (7.8)	.23 (5.9)	.331 (8.4)	8.46 (215)	50 (222)	STANDARD	.317 (143.8)	CURVED
S10-50	.12 (3.0)	1.97 (50)	.051 (1.3)	.19 (4.8)	.307 (7.8)	.23 (5.9)	.331 (8.4)	9.84 (250)	50 (222)	STANDARD	0.377 (170.9)	CURVED

NOTE:  
SEE WWW.PANDUIT.COM FOR PART NUMBER SUFFIX DESIGNATION FOR PACKAGE SIZE, PART MATERIAL, PART COLOR AND ANY THIRD PARTY RECOGNITION OR COMPLIANCE.

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN	TITLE	ITEM REVISION NAME	DATASET FILE NAME	MATERIAL:	DRAWING NUMBER:
00	3/15/17	ACC	JSWA	JADE	DRAWING RELEASED	012502	STRONGHOLD STANDARD TIES	00092FBJ/00	00092FBJ_DC/00	NYLON 6.6	00092FBJ_DC
							CUSTOMER DRAWING				
							UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]				
							.x ± .1 [ 2.54 ]      .xxx ± .020 [ .51 ] .xx ± .02 [ .5 ]      ANGLES ± 5 °		THIRD ANGLE PROJECTION		
REV	DATE	BY	CHK	APR	DESCRIPTION	ECN	DRAWN BY	DATE	CHK	SCALE	SIZE
							ACC	2-22-17	JSWA	N/A	A

D10100DA/20