

2360 Tactical Flashlight

If you like the convenience of AA alkaline batteries, but need the performance of lithium batteries, the 2360 LED is the light for you. Using 2 standard AA alkaline batteries, the new 2360 LED emits a peak output of 375 lumens. The 2360 includes 3 modes – High / Strobe / Low and allows the user to select from 4 selectable programs. With the included 29 lumen low beam a run time of up to 13 hours will support close up use and any extended time needs. A strobe mode is also included for tactical or signaling purposes. The built-in battery level indicator ensures you will not be left in the dark.

Constructed with the most durable of materials: an aerospace grade aluminum body and an impact resistant LED lamp module, the 2360 LED keeps you on point without equipment failure.

High, Low and Strobe light output is available with a push of the tail button. It features a non-slip textured body for secure handling. The removable pocket clip offers alternative carry options.



• 4 Selectable Programs

- Pelican Products, Inc.'s Lifetime Guarantee
- 375 lumens
- 3 modes High / Strobe / Low
- Battery Level Indication
- 2 AA Batteries (included)

DIMENSIONS

Length

6.20" (15.7 cm)

MATERIALS

| Body | Aluminum with Type II Anodized | |
|--------|--------------------------------|--|
| O-Ring | EPDM | |
| Lens | Polycarbonate (PC) | |
| Shroud | Aluminum with Type II Anodized | |
| Clip | High Carbon Steel | |

COLORS

Black

LIGHT SPECS

Lamp Type LED

POWER

| AA |
|-----------------|
| Alkaline |
| 2 |
| yes |
| Level indicator |
| 3.0v |
| |

WEIGHT

| Weight With Batteries | 5.4 oz (153 gr) |
|-----------------------------|-----------------|
| Weight Without Batteries | 3.7 oz (105 gr) |

SWITCH

| Switch Type | Momentary Push Button | |
|-------------|-----------------------|--|
| Light Modes | High / Strobe / Low | |

6 B

OTHER

Minimum Pack Package Code

| FL1 STANDARD | HIGH | LOW |
|--------------|---------------|--------------|
| | 375 LUMENS | 29 LUMENS |
| | 2h 30mins | 13h 0mins |
| | 192m | 53m |
| | 9187cd | 705cd |
| | IPX8 (1m) | |

ACCESSORIES



2469P Replacement Battery

Pelican

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311 sales@pelican.com • www.pelican.com

Document created on 05-18-23