R&S®ESSENTIALS SPECIAL

TODAY'S SOLUTION FOR TOMORROW'S CHALLENGE

Save up to 48% on the most popular T&M instrument configurations



www.rohde-schwarz.com/us/complete-promotion



Order before March 31, 2023



ROHDE&SCHWARZ

Make ideas real

PROMOTIONAL OFFER AT A GLANCE

Save up to 48% on the most popular configurations of T&M instrument configurations from Rohde&Schwarz. This promotional offer includes all essential instruments found on an engineer's workbench: oscilloscopes, DC power supplies, spectrum and antenna analyzers, signal generators, LCR meters and source measure units (SMU).

Rohde&Schwarz has carefully chosen the optimal configurations so that our customers will not need to invest in future upgrades to meet tomorrow's test and measurement challenges. We offer:

- Options included upfront at point of purchase
- No configuration necessary we take care of it
- Single price for each instrument, no upgrades needed
- Maximum bench performance and maximum savings

Offer valid until March 31, 2023

Oscilloscopes up to 48% off

- ► Bandwidth up to 500 MHz
- ► Up to 4 analog channels
- ► Sample rate: up to 5 Gsample/s
- Up to 1 Gsample segmented memory
- ► Up to 10-bit ADC and 16-bit HD mode

DC power supplies up to 19% off

- ► Up to 4 channels
- Up to 800 W maximum output power
- ► Electrically equivalent channels
- ► Max. voltage: 4 × 64 V/channel
- Max. current: 4 × 10 A/channel or 40 A in total

Spectrum analyzers up to 27 % off

- Frequency range: 5 kHz to 7.5 GHz
- ► DANL: typ. –163 dBm
- Phase noise:
 typ. –108 dBc (1 Hz)
- Intuitive operation
- ► Small test bench footprint







Source measure unit 13 % off

- Two quadrants: operate as source and sink
- ► High-speed data acquisition
- Voltage priority and current priority mode
- ► High-capacitance mode
- ► Fast load regulation
- Battery simulation

Vector signal generator 13% off

- Frequency range: 8 kHz to 3 GHz
- Max. output level of typ. > +25 dBm
- Full software option defined vector signal generator with 5" touchscreen
- Modulation bandwidth up to 240 MHz

LCR meter 10% off

- Max. test frequency: up to 10 MHz
- ► Max. bias voltage: up to 40 V
- Sweep and binning measurement functions
- Basic accuracy of $\pm 0.05\%$







UP TO 48 % SAVINGS ON THE MOST POPULAR CONFIGURATIONS

Oscilloscopes

Model	Bandwidth/ channels	Product bundle description	List price US	Discount
R&S®RTC-BNDL	300 MHz, 2 analog channels	$R\&S^{\otimes}RTC1002$: ARB generator, I^C/SPI trigger and decode, UART/RS-232 trigger and decode, CAN/LIN trigger and decode	\$2,850.00 \$1,760.00	38%
R&S®RTB-BNDL	300 MHz, 4 analog channels	R&S®RTB2004: ARB generator, I ² C/SPI trigger and decode, UART/RS-232 trigger and decode, CAN/LIN trigger and decode, history and segment memory, frequency response analysis (Bode plot)	\$7,045.00 \$4,375.00	38%
R&S®RTM-BNDL ¹⁾	500 MHz, 4 analog channels	R&S®RTM3004: ARB generator, I ² C/SPI trigger and decode, UART/RS-232 trigger and decode, CAN/LIN trigger and decode, I ² S trigger and decode, MIL-STD-1553 trigger and decode, ARINC 429 trigger and decode, history and segmented memory, power analysis, frequency response analysis (Bode plot), spectrum analysis and spectrogram	\$18,290.00 \$9,425.00	48%

¹⁾ Promotion bundle will not support keycode bandwidth upgrade to 1 GHz. The Rohde&Schwarz Service Center will handle the upgrade.

DC power supplies

Model	Output channels	Product bundle description	List price US	Discount
R&S®HMP4040	4	R&S®HMP4040 base unit	\$3,110.00 \$2,795.00	10%
R&S®NGE-COM3b	3	R&S®NGE103B: Ethernet remote control, digital trigger I/O	\$1,715.00 \$1,385.00	19%
R&S®NGA142-COMb	2	R&S®NGA142: digital trigger I/O	\$2,220.00 \$2,060.00	7%
R&S®NGL-COM2b	2	R&S®NGL202: digital trigger I/O	\$4,610.00 \$4,215.00	9%
R&S®NGM-COM2b	2	$R\&S^{\otimes}NGM202$: digital trigger I/O, digital voltmeter functionality, battery simulation	\$8,720.00 \$7,875.00	10%
R&S®NGP824-COMb	4	R&S®NGP824: 64 V/10 A, digital trigger I/O, analog input	\$6,705.00 \$6,050.00	10%

Spectrum analyzers

Model	Frequency range	Product bundle description	List price US	Discount
R&S®FPL-EMI3	5 kHz to 3 GHz	$R\&S^{\otimes}FPL1003$: additional interfaces, internal generator, RF preamplifier, EMI measurement application	\$21,505.00 \$16,115.00	25%
R&S®FPL-EMI7	5 kHz to 7.5 GHz	$R\&S^{\otimes}FPL1007:$ additional interfaces, internal generator, RF preamplifier, EMI measurement application	\$27,100.00 \$19,760.00	27%
R&S [®] FPC-COM2	5 kHz to 3 GHz	R&S®FPC1500: preamplifier, modulation analysis, vector network analysis, receiver mode, advanced measurements	\$9,945.00 \$9,150.00	8%

Handheld analyzers

Model	Frequency range	Product bundle description	List price US	Discount
R&S®FPH-INH4	5 kHz to 4 GHz	$R\&S^{\otimes}FPH$ spectrum analyzer: preamplifier, interference analysis, maps	\$11,285.00 \$10,380.00	8%
R&S®FPH-INH8	5 kHz to 8 GHz	R&S®FPH spectrum analyzer: preamplifier, interference analysis, maps	\$15,840.00 \$14,575.00	8%
R&S®ZPH-ANR4	2 MHz to 4 GHz	$R\&S^{\otimes}ZPH$ spectrum analyzer model .02: one port N(f), 2 MHz to 4 GHz, GPS support	\$6,710.00 \$6,175.00	8%
R&S®ZPH-FOX4	2 MHz to 4 GHz	$R\&S^{\otimes}ZPH$ spectrum analyzer model .02: two port N(f), 2 MHz to 4 GHz	\$13,315.00 \$12,250.00	8%

Source measure unit

Model	Output channel	Product bundle description	List price US	Discount
R&S®NGU201COM	1	R&S®NGU201: two-quadrant source measure unit, digital trigger I/O, digital voltmeter function, battery simulation	\$10,730.00 \$9,375.00	13%

Vector signal generator

Model	Frequency range	Product bundle description	List price US	Discount
R&S®SMCV100BP2	4 kHz to 3 GHz	$R\&S^{\otimes}SMCV100B:AM/FM/\phi M$ (via baseband), pulse modulation, custom digital modulation	\$14,300.00 \$12,430.00	13%

Power meter

Model	Product bundle description	List price US	Discount
R&S®NRX-COM4	R&S®NRX: second measurement channel, third and forth R&S®NRP sensor connector, sensor check source	\$12,665.00 \$11,385.00	10%

LCR meter

Model	Maximum frequency	Basic accuracy	Product bundle description	List price US	Discount
R&S®LCX200COM	10 MHz	$\pm 0.05\%$ for impedance measurements; $\pm 0.03^\circ$ for phase measurements	R&S [®] LCX200: advanced analysis option, binning option, extended bias option	\$20,885.00 \$18,705.00	10%

Service that adds value

- ► Worldwide
- Local and personalized
- Customized and flexible
- Uncompromising quality

Rohde & Schwarz

The Rohde&Schwarz technology group is among the trailblazers when it comes to paving the way for a safer and connected world with its leading solutions in test&measurement, technology systems and networks&cybersecurity. Founded more than 85 years ago, the group is a reliable partner for industry and government customers around the globe. The independent company is headquartered in Munich, Germany and has an extensive sales and service network with locations in more than 70 countries.

www.rohde-schwarz.com

Sustainable product design

- Environmental compatibility and eco-footprint
- ► Energy efficiency and low emissions
- Longevity and optimized total cost of ownership

Certified Quality Management

Certified Environmental Management

Rohde & Schwarz training

www.training.rohde-schwarz.com

Rohde & Schwarz customer support

www.rohde-schwarz.com/support



R&S[®] is a registered trademark of Rohde & Schwarz GmbH & Co. KG Trade names are trademarks of the owners PD 3608.7280.32 | Version 09.00 | September 2022 (sk) Today's solution for tomorrow's challenge Data without tolerance limits is not binding | Subject to change © 2019 - 2022 Rohde & Schwarz GmbH & Co. KG | 81671 Munich, Germany

You can find all of these promotional offers at our authorized distributors in your country.

Rohde & Schwarz representative