



Image may differ from product. See technical specification for details.



HN 10-11

Hook spanner

The SKF Hook spanner, size 10 - 11, is designed for easy tightening and loosening of lock nuts. They are used to secure and adjust bearings on tapered journals, adapter sleeves and withdrawal sleeves. They fit on a variety of lock nuts with outer diameter(s) 68 - 75 mm. To be more specific for locknuts: KM 10, KM 11, KMK 10, KMK 11, KMFE 10, KMFE 11, KMT 9, KMT 10, N 10, N 11 and M45x1,5, M48x1,5, M50x1,5 (DIN 1804).

- Optimised design allow use in narrow spaces while maintaining maximum force
- Sturdy plastic handle that is oil, dirt and grease resistant to provide a better grip
- Drilled hole for easy hanging storage
- Laser-etched designation for easy identification
- They fit on a variety of locknuts with outer diameter(s) 68 - 75mm
- Available as part of the set HN 4-16/SET, supplied in a handy tool case

Overview

Dimensions

Locknut size	10 – 11
Outer diameter lock nut (range)	2.6772 – 2.9528 in
Nose width	0.2756 in
Nose height	0.1575 in
Thickness	0.2756 in
Length	9.5669 in
Working length	8.2677 in

Properties

Minimum number of lock nut slots	1
Series	Hook spanner, standard, HN
Type	Model B
Allows bearing mounting	Yes, angle method or with clearance reduction measurement
Size according DIN 1810	68 to 75 mm
Fits on lock nuts inside SKF split pillow block housings (SNL)	No
Suitable SKF Locknut	KM 10, KM 11, KMFE 10, KMFE 11, KMFE 11 H, KMK 10, KMK 11, KMT 10, KMT 9, N 10, N 11
Material	Medium carbon steel, hardened and tempered
Material handle	Durable soft plastic
Coating	Black phosphated
Colour	Black, with red handle
Part of a kit	Yes, HN 4-16/SET

Logistics

Product net weight	0.62 lb
eClass code	23-05-19-01
UNSPSC code	27111712

Compatible products

Parent product

Bearing hook spanner set

HN 4-16/SET

Recommended product

Lock nut with metric thread, for locking by lock washer	KM 10
Lock nut with metric thread, for locking by lock washer	KM 11
Lock nut with metric thread, with locking screw	KMFE 10
Lock nut with metric thread, with locking screw	KMFE 11
Lock nut with metric thread, with integral locking device	KMK 10
Lock nut with metric thread, with integral locking device	KMK 11
Precision lock nut with locking pins	KMT 10
Precision lock nut with locking pins	KMT 9
Lock nut with inch thread, for locking by lock washer or locking plate	N 10
Lock nut with inch thread, for locking by lock washer or locking plate	N 11



Terms of use