



Image may differ from product. See technical specification for details.



HN 7

Hook spanner

The SKF Hook spanner, size 7, is designed for easy tightening and loosening of lock nuts. They are used to secure and adjust bearings on tapered journals, adapter sleeves and withdrawal sleeves. They fit on a variety of lock nuts with outer diameter(s) 52 - 55 mm. To be more specific for locknuts: KM 7, KMK 7, KMFE 7, KMT 6, KMT 7, N 07 and M28x1,5, M30x1,5, M32x1,5, M35x1,5 (DIN 1804).

- Optimised design allow use in narrow spaces while maintaining maximum force
- Sturdy plastic handle that is oil, dirt and grease resistant to provide a better grip
- Drilled hole for easy hanging storage
- Laser-etched designation for easy identification
- They fit on a variety of locknuts with outer diameter(s) 52 - 55mm
- Available as part of the set HN 4-16/SET, supplied in a handy tool case

Overview

Dimensions

Locknut size	7 – 7
Outer diameter lock nut (range)	2.0472 – 2.1654 in
Nose width	0.2362 in
Nose height	0.1181 in
Thickness	0.2362 in
Length	8.189 in
Working length	7.0866 in

Properties

Minimum number of lock nut slots	1
Series	Hook spanner, standard, HN
Type	Model B
Allows bearing mounting	Yes, angle method or with clearance reduction measurement
Size according DIN 1810	52 to 55 mm mm
Fits on lock nuts inside SKF split pillow block housings (SNL)	No
Suitable SKF Locknut	KM 7, KMFE 7, KMK 7, KMT 6, KMT 7, N 07
Material	Medium carbon steel, hardened and tempered
Material handle	Durable soft plastic
Coating	Black phosphated
Colour	Black, with red handle
Part of a kit	Yes, HN 4-16/SET

Logistics

Product net weight	0.37 lb
eClass code	23-05-19-01
UNSPSC code	27111712

Compatible products

Parent product

Bearing hook spanner set	HN 4-16/SET
--------------------------	-------------

Recommended product

Lock nut with metric thread, for locking by lock washer	KM 7
Lock nut with metric thread, with locking screw	KMFE 7
Lock nut with metric thread, with integral locking device	KMK 7
Precision lock nut with locking pins	KMT 6
Precision lock nut with locking pins	KMT 7
Lock nut with inch thread, for locking by lock washer or locking plate	N 07



Terms of use