


TECHNI-PRO



TECHNI-PRO PRECISION
SCISSORS

TNP SCISSORS

HIGH PRECISION SCISSORS	04
ULTRACUT SCISSORS	07
MICRO SCISSORS	10
PROCUT SCISSORS	12
EASYCUT SCISSORS	17
INDUSTRIAL SCISSORS	19
SMARTCUT SCISSORS	23
MULTI-PURPOSE SCISSORS	26



Techni-Pro

TECHNI-PRO

Precision Scissors go beyond ordinary tools.



Techni-Pro Precision Scissors go beyond ordinary tools.

They excel at highly specialized operations with unmatched accuracy. Our wide range of shapes and features caters to diverse applications from medical device to electronics.

Crafted for precision, these scissors are made with premium stainless steels to offer exceptional, consistent performances and comfort through time. Trust our heritage of excellence and innovation.

HIGH PRECISION SCISSORS




HIGH PRECISION

SCISSORS | PRECISION IN EVERY CUT

High precision scissors range are made of Stainless Steel AISI420 and available in different shapes and sizes, designed and manufactured to meet the highest quality requirements of precision engineering.

The models with extra fine blades, straight or curved, are ideal for ultra-miniature work in confined areas and for precision tip cutting where the tolerance is very tight. The model with rounded blades is a heavy-duty miniature scissors, ideal for delicate applications where small sturdy blades are required. High precision scissors have many applications, mainly in the medical device field, laboratories and in the electronic industry.

758IE361



Tip thickness

0.3 mm 0.012"

Tip width

0.4 mm 0.016"

Part N.	Blade Description	OAL	Blade length		Body Material	Handle material	Finishing	Blade serration
758IE361	extra fine, curved blade. Miniature work	90 mm	3.54"	18 mm 0.71"	stainless steel	-----	sandblasted	-----

758IE061



Tip thickness

0.3 mm 0.012"

Tip width

0.4 mm 0.016"

Part N.	Blade Description	OAL	Blade length		Body Material	Handle material	Finishing	Blade serration
758IE061	extra fine, straight blade. Miniature work	90 mm	3.54"	18 mm 0.71"	stainless steel	-----	sandblasted	-----

758IE362



Tip thickness

0.3 mm 0.012"

Tip width

0.4 mm 0.016"

Part N.	Blade Description	OAL	Blade length		Body Material	Handle material	Finishing	Blade serration
758IE362	extra fine, curved blade. Precision cutting	90 mm	3.54"	22 mm 0.87"	stainless steel	-----	sandblasted	-----

HIGH PRECISION SCISSORS

758IE062



Tip thickness
0.3 mm 0.012"

Tip width
0.4 mm 0.016"

Part N.	Blade Description	OAL	Blade length		Body Material	Handle material	Finishing	Blade serration
758IE062	extra fine, straight blade. Precision cutting	90 mm	3.54"	22 mm 0.87"	stainless steel	----	sandblasted	----

758IE363



Tip thickness
0.3 mm 0.012"

Tip width
0.5 mm 0.020"

Part N.	Blade Description	OAL	Blade length		Body Material	Handle material	Finishing	Blade serration
758IE363	round, curved blade. Heavy-duty miniature work	90 mm	3.54"	22 mm 0.87"	stainless steel	----	sandblasted	----

758IE364



Tip thickness
0.4 mm 0.016"

Tip width
0.5 mm 0.020"

Part N.	Blade Description	OAL	Blade length		Body Material	Handle material	Finishing	Blade serration
758IE364	extra fine, curved blade. Heavy-duty precision miniature work	90 mm	3.54"	25 mm 0.98"	stainless steel	----	sandblasted	----

758IE065



Tip thickness
0.6 mm 0.024"

Tip width
1.3 mm 0.051"

Part N.	Blade Description	OAL	Blade length		Body Material	Handle material	Finishing	Blade serration
758IE065	round tips, curved blade. Heavy-duty miniature work	90 mm	3.54"	18 mm 0.71"	stainless steel	----	sandblasted	----

ULTRACUT SCISSORS



ULTRACUT

SCISSORS | CUTTING EXCELLENCE

UltraCut scissors are the perfect solution for demanding application to replace tungsten carbide blade scissors while improving performance, durability and pricing.

Made of stainless steel AISI 420 and AISI 440, hardened with a special vacuum heat treatment process, UltraCut scissors are autoclavable countless times and feature long-lasting sharpness and cutting performances.

They are specifically designed to cut fine braided mesh or wires, tough fibers and suture materials typical of the medical device industry. Designed to be comfortable for both right and left handed users, they are available with single micro-serrated blades to reduce slippage or with standard blades.

The ideal solution to have perfectly clean cuts and long-lasting performances while reducing strain and fatigue.

TNP384



Tip thickness
1.0 mm 0.039"

Tip width
0.5 mm 0.020"

Part N.	Blade Description	OAL	Blade length		Body Material	Handle material	Finishing	Blade serration
TNP384	fine, sharp, straight blade - side cut. Biologic and lab applications	90 mm	3.54"	15 mm 0.59"	hardened stainless steel	-----	mirror polished	micro-serrated

TNP384NS



Tip thickness
0.7 mm 0.028"

Tip width
0.7 mm 0.028"

Part N.	Blade Description	OAL	Blade length		Body Material	Handle material	Finishing	Blade serration
TNP384NS	fine, sharp, straight blade - side cut. Biologic and lab applications	90 mm	3.54"	15 mm 0.59"	hardened stainless steel	-----	mirror polished	-----

ULTRACUT SCISSORS

TNP394



Tip thickness
0.7 mm 0.028"

Tip width
0.7 mm 0.028"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP394	fine, sharp, straight blade - side cut. Biologic and lab applications	112 mm 4.43"	20 mm 0.79"	hardened stainless steel	-----	mirror polished	micro-serrated

TNP394NS



Tip thickness
0.3 mm 0.012"

Tip width
0.5 mm 0.020"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP394NS	fine, sharp, straight blade - side cut. Biologic and lab applications	112 mm 4.43"	20 mm 0.79"	hardened stainless steel	-----	mirror polished	-----

MICRO SCISSORS



MICRO

SCISSORS | PRECISION IN TIGHT SPACES

Designed specifically for confined spaces, Techni-Pro Micro Scissors excel in delivering precise cuts. Their compact size and slender profile allow for effortless maneuverability, ensuring you can navigate intricate areas with ease.

With their short, fine blades, these scissors provide superior visibility and exceptional accuracy. Whether you're working on delicate electronics, intricate crafts, or precise medical device manufacturing, Techni-Pro Micro Scissors are the perfect choice.

TNP346AMSB



Tip thickness
0.3 mm 0.012"

Tip width
0.3 mm 0.012"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP346AMSB	very fine, straight blade. Miniature work	100 mm 3.94"	8 mm 0.31"	hardened stainless steel	-----	polished	-----

TNP346MSBTT



Tip thickness
0.3 mm 0.012"

Tip width
0.4 mm 0.016"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP346MSBTT	very fine, straight blade. Miniature work	120 mm 4.72"	15 mm 0.59"	hardened stainless steel	-----	polished	-----

TNP366MSB



Tip thickness
0.3 mm 0.012"

Tip width
0.3 mm 0.012"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP366MSB	very fine, straight blade. Miniature work.	90 mm 3.54"	7 mm 0.28"	hardened stainless steel	-----	polished	-----

PROCUT SCISSORS



PROCUT

SCISSORS | CRAFTED FOR PROFESSIONALS

The ProCut line is conceived for those professional users that need performing and long-lasting products with a cost-effective solution for a wide range of applications.

The products of this line include the most common geometries and iconic design. Made of fine steel, hardened and tempered with state-of-the-art technologies, hand finished by artisans and double nickel-plated to provide a shield against wear and corrosion, these scissors have all the features making them great for industrial use and general applications.

TNP36135



Tip thickness

0.4 mm 0.016"

Tip width

0.4 mm 0.016"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP36135	extra fine, curved blade. Miniature work	90 mm 3.54"	16 mm 0.63"	carbon steel	-----	nickel plated	-----

TNP362S35



Tip thickness

0.5 mm 0.020"

Tip width

0.3 mm 0.012"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP362S35	extra fine, straight blade. Precision cutting	90 mm 3.54"	20 mm 0.79"	carbon steel	-----	nickel plated	-----

TNP36240



Tip thickness

0.4 mm 0.016"

Tip width

0.3 mm 0.012"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP36240	extra fine, straight blade. Precision cutting	105 mm 4.13"	25 mm 0.98"	carbon steel	-----	nickel plated	-----

PROCUT SCISSORS

TNP372SY35NP



Tip thickness
0.4 mm 0.016"

Tip width
0.4 mm 0.016"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP372SY35NP	extra fine, straight blade. Miniature work	90 mm 3.54"	28 mm 1.1"	carbon steel	-----	nickel plated	-----

TNP372SY40NP



Tip thickness
0.7 mm 0.028"

Tip width
0.3 mm 0.012"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP372SY40NP	extra fine, straight blade. Precision cutting	100 mm 3.94"	34 mm 1.34"	carbon steel	-----	nickel plated	-----

TNP372SY50NP




Tip thickness
0.8 mm 0.031"

Tip width
0.5 mm 0.020"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP372SY50NP	fine, straight blade. Heavy-duty work	130 mm 5.12"	51 mm 2.01"	carbon steel	-----	nickel plated	-----

TNP372SY60NP




Tip thickness
0.7 mm 0.028"

Tip width
0.7 mm 0.028"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP372SY60NP	fine, straight blade. Heavy-duty work	155 mm 6.10"	64 mm 2.52"	carbon steel	-----	nickel plated	-----

PROCUT SCISSORS

TNP372SYL40NP



Tip thickness
0.5 mm 0.020"

Tip width
0.3 mm 0.012"

Part N.	Blade Description	OAL	Blade length		Body Material	Handle material	Finishing	Blade serration
TNP372SYL40NP	extra fine, straight blade, large ring. Miniature work	100 mm	3.94"	30 mm 1.18"	carbon steel	-----	nickel plated	-----

TNP37540NP



Tip thickness
0.5 mm 0.020"

Tip width
0.5 mm 0.020"

Part N.	Blade Description	OAL	Blade length		Body Material	Handle material	Finishing	Blade serration
TNP37540NP	strong, short, curved blade. Precision cutting	105 mm	4.13"	17 mm 0.67"	carbon steel	-----	nickel plated	-----

TNP375S40NP



Tip thickness
0.5 mm 0.020"

Tip width
0.5 mm 0.020"

Part N.	Blade Description	OAL	Blade length		Body Material	Handle material	Finishing	Blade serration
TNP375S40NP	strong, short, straight blade. Precision cutting	105 mm	4.13"	17 mm 0.67"	carbon steel	-----	nickel plated	-----

14-467



Tip thickness
1.0 mm 0.039"

Tip width
1.0 mm 0.039"

Part N.	Blade Description	OAL	Blade length		Body Material	Handle material	Finishing	Blade serration
14-467	strong, straight blade. Multi-purpose work	125 mm	4.92"	40 mm 1.57"	carbon steel	-----	nickel plated	notch

PROCUT SCISSORS

TNP396NMTNP



Tip thickness
0.1 mm 0.039"

Tip width
0.1 mm 0.039"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP396NMTNP	strong, straight blade. Multi-purpose work	125 mm 4.92"	40 mm 1.57"	carbon steel	-----	nickel plated	micro-serrated with notch

EASYCUT SCISSORS



EASYCUT

SCISSORS | AFFORDABLE PRECISION CUTTING

Designed for general-purpose and light-duty professional work, these no-frills scissors provide good performances at an affordable price point.

Crafted with care and manufactured in Asia, our EasyCut Scissors are the smart choice for both everyday tasks or professional projects. These scissors are designed to make your cutting tasks efficient and effortless, allowing you to achieve clean and accurate cuts with ease.

TNP362S40B



Tip thickness
0.3 mm 0.012"

Tip width
0.4 mm 0.016"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP362S40B	extra fine, straight blade, small ring. General use	100 mm 3.94"	25 mm 0.98"	hardened stainless steel	-----	polished	-----

TNP362S45



Tip thickness
0.4 mm 0.016"

Tip width
0.4 mm 0.016"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP362S45	extra fine, straight blade. General use	110 mm 4.33"	21 mm 0.83"	hardened stainless steel	-----	polished	-----

INDUSTRIAL SCISSORS



INDUSTRIAL

SCISSORS | BUILT FOR HEAVY-DUTY TASKS

Constructed with fine steel and hardened using state-of-the-art technologies, Techni-Pro Industrial Scissors are built to withstand the toughest challenges.

They undergo meticulous hand-finishing by skilled artisans, ensuring exceptional quality and performance. From tough materials to demanding applications, these scissors effortlessly handle it all. Their ergonomic design ensures comfortable handling, even during prolonged use, reducing fatigue and maximizing productivity.

TNP33650BK



Tip thickness
0.7 mm 0.028"

Tip width
1.0 mm 0.039"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP33650BK	strong, sharp, straight blade. Heavy-duty work	135 mm 5.31"	50 mm 1.97"	hardened stainless steel	nylon	sandpaper	-----

TNP33660BK



Tip thickness
0.7 mm 0.028"

Tip width
1.0 mm 0.039"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP33660BK	strong, sharp, straight blade. Heavy-duty work	155 mm 6.10"	64 mm 2.52"	hardened stainless steel	nylon	sandpaper	-----

TNP33675BK



Tip thickness
0.9 mm 0.035"

Tip width
0.1 mm 0.039"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP33675BK	strong, sharp, straight blade. Heavy-duty work	190 mm 7.48"	74 mm 2.91"	hardened stainless steel	nylon	sandpaper	-----

INDUSTRIAL SCISSORS

TNP33685BK



Tip thickness
0.9 mm 0.035"

Tip width
1.0 mm 0.039"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP33685BK	strong, sharp, straight blade. Heavy-duty work	215 mm 8.46"	77 mm 3.03"	hardened stainless steel	nylon	sandpaper	-----

TNP33698BKW



Tip thickness
1.2 mm 0.047"

Tip width
1.5 mm 0.059"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP33698BKW	strong, sharp, straight blade. Heavy-duty work	250 mm 9.84"	103 mm 4.06"	hardened stainless steel	TPR	sandpaper	-----

TNP336PP50BK



Tip thickness
0.7 mm 0.028"

Tip width
1.0 mm 0.039"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP336PP50BK	pointed, sharp, straight blade. Heavy-duty work	135 mm 5.13"	50 mm 1.97"	hardened stainless steel	nylon	sandpaper	-----

TNP397ORW




Tip thickness
0.5 mm 0.020"

Tip width
1.0 mm 0.039"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP397ORW	fine, sharp, straight blade. Miniature work	105 mm 4.13"	25 mm 0.98"	hardened stainless steel	ABS	sandpaper	-----

INDUSTRIAL SCISSORS

TNP39860BEW



Tip thickness
0.8 mm 0.031"

Tip width
1.3 mm 0.051"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP39860BEW	pointed, sharp, straight blade. Light-duty work	160 mm 6.30"	40 mm 1.57"	hardened stainless steel	TPR	sandpaper	-----

TNP39870BEW



Tip thickness
1.0 mm 0.039"

Tip width
1.5 mm 0.059"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP39870BEW	pointed, sharp, straight blade. Light-duty work	180 mm 7.10"	58 mm 2.28"	hardened stainless steel	TPR	sandpaper	Single serrated blade area

SMARTCUT SCISSORS



SMARTCUT

SCISSORS | SIMPLY COMFORTABLE

Designed for general-purpose and light-duty professional work, SmartCut Scissors are the ideal choice for those seeking quality on a budget.

What sets SmartCut Scissors apart is their Polypropylene/Thermoplastic rubber handle, providing an enhanced grip for comfortable and precise cutting. With this ergonomic handle design, you can tackle any task with ease, reducing hand fatigue and ensuring optimal control. In addition, these Scissors feature micro-serrated blades to reduce slippage and ensuring a clean, precise cut every time.

TNP335MT55GBH



Tip thickness	0.7 mm	0.028"
Tip width	1.0 mm	0.039"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP335MT55GBH	pointed, straight blade. Light-duty work	140 mm	5.51"	53 mm	2.09"	hardened stainless steel	PP+TPR sandpaper micro-serrated

TNP335MT65GBH



Tip thickness	1.0 mm	0.039"
Tip width	1.7 mm	0.067"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP335MT65GBH	pointed, straight blade. Light-duty work	170 mm	6.69"	69 mm	2.72"	hardened stainless steel	PP+TPR sandpaper micro-serrated

TNP335MT75GBH



Tip thickness	1.0 mm	0.039"
Tip width	1.7 mm	0.067"

Part N.	Blade Description	OAL	Blade length	Body Material	Handle material	Finishing	Blade serration
TNP335MT75GBH	strong, straight blade. Light-duty work	200 mm	7.87"	71 mm	2.80"	hardened stainless steel	PP+TPR sandpaper micro-serrated

SMARTCUT SCISSORS

TNP335MT85GBH



Tip thickness
1.0 mm 0.039"

Tip width
2.0 mm 0.079"

Part N.	Blade Description	OAL		Blade length		Body Material	Handle material	Finishing	Blade serration
TNP335MT85GBH	strong, straight blade. Light-duty work	215 mm	8.46"	80 mm	3.15"	hardened stainless steel	PP+TPR	sandpaper	micro-serrated

MULTI-PURPOSE SCISSORS




MULTI-PURPOSE

SCISSORS | FOR SPECIFIC CUTTING NEEDS

Multi-purpose Scissors are designed for optimal durability, ensuring long-lasting performance that meets the demands of professional use.

TNP399KAN Scissors are able to cut Kevlar and Tough Fibers with ease. Unlike conventional scissors and shears, these specialized scissors make cutting challenging materials a breeze. Designed with precision and efficiency in mind, these scissors are engineered to handle a variety of tough fibers, including Vectran, Vicryl, Polyester, High Molecular Weight Polyethylene (UHMWPE), and more.

TNP380BBW



Tip thickness
0.5 mm 0.020"

Tip width
0.8 mm 0.031"

Part N.	Blade Description	OAL	Blade length		Body Material	Handle material	Finishing	Blade serration	
TNP380BBW	strong, sharp, straight blade. Heavy-duty work	145 mm	5.71"	30 mm	1.18"	hardened stainless steel	PP + TPR	sandpaper	sawtoothed

TNP399KAN



Tip thickness
1.6 mm 0.063"

Tip width
2.0 mm 0.079"

Part N.	Blade Description	OAL	Blade length		Body Material	Handle material	Finishing	Blade serration	
TNP399KAN	thick, straight blades	138 mm	5.43"	42 mm	1.65"	100Cr2	NY + TPR	sandblasted	sawtoothed

TECHNI-PRO

techni-tool.com