TECHNI-PRO

SAFETY DATA SHEET GENERAL PURPOSE DUST REMOVER, AEROSOL

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

1. Identification

Product identifier

Product name GENERAL PURPOSE DUST REMOVER, AEROSOL

Product number 758OZ134
Synonyms; trade names 758OZ134

Recommended use of the chemical and restrictions on use

Application Cleaning agent.

Details of the supplier of the safety data sheet

Supplier MICROCARE LLC

Manufacturer MICROCARE LLC

595 John Downey Drive New Britain, CT 06051 United States of America

CAGE: OATV9

Tel: + 1 800 638 0125, +1 860-827-0626

techsupport@microcare.com

Emergency telephone number

Emergency telephone INFOTRAC 1-800-535-5053 (U.S.A. and CANADA)

1-352-323-3500 (from anywhere in the world)

2. Hazard(s) identification

Classification of the substance or mixture

OSHA Regulatory Status This Product is Hazardous under the OSHA Hazard Communication Standard.

Physical hazards Press. Gas, Compressed - H280

Health hazards Simple Asphyxiant - USH03

Human health Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. Mild

dermatitis, allergic skin rash.

Physicochemical Vapors are heavier than air and may travel along the floor and accumulate in the bottom of

containers. Gas or vapor displaces oxygen available for breathing (asphyxiant). Not

considered to be a significant hazard due to the small quantities used.

Label elements

Signal word Warning

Hazard statements H280 Contains gas under pressure; may explode if heated.

USH03 May displace oxygen and cause rapid suffocation

Precautionary statements P410+P403 Protect from sunlight. Store in a well-ventilated place.

Supplemental label information

EUH210 Safety data sheet available on request. RCH001a For use in industrial installations

only.

Other hazards

This product does not contain any substances classified as PBT or vPvB.

3. Composition/information on ingredients

Mixtures

HFC-134a Tetrafluoroethane 60-100%

CAS number: 811-97-2

Classification

Press. Gas, Liquefied - H280 Simple Asphyxiant - USH03

The full text for all hazard statements is displayed in Section 16.

Composition comments TSCA: The ingredients of this product are on the TSCA Inventory. The exact percentage

(concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of CFR 1900.1200 TSCA: The ingredients of this product are on the TSCA

Inventory.

Composition

4. First-aid measures

Description of first aid measures

General information Never give anything by mouth to an unconscious person. Do not induce vomiting. Place

unconscious person on their side in the recovery position and ensure breathing can take place. If breathing stops, provide artificial respiration. Keep out of the reach of children.

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. When breathing is difficult, properly trained personnel may assist affected person

by administering oxygen. Get medical attention if any discomfort continues.

Ingestion IF SWALLOWED: Move affected person to fresh air and keep warm and at rest in a position

comfortable for breathing. Get medical attention if symptoms are severe or persist.

Skin Contact IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get medical

attention if symptoms are severe or persist after washing. Wash clothing and clean shoes

thoroughly before reuse.

Eye contact If liquid has entered the eyes, proceed as follows. Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult a

physician for specific advice.

Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation Gas or vapor displaces oxygen available for breathing (asphyxiant). Vapors may cause

headache, fatigue, dizziness and nausea. Difficulty in breathing.

Ingestion Due to the physical nature of this material it is unlikely that swallowing will occur.

Skin contact Spray will evaporate and cool rapidly and may cause frostbite or cold burns if in contact with

skin.

Eye contact Prolonged contact may cause redness and/or tearing.

Indication of immediate medical attention and special treatment needed

Notes for the doctor
No specific recommendations. If in doubt, get medical attention promptly.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards Aerosol containers can explode when heated, due to excessive pressure build-up. Keep away

from heat, sparks and open flame.

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances: Oxides

of carbon. Hydrogen fluoride (HF).

Advice for firefighters

Protective actions during

firefighting

Move containers from fire area if it can be done without risk. Bursting aerosol containers may

be propelled from a fire at high speed.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Aerosol containers can explode when heated, due to excessive pressure build-up. Warn

everybody of potential hazards and evacuate if necessary. Provide adequate ventilation. Avoid inhalation of vapors. Use approved respirator if air contamination is above an

acceptable level.

Environmental precautions

Environmental precautions Contain spillage with sand, earth or other suitable non-combustible material.

Methods and material for containment and cleaning up

Methods for cleaning up Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots,

clothing or apron, as appropriate. Eliminate all sources of ignition. No smoking, sparks, flames

or other sources of ignition near spillage. Provide adequate ventilation.

Reference to other sections See Section 11 for additional information on health hazards.

7. Handling and storage

Precautions for safe handling

Usage precautions Provide adequate ventilation. Avoid inhalation of vapors/spray and contact with skin and eyes.

Keep away from heat, sparks and open flame. Thermal decomposition or combustion products may include the following substances: Toxic and corrosive gases or vapors. Keep

out of the reach of children.

Conditions for safe storage, including any incompatibilities

Storage precautions Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

Reference to other sections. Store away from incompatible materials (see Section 10).

8. Exposure controls/Personal protection

Control parameters

Occupational exposure limits

HFC-134a Tetrafluoroethane

Long-term exposure limit (8-hour TWA): OES 4240 mg/m³

Exposure controls

Protective equipment





Appropriate engineering

controls

No specific ventilation requirements. This product must not be handled in a confined space

without adequate ventilation.

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. Unless the assessment indicates a higher degree of protection is

required, the following protection should be worn: Tight-fitting safety glasses.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible.

Other skin and body

protection

Wear suitable protective clothing as protection against splashing or contamination.

Hygiene measures No specific hygiene procedures recommended but good personal hygiene practices should

always be observed when working with chemical products. When using do not eat, drink or

smoke.

Respiratory protection Vapors are heavier than air and may travel along the floor and accumulate in the bottom of

containers. In confined or poorly-ventilated spaces, a supplied-air respirator must be worn.

Wear self-contained breathing apparatus with full facepiece.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance Liquefied gas

Color Colorless.

Odor Slight. Ether.

Odor threshold No information available.

pH No information available.

Melting point No information available.

Initial boiling point and range -26.1°C/-15.0°F @ 1013 hPa

Flash point The product is not flammable.

Evaporation rate > 1 (CCL4 = 1.0)

Evaporation factor No information available.

Flammability (solid, gas) No information available.

Upper/lower flammability or

explosive limits

Upper flammable/explosive limit: n/a Lower flammable/explosive limit: n/a

Other flammability The product is not flammable.

Vapor pressure 96 PSIA @ 20°C

3.6 @ 25 C / 77 F Vapor density

Relative density 1.21 g/cm3 at 25 °C (77 °F) (as liquid)

Bulk density Not applicable.

Solubility(ies) Slightly soluble in water.

Partition coefficient No information available.

Auto-ignition temperature No information available.

Decomposition Temperature No information available.

Viscosity No information available.

Explosive properties No information available.

Comments Aerosol.

Global Warming Potential

(GWP)

Surface tension

Refractive index Not determined.

Particle size Not applicable.

Molecular weight No information available.

100% Volatility

Saturation concentration No information available. No information available.

Volatile organic compound Not applicable.

Heat of vaporization (at boiling

point), cal/g (Btu/lb)

Critical temperature

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability Stable at normal ambient temperatures and when used as recommended.

Possibility of hazardous

reactions

Will not polymerize.

Conditions to avoid Avoid exposing aerosol containers to high temperatures or direct sunlight. Keep away from

heat, sparks and open flame.

Materials to avoid Alkali metals. Alkaline earth metals. Powdered metal.

Hazardous decomposition

products

Heating may generate the following products: Carbon dioxide (CO2). Carbon monoxide (CO).

Hydrogen fluoride (HF).

11. Toxicological information

Information on toxicological effects

Revision date: 8/2/2023

GENERAL PURPOSE DUST REMOVER, AEROSOL

Other health effects There is no evidence that the product can cause cancer.

Inhalation Vapors irritate the respiratory system. May cause coughing and difficulties in breathing.

Ingestion May cause stomach pain or vomiting. May cause nausea, headache, dizziness and

intoxication.

Skin Contact Contact with liquid form may cause frostbite. Product has a defatting effect on skin.

Eye contact May cause temporary eye irritation.

Toxicological information on ingredients.

HFC-134a Tetrafluoroethane

Other health effects There is no evidence that the product can cause cancer.

Acute toxicity - inhalation

Acute toxicity inhalation

(LC₅₀ gases ppmV)

567,000.0

Species Rat

ATE inhalation (gases

ppm)

567,000.0

Inhalation Vapors irritate the respiratory system. May cause coughing and difficulties in

breathing.

Ingestion May cause stomach pain or vomiting. May cause nausea, headache, dizziness and

intoxication.

Skin Contact May cause allergic contact eczema. Contact with liquid form may cause frostbite.

Eye contact May cause temporary eye irritation.

12. Ecological information

Ecotoxicity There are no data on the ecotoxicity of this product.

Ecological information on ingredients.

HFC-134a Tetrafluoroethane

Acute aquatic toxicity

Acute toxicity - fish LC50, 96 hours: 450 mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC₅o, 48 hours: 980 mg/l, Daphnia magna

Persistence and degradability

Persistence and degradability The degradability of the product is not known.

Bioaccumulative potential

Bio-Accumulative Potential No data available on bioaccumulation.

Partition coefficient No information available.

Ecological information on ingredients.

Partition coefficient Pow: 1.06

Mobility in soil

Mobility The product contains volatile substances which may spread in the atmosphere.

Other adverse effects

Other adverse effects The product contains a substance or substances that will contribute to global warming

(greenhouse effect).

13. Disposal considerations

Waste treatment methods

General information Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site

in accordance with the requirements of the local Waste Disposal Authority.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

14. Transport information

General As supplied, this product is consigned under the Limited Quantities provisions. Requirements

for marking and labeling of package varies depending on mode of transport. If uncertain of

proper markings and labeling, call MicroCare for assistance.

UN Number

UN No. (IMDG) 1950

UN No. (ICAO) 1950

UN proper shipping name

Proper shipping name (TDG) LIMITED QUANTITY

Proper shipping name (IMDG) UN1950 AEROSOLS, NON-FLAMMABLE, 2.2, LIMITED QUANTITY

Proper shipping name (ICAO) UN1950 AEROSOLS, NON-FLAMMABLE, 2.2, LIMITED QUANTITY

Proper shipping name (DOT) LIMITED QUANTITY

Transport hazard class(es)

IMDG Class 2.2 LIMITED QUANTITY

ICAO class/division 2.2 LIMITED QUANTITY

Packing group

ICAO packing group Not Applicable

Environmental hazards

Environmentally Hazardous Substance

No.

Transport in bulk according to Annex II of MARPOL 73/78

Transport in bulk according to Not applicable. No information required.

and the IBC Code

and the ibe edge

15. Regulatory information

Guidance Workplace Exposure Limits EH40.

Introduction to Local Exhaust Ventilation HS(G)37.

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities Not listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

Not listed.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

Not listed.

SARA 313 Emission Reporting

Not listed.

CAA Accidental Release Prevention

Not listed.

SARA (311/312) Hazard Categories

Pressure

OSHA Highly Hazardous Chemicals

Not listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

Not listed.

California Air Toxics "Hot Spots" (A-I)

Not listed.

California Air Toxics "Hot Spots" (A-II)

Not listed.

California Directors List of Hazardous Substances

Not listed.

Massachusetts "Right To Know" List

Not listed.

Rhode Island "Right To Know" List

Not listed.

Minnesota "Right To Know" List

HFC-134a Tetrafluoroethane

Present.

New Jersey "Right To Know" List

Not listed.

Pennsylvania "Right To Know" List

Not listed.

Inventories

Canada - DSL/NDSL

Yes

US - TSCA

HFC-134a Tetrafluoroethane

Present.

16. Other information

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 6/3/2021

Revision 69

Supersedes date 6/15/2020

SDS No. AEROSOL - DST

SDS status Approved.

Hazard statements in full H280 Contains gas under pressure; may explode if heated.

USH03 May displace oxygen and cause rapid suffocation

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.