

Training Program - 02. Tweezer categories (part 2)

# Tweezer categories and materials



		REVERSE ACTION TWEEZERS	SMD TWEEZERS	WAFER TWEEZERS	MINI TWEEZERS	BOLEY TWEEZERS	TWEEZER KITS
	сх	•	•	•	•	•	•
	SA		•	•			
	s		•	•			
	С	•	•	•	•		•
	NC		•	•	•	•	
	TA	•	•	•	•		
	N	•	•	•	•	•	•
	BR	•	•	•	•	•	•
000	СР	•	•		•	•	•
•00	CF		•	•	•	•	
•8•	sv	•	•	•	•	•	•
0	DG	•	•	•	•	•	•
.0:	⇒ MZ	•	•	•	•	•	•
100	<b>Z</b> J	•	•	•	•	•	•

## Tweezer categories (Special Tweezers)

A tool is the extension of a man's hand to concentrate force and to help carry out a variety of tasks. Tweezers are an extention of our fingers to grab, grip, place, remove or hold items that are too small or delicate for our fingers to be easily handled. In scientific or medical context they are normally referred to as forceps. As every application is different, several tip sizes, geometries, tweezer materials and quality are required. To facilitate different applications, tweezer tips can be flat, straight, bent, round, pointed, curved or square and the tweezer bodies can be straight, bent, curved or angled.

	CATEGORY DESCRIPTION	MOST POPULAR STYLES				MATERIALS
REVERSE ACTION TW	Uniform tension in handling small fragile parts for extended periods of time without finger strain. Specially intended for applications where a high precise self-closing action is required such as in microscopy and assembly applications.		2A		5	Full body: SA - S - NC
			3		5 <b>A</b>	or Handle: SA
			- 4		7	Tips: CF - CP - SV
SMD TW	The variety of tips and angles available on SMD Tweezers allow for smooth handling and positioning of all Surface Mount Device components. Satin antiglare finish and ergonomic design. Available as reverse action model.		SM103		SM108	Full body: SA
			SM104		SM111	or Handle Coating: NE Tweezers: SA
WAFER TW	rework.		SM107		SM115	
	The several tip shapes and sizes are designed to handle thin and delicate substrates like glass, metal and silicon wafers while avoiding scratching or breaking of thin layers. Tip sizes are available from 5 to 65 mm width.  Teflon coating (full body), plastic tips as well as special designs are available for specific applications.		2WF		4WFG	Full body: SA
		The	3WF	E COLUMB TO THE PROPERTY OF TH	48WF	or Handle: SA Tips: CP - SV
		Turk	4WF		85C	or Full body coating: T Tweezers: SA

# Tweezer categories (Special Tweezers)

	CATEGORY DESCRIPTION	MOST POPULAR STYLES	MATERIALS
MINI TW	Short fine tip tweezers without the excess bulk of long tweezers. Very light, ergonomic tweezers ideal for working into tight spaces, under the limited working area of a microscope and for short range precision work. Applications include: specimen handling, microscopy preparation, sorting, precision manufacturing, electronic assembly, watch making, general laboratory, biological and medical applications.	00 3 2 5	Full body: SA - S
BOLEY TW	General purpose tweezers available in different materials for specific applications. All shanks are tapered and have beveled edges. The sharp points have received some finishing at the tips.	AA GG BB MM	Full body: SA - S - C - TA  or Handle Coating: NE Tweezers: SA
TWEEZER KITS	Techni-pro offers an assortment of tweezer kits specially comprised to match specific needs and applications. Applications include SMD handling and repair and micro assembly. Specific tasks include moving, gripping and manipulating fine wires, substrates, leads, components and other small parts too delicate, small or sterile to be handled by human fingers.  Ideal for labs, cleanrooms, electronics assembly applications and circuit board rework/repair.	ECONOMY TW  PLASTIC TW  REVERSE ACTION TW  SMD TW	Full body: SA - S - TA - NC - S - CF - DG - SV  or Handle Coating: NE Tweezers: SA  or Handle: SA Tips: CF  or Tip Coating: DC Tweezers: SA