

# Power It! 6-Outlet Power Strip, 6 ft. (1.83 m) Cord, Black Housing

## MODEL NUMBER: PS66B





Connect up to 6 electrical devices to a single AC wall socket. Ideal for connecting appliances, power tools, lighting and other electrical equipment in your home, office or work site.

#### Description

The PS66B Power It!<sup>™</sup> 6-Outlet Power Strip is a reliable, compact, cost-effective 120V 1875W power strip that lets you connect up to six electrical devices to a single AC wall socket. With a 6-ft. (1.83 m) AC power cord with NEMA 5-15P plug, this multi-outlet power strip is ideal for use with appliances, power tools, lighting and other electrical equipment in homes, offices and work sites.

Your components plug into six NEMA 5-15R outlets compatible with all standard electrical equipment. Integrated 15-amp circuit breaker protects all outlets against dangerous overloads. Lighted on/off switch provides one-touch control over connected equipment. Keyhole slots incorporated into the bottom panel provide convenient wall or desk mounting options for the black plastic housing.

#### Features

#### 6 Outlets Power All Standard Electronics

6 NEMA 5-15R AC outlets accept most appliances, power tools, lights and other devices

#### **Premium Safety Features**

- Lighted on/off switch provides one-touch control over connected equipment
- Integrated 15A circuit breaker protects outlets against overloads
- UL and cUL approved

#### Fits Effortlessly Into Your Home, Office or Work Site

- 6-ft. (1.83 m) AC power cord with NEMA 5-15P plug
- Keyhole slots on bottom panel provide convenient wall or desk mounting options
- Black plastic housing designed for long life

# Specifications

### Highlights

- 6 NEMA 5-15R outlets
- 15A resettable circuit breaker prevents dangerous overloads
- Lighted on/off switch gives onetouch control over components
- 6-ft. (1.83 m) AC power cord with NEMA 5-15P plug
- Bottom keyhole slots for mounting to wall or desk

#### Package Includes

- PS66B Power It! 6-Outlet Power Strip, Black Housing
- Owner's manual



OVERVIEW		
UPC Code	037332190765	
INPUT		
Nominal Input Voltage(s) Supported	120V AC	
Recommended Electrical Service	15A 120V	
Input Cord Gauge Type	14 gauge; SJT	
Voltage Compatibility (VAC)	120	
Input Plug Type	NEMA 5-15P	
Input Cord Length (ft.)	6	
Input Cord Length (m)	1.83	
Integrated Cord Clip	No	
OUTPUT		
Frequency Compatibility	60 Hz	
Output (Watts)	1875	
Output Receptacles	(6) 5-15R	
Circuit Breaker (amps)	15	
Overload Protection	15A circuit breaker	
Transformer Accommodation	(2) Yes	
Outlet Orientation	Single row of 6	
Right-Angle Outlets	No	
USER INTERFACE, ALERTS & CONTROLS		
Switches	Illuminated on/off switch controls power to all outlets	
PHYSICAL		
Material of Construction	Plastic	
Color	Black	
Power Cord Color	Black	
Housing Color	Light Gray	
Mounting Holes or Slots	Yes	
Receptacle Color	Black	
Shipping Dimensions (hwd / cm)	28.02 x 10.59 x 3.99	
Shipping Dimensions (hwd / in.)	11.03 x 4.17 x 1.57	
Shipping Weight (kg)	0.48	



Shipping Weight (lbs.)	1.05	
Unit Dimensions (hwd / in.)	9.5 x 1.5 x 1.5	
Unit Dimensions (hwd / cm)	23.3 x 3.81 x 3.81	
Unit Weight (lbs.)	.81	
Unit Weight (kg)	0.37	
FEATURES & SPECIFICATIONS		
Antimicrobial	No	
Built-In Circuit Breaker	Yes	
STANDARDS & COMPLIANCE		
Product Certifications	cUL Listed; UL 1363; UL Listed	
Product Compliance	RoHS	
WARRANTY		
Product Warranty Period (Worldwide)	Lifetime limited warranty	

© 2022 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies