#### Page 1/8

# Safety Data Sheet

# Version 2.7 (US)

EL RT 601 A

Date of last alteration: 11/09/2022

#### 1. Product and company identification 1.1 Identification of the substance or preparation: Trade name EL RT 601 A **\*SMP,VARIOUS** Product group: **RTV Silicone Rubber** Use of the Substance/Mixture Industrial. Potting compound 1.2 Company/undertaking identification: Manufacturer/distributor: Wacker Chemie AG Hanns-Seidel-Platz 4 81737 München Germany Customer information: Wacker Chemical Corporation 4950 S State Road Ann Arbor, MI 48108 InfoLine: Tel (517) 264-8240 Hours of operation: Monday - Friday, 8 am to 5 pm (eastern standard time) Corporate website: www.wacker.com Emergency telephone no. (24h): (517) 264-8500 Transportation emergency: (800) 424-9300 (CHEMTREC, USA) (703) 527-3887 (CHEMTREC, international)

**\*SMP,VARIOUS** 

Print Date 11/20/2023

This SDS was prepared by the Regulatory Affairs and Product Safety Department (RAPS) of Wacker Chemical Corporation.

# 2. Hazards identification

# 2.1 Classification of the substance or mixture

# Classification (GHS):

Not a hazardous substance or mixture.

# 2.2 Label elements

# Labelling (GHS):

No labeling according to GHS required.

# 2.3 Other hazards

No data available.

Endocrine disrupting properties - human health: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Endocrine disrupting properties - environment: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# 3. Composition/information on ingredients

# 3.1 <u>Chemical characterization (preparation)</u>

# Chemical characterization

Polydimethylsiloxane with functional groups and auxiliaries for addition cross-linking

# 3.2 Information on ingredients:

This material does not contain any ingredients above the permitted limit(s).

# WACKER

# Safety Data Sheet

Material: 10002145	EL RT 601 A	*SMP,VARIOUS

Version 2.7 (US)

Print Date 11/20/2023

Date of last alteration: 11/09/2022

Substances listed in the Subsections "HAPS" and "California Proposition 65 Carcinogens / Reproductive Toxins" that are not listed in this section are only present at quantities below 0.1% for California Proposition 65 listed toxins or below 1% for non-carcinogenic HAPS or they are inextricably bound in the product. Specific chemical identities and/or exact percentage (concentration) of the composition may have been withheld as a trade secret.

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57) in amounts above  $\geq$  0.1%.

# 4. First-aid measures

# 4.1 General information:

Get medical attention if irritation or other symptoms occur. Before seeking medical attention remove contaminated clothing and shoes. Take a copy of the Safety Data Sheet when going for medical treatment.

# 4.2 If inhaled

Material cannot be inhaled under normal conditions. No special treatment required.

# 4.3 In case of skin contact

After skin contact wipe off excess material with cloth or paper. Use a waterless hand cleaner to remove as much of the remaining material as possible. Wash with soap and water.

# 4.4 In case of eye contact

If contact with eyes, immediately hold eyelids apart and flush with plenty of water for at least 15 min.

# 4.5 If swallowed

No special measures are required after swallowing.

# 5. Fire-fighting measures

# 5.1 Flammable properties:

Property:	Value:	Method:
Flash point	> 302 °C (> 576 °F)	(ISO 2592)
Boiling point/boiling range	exempt	. ,
Lower explosion limit	exempt	
Upper explosion limit		
Ignition temperature		(DIN 51794)
NFPA Hazard Class (comb./flam.liquid)	IIIB	````

# 5.2 Fire and explosion hazards:

This material does not present any unusual fire or explosion hazards.

# 5.3 Recommended extinguishing media:

water-spray, dry chemical, alcohol-resistant foam, carbon dioxide, sand.

# 5.4 Unsuitable extinguishing media:

water jet

# 5.5 Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases

Hazardous decomposition products: carbon dioxide , carbon monoxide , formaldehyde , silicon dioxide and incompletely burnt hydrocarbons .

# 5.6 Fire fighting procedures:

Fire fighters should wear full protective clothing including a self-contained breathing apparatus. Cool endangered containers with water.

# 6. Accidental release measures

# 6.1 Precautions:

Secure the area. Wear personal protection equipment (see section 8). Keep unprotected persons away. If material is released indicate risk of slipping. Do not walk through spilled material.

# Safety Data Sheet

Material: 100	02145
---------------	-------

# EL RT 601 A

# \*SMP,VARIOUS

Version 2.7 (US)

Print Date 11/20/2023

Date of last alteration: 11/09/2022

# HAZWOPER PPE Level: D

# 6.2 Containment:

Prevent material from entering surface waters, drains or sewers and soil. Close leak if possible without risk. Contain any fluid that runs out using suitable material (e.g. earth). Retain contaminated water/extinguishing water. Dispose of in prescribed marked containers. Inform authorities if substance leaks into surface waters, sewerage or ground.

Spills of material which could reach surface waters must be reported to the United States Coast Guard National Response Center's toll free phone number (800) 424-8802.

# 6.3 Methods for cleaning up

Take up mechanically and dispose of according to local/state/federal regulations. Do not flush away with water. For small amounts: Absorb with a neutral (non-acidic / non-basic) liquid binding material such as diatomaceous earth and dispose of according to government regulations. For large amounts: Liquids may be recovered using suction devices or pumps. If flammable, only air driven or properly rated electrical equipment should be used. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Silicone fluids are slippery; spills are a safety hazard. Apply sand or other inert granular material to improve traction.

# 7. Handling and storage

# 7.1 Handling

#### Precautions for safe handling:

Avoid formation of aerosols. In case of aerosol formation special protective measures are required (exhausting by suction, respiratory protection). Spilled substance increases risk of slipping. Observe information in section 8.

#### Precautions against fire and explosion:

Observe the general rules for fire prevention.

# 7.2 Storage

**Conditions for storage rooms and vessels:** Observe local/state/federal regulations.

# Advice for storage of incompatible materials:

Observe local/state/federal regulations.

#### Further information for storage:

Store in a dry and cool place.

# 8. Exposure controls and personal protection

# 8.1 Engineering controls

Ventilation:

Use with adequate ventilation.

Local exhaust:

not necessary

# 8.2 Associate substances with specific control parameters such as limit values

none known

# 8.3 Personal protection equipment (PPE)

# **Respiratory protection:**

Respiratory protection is not normally required.

# Hand protection:

Recommendation: Any liquid-tight rubber or vinyl gloves.

#### Eye protection:

Recommendation: Safety glasses with side shields.

#### Other protective clothing or equipment:

Additional protective clothing or equipment is not normally required. Provide eye bath and safety shower.

Mate	erial: 10002145	EL RT 601 A	*SMP,VARIOUS	
Versi	ion 2.7 (US)		Print Date 11/20/2023	Date of last alteration: 11/09/2022
8.4	<b>General hygiene and p</b> When handling do not e		cosmetics. Wash thoroughly after handling	).
9.	Physical and chen	nical properties		
9.1	Appearance			
	Colour		: colourless	
9.2	Safety data			
	Boiling point/boiling rang Flash point Ignition temperature Lower explosion limit Upper explosion limit Vapour pressure Density Water solubility Partition coefficient: n-o Viscosity, dynamic Viscosity, kinematic	ctanol/water	: exempt : > 302 °C (> 576 °F) : > 450 °C (> 842 °F) : exempt : exempt : exempt : 1.03 g/cm <sup>3</sup> at 20 °C (68 °F) practically insoluble Not applicable. Insoluble in water. not applicable 4000 - 7000 mPa.s at 20 °C (68 °F)	Method: (ISO 2592) (DIN 51794)
9.3	Further information			
I				

# 10. Stability and reactivity

# 10.1 General information:

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

#### 10.2 Conditions to avoid

None known.

WACKER

# 10.3 Materials to avoid

None known.

# 10.4 Hazardous decomposition products

If stored and handled properly: none known. Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302 °F) through oxidation.

# **10.5** Further information:

Hazardous polymerization cannot occur.

# 11. Toxicological information

# 11.1 Information on toxicological effects

# 11.1.1 Acute toxicity

# Assessment:

For this endpoint no toxicological test data is available for the whole product.

Acute toxicity estimate (ATE): ATE<sub>mix</sub> (Oral): > 2000 mg/kg

# Safety Data Sheet FI RT 601 A Material: 10002145 \*SMP,VARIOUS Version 2.7 (US) Print Date 11/20/2023 Date of last alteration: 11/09/2022 11.1.2 Skin corrosion/irritation Assessment: For this endpoint no toxicological test data is available for the whole product. 11.1.3 Serious eye damage/eye irritation Assessment: For this endpoint no toxicological test data is available for the whole product. 11.1.4 Respiratory or skin sensitisation Assessment: For this endpoint no toxicological test data is available for the whole product. Product details:

Exposure routes	Result
Inhalation	No data available.

# 11.1.5 Germ cell mutagenicity

# Assessment:

WACKER

For this endpoint no toxicological test data is available for the whole product.

#### 11.1.6 Carcinogenicity

#### Assessment:

For this endpoint no toxicological test data is available for the whole product.

# 11.1.7 Reproductive toxicity

#### Assessment:

For this endpoint no toxicological test data is available for the whole product.

# 11.1.8 Specific target organ toxicity - single exposure

#### Assessment:

For this endpoint no toxicological test data is available for the whole product.

#### 11.1.9 Specific target organ toxicity - repeated exposure

#### Assessment:

For this endpoint no toxicological test data is available for the whole product.

#### 11.1.10 Aspiration hazard

#### Assessment:

Based on the physical-chemical properties of the product no aspiration hazard must be expected.

# 11.1.11 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# 11.1.12 Further toxicological information

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Other information: None known.

# 12. Ecological information

# Safety Data Sheet

Mate	rial: 10002145	EL RT 601 A	*SMP,VARIOUS		
Versio	on 2.7 (US)		Print Date 11/20/2023	Date of last alteration: 11/09/2022	
12.1	Toxicity				
	Assessment:				
I	For the product as a whole, no test data is available.				
12.2	Persistence and degradability				
	Assessment:				
I	Polymer component: biologically not degradable. Elimination by adsorption to activated sludge.				
12.3	Bioaccumulative potential				
	Assessment:				
I	Polymer component: No advers	e effects expected	l.		
12.4	Mobility in soil				
	Assessment				

Polymer component: insoluble in water.

# 12.5 Results of PBT and vPvB assessment

No data available.

# 12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# 12.7 Other adverse effects

none known

# 13. Disposal considerations

# 13.1 Product disposal

# Recommendation:

Material that cannot be used, reprocessed or recycled should be disposed of in accordance with Federal, State, and local regulations at an approved facility. Depending on the regulations, waste treatment methods may include, e.g., landfill or incineration.

# 13.2 Packaging disposal

# Recommendation:

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations. Uncleaned packaging should be treated with the same precautions as the material.

# 14. Transport information

# 14.1 US DOT & CANADA TDG SURFACE

Valuation ..... Not regulated for transport

# 14.2 Transport by sea IMDG-Code

Valuation ..... Not regulated for transport

# 14.3 Air transport ICAO-TI/IATA-DGR

Valuation ...... Not regulated for transport

# 15. Regulatory information

# 15.1 U.S. Federal regulations

# TSCA inventory status and TSCA information:

This material or its components are listed on or are in compliance with the requirements of the TSCA Chemical Substance Inventory.

	ety Data Sheet			
Mate	rial: 10002145	EL RT 601 A	*SMP,VARIOUS	
Versi	on 2.7 (US)		Print Date 11/20/2023	Date of last alteration: 11/09/2022
	TSCA 12(b) Export Notif		ts of any TSCA 12(b) listed chemica	ls
	CERCLA Regulated Che This material does not co	micals:		
	SARA 302 EHS Chemica This material does not co	-	ely hazardous substances.	
	SARA 311/312 Hazard C No SARA Hazards	ass:		
	SARA 313 Chemicals: This material does not co	ntain any SARA 313 ch	emicals above de minimus levels.	
	HAPS (Hazardous Air Po			
1	CAS-No. Chem 108-88-3 Tolue			Upper limit wt. % <=0.0599
I	This material contains tolu		ess than 0.1%	~=0.0000
15.2	U.S. State regulations			
	California Proposition 6	5 (Safe Drinking Wate	r and Toxic Enforcement Act of 19	986):
	This material does not co	ntain any chemicals kno	own to the State of California to caus	se cancer.
	California Proposition 65	Reproductive Toxins:		
	108-88-3	Toluene		
	Massachusetts Substan This material contains no			
I	Pennsylvania Right-to-k This material contains no		stance List:	
15.3	Details of international r	egistration status		
	Relevant information about	it individual substance	inventories, where available, is giver	n below.
I	Japan		ICS (Handbook of Existing and New is product is listed in, or complies wi	
	Australia	: Al	IC (Australian Inventory of Industrial	Chemicals):
I	China	۱۵ <b>اE</b> 0.	is product is listed in, or complies wi CSC (Inventory of Existing Chemical	ith, the substance inventory. I Substances in China):
	Canada	Th DS: المحافظة	is product is listed in, or complies wi SL (Domestic Substance List):	ith, the substance inventory.
	Philippines		is product is listed in, or complies wi CCS (Philippine Inventory of Chemic	
	United States of America	USA) TS All		
	Taiwan	тс	bstance inventory. SI (Taiwan Chemical Substance Inv is product is listed in, or complies wi	ventory): ith, the substance inventory. General note:
		Th or ex ing thi	e Taiwanese chemicals regulation re TCSI-compliant substances if impor- ceed the trigger quantity of 100 kg/a gredient). It is the duty of the importir s obligation.	equires a phase 1 registration for TCSI-listed ts to Taiwan or manufacturing in Taiwan (for mixtures to be calculated per each ng/manufacturing legal entity to take care of
	European Economic Area	(EEA): RE Ge ma the	EACH (Regulation (EC) No 1907/200 eneral note: the registration obligation anufactured within the EEA by the su	ns for substances imported into the EEA or upplier mentioned in section 1 are fulfilled by gations for substances imported into the EEA

South Korea (Republic of Korea)......:: AREC (Act on Registration and Evaluation of Chemicals; "K-REACH"): Please approach your regular contact for more detailed information.

# Safety Data Sheet

Material: 10002145

WACKER

# EL RT 601 A

# \*SMP,VARIOUS

Version 2.7 (US)

Print Date 11/20/2023

Date of last alteration: 11/09/2022

16. Other information

# 16.1 Additional information:

This Safety Data Sheet (SDS) meets the requirements of the Federal OSHA Hazard Communication Standard (29 CFR 1910.1200). This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee expressed or implied, is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license under valid patents. This SDS provides selected regulatory information on this product, including its components. This is not intended to include all regulations. It is the responsibility of the user to know and comply with all applicable rules, regulations and laws relating to the product being used.

Vertical lines in the left-hand margin indicate changes compared with the previous version.

WACKER restricts the use of its products inside the human body or in contact with bodily fluids and mucosa. For further details please review our Health Care Policy on www.wacker.com. WACKER may cancel any delivery obligation(s) if the Health Care Policy is not observed.

# 16.2 Glossary of Terms:

 

 ACGIH - American Conference of Governmental Industrial Hygienists
 ppm - Parts per Million SARA - Superfund Amendments and Reauthorization Act STEL - Short Term Exposure Limit TSCA - Toxic Substances Control Act TWA - Time Weighted Average

 Main Parts - Milli Pascal-Seconds
 TWA - Time Weighted Average

 OSHA - Occupational Safety and Health Administration PEL - Permissible Exposure Limit
 TWA - Time Weighted Average

 Flash point determination methods
 Common name Tagliabue (Tag) closed cup

ASTM D56	l agliabue (l ag) closed cup
ASTM D92, DIN 51376, ISO 2592	Cleveland open cup
ASTM D93, DIN 51758, ISO 2719	Pensky-Martens closed cup
ASTM D3278, DIN 55680, ISO 3679	Setaflash or Rapid closed cup
DIN 51755	Abel-Pensky closed cup
	, ,

# 16.3 Conversion table:

Pressure:	1 hPa * 0.75 = 1 mm Hg = 1 torr; 1 bar = 1000 hPa
Viscosity:	1 mPa*s = 1 centipoise (cP)