Material: 10002061 EL RT 601 B		*SMP,VARIOUS		
Version 2.6 (US)		Print Date 11/20/2023	Date of last alteration: 11/09/2022	
1.	Product and company id	entification		
1.1	Identification of the substance	e or preparation:	:	
	Trade name		EL RT 601 B	*SMP,VARIOUS
	Use of the Substance/Mixture		Industrial. Potting compound	
1.2	Company/undertaking identifi	cation:		
	Manufacturer/distributor:		Wacker Chemie AG Hanns-Seidel-Platz 4 81737 München Germany	
	Customer information:		Wacker Chemical Cor 4950 S State Road Ann Arbor, MI 48108 InfoLine: Tel (517) 264-8240 Hours of operation: Monday - Friday, 8 ar Corporate website: w	n to 5 pm (eastern standard time)
	Emergency telephone no. (24h)	:	(517) 264-8500	
	Transportation emergency:		(800) 424-9300 (CHE (703) 527-3887 (CHE	MTREC, USA) MTREC, international)
	This SDS was prepared by the I	Regulatory Affairs	and Product Safety Depart	ment (RAPS) of Wacker Chemical Corporation.

Hazards identification 2.

2.1 Classification of the substance or mixture

Classification (GHS):

Not a hazardous substance or mixture.

2.2 Label elements

WACKER

Safety Data Sheet

Labelling (GHS):

No labeling according to GHS required.

Other hazards 2.3

Product can release hydrogen. Risk of hydrogen gas formation with water, alcohols, acids, metallic salts, amines and alkalis. In combination with oxygen, the released hydrogen can form oxyhydrogen.

Endocrine disrupting properties - human health: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Endocrine disrupting properties - environment: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

3. Composition/information on ingredients

3.1 Chemical characterization (substance)

CAS-No.	Chemical characterization
	Polydimethylsiloxane with functional groups and auxiliaries for addition cross-linking

3.2 Information on ingredients:

This material does not contain any ingredients above the permitted limit(s).

Safety Data Sheet

Version 2.6 (US)

Print Date 11/20/2023

Date of last alteration: 11/09/2022

Substances listed in the Subsections "HAPS" and "California Proposition 65 Carcinogens / Reproductive Toxins" that are not listed in this section are only present at quantities below 0.1% for California Proposition 65 listed toxins or below 1% for non-carcinogenic HAPS or they are inextricably bound in the product. Specific chemical identities and/or exact percentage (concentration) of the composition may have been withheld as a trade secret.

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57) in amounts above $\geq 0.1\%$.

4. First-aid measures

4.1 General information:

Get medical attention if irritation or other symptoms occur. Before seeking medical attention remove contaminated clothing and shoes. Take a copy of the Safety Data Sheet when going for medical treatment.

4.2 If inhaled

No special treatment required.

4.3 In case of skin contact

Wipe off excess material with cloth or paper. Use a waterless hand cleaner to remove as much of the remaining material as possible. Wash with soap and water.

4.4 In case of eye contact

If contact with eyes, immediately hold eyelids apart and flush with plenty of water for at least 15 min.

4.5 If swallowed

No special treatment required.

5. Fire-fighting measures

5.1 Flammable properties:

Property:	Value:	Method:
Flash point	244 °C (471 °F)	(ISO 2592)
Boiling point/boiling range		
Lower explosion limit		
Upper explosion limit	exempt	
Ignition temperature	> 450 °C (> 842 °F)	(DIN 51794)
NFPA Hazard Class (comb./flam.liquid)	IIIB	

5.2 Fire and explosion hazards:

Caution! Under certain conditions this material may generate flammable hydrogen gas. Consider possible formation of explosive mixtures with air, for example in uncleaned containers by moisture. Never use welding or cutting torch on or near any container of this material, even if empty, because an explosion could occur. Spontaneous ignition is possible due to electrostatic discharge. The generation of hydrogen gas is increased under circumstances mentioned in Sect. 10 "Stability and reactivity". Explosion limits for hydrolysis product hydrogen: 4-75.6% v/v.

5.3 Recommended extinguishing media:

carbon dioxide, dry sand, alcohol-resistant foam.

5.4 Unsuitable extinguishing media:

Water, dry chemical, halones.

5.5 Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases

Hazardous decomposition products: carbon dioxide , carbon monoxide , formaldehyde , silicon dioxide and incompletely burnt hydrocarbons .

5.6 Fire fighting procedures:

Fire fighters should wear full protective clothing including a self-contained breathing apparatus. Cool endangered containers with water. Hydrogen gas can become trapped under foam blankets, so sources of ignition must be eliminated during the clean-up and recovery process.

Safety Data Sheet

Material: 10002061

WACKER

EL RT 601 B

*SMP,VARIOUS

Version 2.6 (US)

Print Date 11/20/2023

Date of last alteration: 11/09/2022

6. Accidental release measures

6.1 Precautions:

Secure the area. Wear personal protection equipment (see section 8). Keep unprotected persons away. If material is released indicate risk of slipping. Do not walk through spilled material.

HAZWOPER PPE Level: D

6.2 Containment:

Prevent material from entering surface waters, drains or sewers and soil. Close leak if possible without risk. Contain any fluid that runs out using suitable material (e.g. earth). Retain contaminated water/extinguishing water. Dispose of in prescribed marked containers. Inform authorities if substance leaks into surface waters, sewerage or ground.

Spills of material which could reach surface waters must be reported to the United States Coast Guard National Response Center's toll free phone number (800) 424-8802.

6.3 Methods for cleaning up

Take up mechanically and dispose of according to local/state/federal regulations. Do not flush away with water. For small amounts: Absorb with a neutral (non-acidic / non-basic) liquid binding material such as diatomaceous earth and dispose of according to government regulations. For large amounts: Liquids may be recovered using suction devices or pumps. Use only air driven or properly rated electrical eqiupment. Use vented recovery containers. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Silicone fluids are slippery; spills are a safety hazard. Apply sand or other inert granular material to improve traction.

6.4 Further information:

Exhaust vapours. Eliminate all sources of ignition. Consider explosion protection. Material designated for disposal must be segregated from incompatible substances or materials specified in Sect. 10. Do not blend contaminated material with uncontaminated material. Do not seal collecting vessel gas-tight. Observe notes under section 7.

7. Handling and storage

7.1 Handling

Precautions for safe handling:

Ensure adequate ventilation. Open and handle container with care. Keep container closed when not in use. Keep away from incompatible substances in accordance with section 10. Where possible, inert process equipment and blanket vessels, tanks and containers with nitrogen to reduce the available oxygen level. Contact WACKER for additional publications on the safe Handling of SiH Products. Avoid formation of aerosols. In case of aerosol formation special protective measures are required (exhausting by suction, respiratory protection). Spilled substance increases risk of slipping. Observe information in section 8.

Precautions against fire and explosion:

Product can release hydrogen. Flammable vapors may accumulate and form explosive mixtures with air in containers, process vessels, including partial, empty and uncleaned containers and vessels, or other enclosed spaces. Keep away from sources of ignition and do not smoke. Take precautionary measures against electrostatic charging. Cool endangered containers with water.

7.2 Storage

Conditions for storage rooms and vessels:

Do not store in virgin glass containers with basic surface. Observe local/state/federal regulations.

Advice for storage of incompatible materials:

Do not store with: basic substances (e.g. alkalis, ammonia, amines), oxidizing agents, strong acids. Observe local/state/federal regulations.

Further information for storage:

Store in a dry and cool place. Protect against moisture. Store container in a well ventilated place.

8. Exposure controls and personal protection

8.1 Engineering controls

Ventilation:

Use only with adequate ventilation.

W	ACKER					
Sat	fety Data Sheet					
Mate	rial: 10002061	EL RT 601 B	*SMP,VARIOUS			
Versi	on 2.6 (US)	I	Print Date 11/20/2023		Date of last	alteration: 11/09/2022
	Local exhaust: Local exhaust ventilation wh point of use.	nich meets the requirem	ents of ANSI Z9.2 is recomm	ended to cont	rol airborne cc	ntaminants at the
8.2	Associate substances wit	h specific control para	ameters such as limit values	6		
	Maximum airborne concei	ntrations at the workp			I	
	Substance		Туре	mg/m ³	ppm	Dust fract.
	none known					
8.3	Personal protection equip	ment (PPE)				
	Respiratory protection: Respiratory protection is not	t normally required.				
	Hand protection: Recommendation: butyl rub	ber protective gloves , ı	neoprene gloves , PVC gloves	S.		
Eye protection: Safety glasses with side shields or chemical safety goggles. Other protective clothing or equipment: Additional protective clothing or equipment is not normally required. Provide eye bath and safety shower.						
8.4	General hygiene and prote	ection measures:				
	When handling do not eat, drink, smoke or apply cosmetics. Wash thoroughly after handling.					
9.	Physical and chemica	al properties				
9.1	Appearance					
	Physical state		: liquid			
	Colour					
	Odour		: odouriess			
9.2	Safety data					
	Property: Molting point		Value:			Method:
	Melting point Boiling point/boiling range					
	Flash point					(ISO 2592)
	Ignition temperature					(DIN 51794)
	Lower explosion limit					
	Upper explosion limit					
	1 1		: 0.97 g/cm ³ at 20 °C (68 °F)			
	Water solubility		: practically insoluble			
			: Not applicable. Insoluble in	water.		
I	Partition coefficient: n-octan			٥ ۲)		
I	Viscosity, dynamic Viscosity, kinematic		: 20 - 40 mPa.s at 20 °C (68	r)		
1	viscosity, kiternatio					

9.3 Further information

According to previous experience spontaneous combustion temperature for polymer siloxane with SiH compounds is above 240 °C (464 °F). On a catalytically active surface ignition may occur at much lower temperature. This applies to porous or fibrous substances including those with alkaline surfaces, such as thermal insulation and cementaceous insulating materials. Explosion limits for released hydrogen: 4 - 75.6%(V).

Odour Threshold	no data available
Thermal decomposition:	> 200 °C (> 392 °F)

Safety Data Sheet

Material: 10002061

WACKER

EL RT 601 B

*SMP,VARIOUS

Version 2.6 (US)

Print Date 11/20/2023

Date of last alteration: 11/09/2022

10. Stability and reactivity

10.1 General information:

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

10.2 Conditions to avoid

Moisture, heat, open flames, and other sources of ignition. Contact with contaminated piping or vessels or with corroded and rusty containers can increase the rate of hydrogen formation. Observe information in section 7.

10.3 Materials to avoid

Proton-active substances. Reacts violently with: acids , basic substances (e.g. alkalis, ammonia, amines) . Reacts with: alcohols , water , moisture , oxidizing agents , catalyst . The reaction takes place with the formation of hydrogen.

10.4 Hazardous decomposition products

In contact with incompatible substances this material may quickly generate a large volume of flammable hydrogen gas. Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302 °F) through oxidation.

10.5 Further information:

Hazardous polymerization cannot occur.

11. Toxicological information

11.1 Information on toxicological effects

11.1.1 Acute toxicity

Product details:

Exposure routes	Result/Effect
Oral	LD50 > 2000 mg/kg
	No mortality observed at this dose.
	Species: Rat, Source: test report
Oral	LD50 > 15000 mg/kg
	Species: Rat, Source: Conclusion by analogy
dermal	LD50 > 2000 mg/kg
	No mortality observed at this dose.
	Species: Rabbit, Source: test report

11.1.2 Skin corrosion/irritation

Product details:

No skin irritation
(Species: Rabbit, Source: Conclusion by analogy)

11.1.3 Serious eye damage/eye irritation

Product details:

No eye irritation	
(Species: Rabbit, Source: Conclusion by analogy)	

11.1.4 Respiratory or skin sensitisation

Product details:

Exposure routes	Result
Skin contact	Does not cause skin sensitisation. (Species: Guinea pig, Test system: Maximisation Test, Method: OECD 406, Source: Conclusion by analogy)
Inhalation	No data available.

11.1.5 Germ cell mutagenicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

Safety Data Sheet

Material: 10002061	EL RT 601 B	*SMP,VARIOUS	
Version 2.6 (US)	F	Print Date 11/20/2023	Date of last alteration: 11/09/2022

11.1.6 Carcinogenicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.7 Reproductive toxicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.8 Specific target organ toxicity - single exposure

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.9 Specific target organ toxicity - repeated exposure

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.10 Aspiration hazard

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.11 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

11.1.12 Further toxicological information

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Other information: None known.

12. Ecological information

12.1 Toxicity

Assessment:

Based on available data no effects on aquatic organisms that are relevant for classification must be expected for the product up to its limits of water solubility. According to current knowledge adverse effects on water purification plants are not expected.

Product details:

Result/Effect	Species/Test system	Source
LL50: > 1000 mg/l (nominal)	static test	literature
The effect level is greater than the maximum achievable	Fish (96 h)	(Polydimethylsiloxan
concentration. The value refers to the water-		e)
accommodated fraction (WAF).		
EC50: > 0.0001 mg/l (measured)	static test	literature
The effect level is greater than the maximum achievable	Daphnia magna (Water flea) (48 h)	(Polydimethylsiloxan
concentration. The value refers to the water-		e)
accommodated fraction (WAF).		
IC50 (Growth rate): > 100000 mg/l (nominal)	static test	literature
The effect level is greater than the maximum achievable	Skeletonema costatum (marine diatom) (72 h)	(Polydimethylsiloxan
concentration. The value refers to the water-		e)
accommodated fraction (WAF).		
NOEC: > 10000 mg/kg	feeding study	literature
	Oncorhynchus mykiss (rainbow trout) (28 d)	(Polydimethylsiloxan
		e)



Safety Data Sheet

Material: 10002061	EL RT 601 B	*SMP.VARIOUS	

Version 2.6 (US)

Date of last alteration: 11/09/2022

NOEC (mortality): > 500 mg/kg	exposure via sediment	literature
The exposure to treated sediment did not result in effects.	Daphnia magna (Water flea) (21 d)	(Polydimethylsiloxar e)
NOEC (Growth): > 500 mg/kg	exposure via sediment	literature
The exposure to treated sediment did not result in effects.	Daphnia magna (Water flea) (21 d)	(Polydimethylsiloxar e)
NOEC (reproduction rate): > 500 mg/kg	exposure via sediment	literature
The exposure to treated sediment did not result in effects.	Daphnia magna (Water flea) (21 d)	(Polydimethylsiloxai e)

Print Date 11/20/2023

12.2 Persistence and degradability

Assessment:

Silicone content: biologically not degradable. Elimination by adsorption to activated sludge.

12.3 Bioaccumulative potential

Assessment:

Polymer component: Bioaccumulation is not expected to occur.

12.4 Mobility in soil

Assessment:

Polymer component: insoluble in water. Adsorbs on soil.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

none known

13. Disposal considerations

13.1 Product disposal

Recommendation:

Risk of oxyhydrogen formation upon contact with the substances mentioned in 10. Material designated for disposal must be segregated from incompatible substances or materials specified in Sect. 10. Wastes of this material should not be mixed with other wastes. Provide measures such as vented bungs to ensure pressure relief in the waste containers. Material that cannot be used, reprocessed or recycled should be disposed of in accordance with Federal, State, and local regulations at an approved facility. Depending on the regulations, waste treatment methods may include, e.g., landfill or incineration.

13.2 Packaging disposal

Recommendation:

Containers may contain hazardous quantities of hydrogen gas. Uncleaned containers should not be reused to hold another material due to the potential for reaction between residual product and incompatible materials. Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations. Uncleaned packaging should be treated with the same precautions as the material.

14. Transport information

14.2

14.1 US DOT & CANADA TDG SURFACE

	Valuation: Other Information	5
2	Transport by sea IMDG-Code	
	Valuation	Not regulated for transport

late	rial: 10002061	EL RT 601 B	*SMP,VARIOUS			
ersio	on 2.6 (US)		Print Date 11/20/2023	Date of last alteration: 11/09/202		
4.3	Air transport ICAO-TI/IAT	A-DGR				
	Valuation Comment		ulated for transport safety reasons no air transport of i	nner packagings > 1kg!		
5.	Regulatory informat	Regulatory information				
15.1 U.S. Federal regulations						
	TSCA inventory status and TSCA information: This material or its components are listed on or are in compliance with the requirements of the TSCA Chemical Substance Inventory.					
	TSCA 12(b) Export Notification: This material does not contain reportable amounts of any TSCA 12(b) listed chemicals.					
	CERCLA Regulated Chemicals: This material does not contain any CERCLA regulated chemicals.					
	SARA 302 EHS Chemical This material does not con		y hazardous substances.			
	SARA 311/312 Hazard Class: No SARA Hazards					
	SARA 313 Chemicals: This material does not contain any SARA 313 chemicals above de minimus levels.					
	HAPS (Hazardous Air Pollutants): This material does not contain any hazardous air pollutants.					
5.2	U.S. State regulations					
	California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986):					
	This material does not contain any chemicals known to the State of California to cause cancer.					
	This material does not contain any chemicals known to the State of California to cause reproductive effects.					
	Massachusetts Substance List: This material contains no listed components.					
	Pennsylvania Right-to-Know Hazardous Substance List: This material contains no listed components.					
5.3	Details of international re	gistration status				
	Relevant information abou	individual substance in	ventories, where available, is give	n below.		
	•	This	S (Handbook of Existing and New product is listed in, or complies w	ith, the substance inventory.		
		This	 (Australian Inventory of Industrial product is listed in, or complies wi SC (Inventory of Existing Chemica 	ith, the substance inventory.		
		This	product is listed in, or complies w			
	Canada		. (Domestic Substance List): product is listed in, or complies with	ith the substance inventory		
	Philippines	: PIC	CS (Philippine Inventory of Chemic	cals and Chemical Substances):		
	United States of America (JSA) TSC All c				
	Taiwan	: TCS This The or T exce ingre	Taiwanese chemicals regulation r CSI-compliant substances if impor eed the trigger quantity of 100 kg/a	ventory): ith, the substance inventory. General note: equires a phase 1 registration for TCSI-listec ts to Taiwan or manufacturing in Taiwan (for mixtures to be calculated per each ng/manufacturing legal entity to take care of		

Safety Data Sheet

Ν	Material: 10002061	EL RT 601 B	*SMP,VARIOUS	
١	/ersion 2.6 (US)	Pr	rint Date 11/20/2023	Date of last alteration: 11/09/2022
_		Gener manuf the sai by cus ea): AREC	actured within the EEA by the s id supplier. The registration obli tomers or other downstream us	ons for substances imported into the EEA or supplier mentioned in section 1 are fulfilled by igations for substances imported into the EEA sers must be fulfilled by the latter. lation of Chemicals; "K-REACH"):

16. Other information

16.1 Additional information:

This Safety Data Sheet (SDS) meets the requirements of the Federal OSHA Hazard Communication Standard (29 CFR 1910.1200). This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee expressed or implied, is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license under valid patents. This SDS provides selected regulatory information on this product, including its components. This is not intended to include all regulations. It is the responsibility of the user to know and comply with all applicable rules, regulations and laws relating to the product being used.

Vertical lines in the left-hand margin indicate changes compared with the previous version.

WACKER restricts the use of its products inside the human body or in contact with bodily fluids and mucosa. For further details please review our Health Care Policy on www.wacker.com. WACKER may cancel any delivery obligation(s) if the Health Care Policy is not observed.

16.2 Glossary of Terms:

ACGIH - American Conference of Governmental Industrial Hygienists DOT - Department of Transportation hPa - Hectopascals mPa*s - Milli Pascal-Seconds OSHA - Occupational Safety and Health Administration PEL - Permissible Exposure Limit ppm - Parts per Million SARA - Superfund Amendments and Reauthorization Act STEL - Short Term Exposure Limit TSCA - Toxic Substances Control Act TWA - Time Weighted Average

Flash point determination methods	Tagliabue (Tag) closed cup Cleveland open cup Pensky-Martens closed cup Setaflash or Rapid closed cup
DIN 51755	Abel-Pensky closed cup

16.3 Conversion table: