

SAFETY DATA SHEET

Material: 60073439

**ELASTOSIL® SOLAR 1200
SAMPLE**

Version 2.7 (US)

Print Date 09/29/2025

Date of last alteration: 09/13/2024

1. Product and company identification**1.1 Identification of the substance or preparation:**

| | |
|------------------------------|---|
| Trade name | ELASTOSIL® SOLAR 1200 SAMPLE |
| Product group: | RTV-2 Addition Cure Rubber |
| Use of the Substance/Mixture | Industrial. Raw material for: elastomer products . |

1.2 Company/undertaking identification:

| | |
|--------------------------------|--|
| Manufacturer/distributor: | Wacker Chemical Corporation 4950 S State Road Ann Arbor, MI 48108 USA |
| Customer information: | InfoLine: Tel (517) 264-8240 Hours of operation: Monday - Friday, 8 am to 5 pm (eastern standard time) Corporate website: www.wacker.com |
| Emergency telephone no. (24h): | (517) 264-8500 |
| Transportation emergency: | (800) 424-9300 (CHEMTREC, USA) (703) 527-3887 (CHEMTREC, international) |

This SDS was prepared by the Regulatory Affairs and Product Safety Department (RAPS) of Wacker Chemical Corporation.

2. Hazards identification**2.1 Classification of the substance or mixture****GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200):**

Not a hazardous substance or mixture.

2.2 Label elements**GHS-Labeling:**

No labeling according to GHS required.

2.3 Other hazards

No data available.

Endocrine disrupting properties - human health: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Endocrine disrupting properties - environment: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

3. Composition/information on ingredients**3.1 Chemical characterization (preparation)**

Chemical characterization

Polydimethylsiloxane with functional groups and auxiliary

3.2 Information on ingredients:

This material does not contain any ingredients above the permitted limit(s).

SAFETY DATA SHEET

Material: 60073439

**ELASTOSIL® SOLAR 1200
SAMPLE**

Version 2.7 (US)

Print Date 09/29/2025

Date of last alteration: 09/13/2024

Substances listed in the Subsections "HAPS" and "California Proposition 65 Carcinogens / Reproductive Toxins" that are not listed in this section are only present at quantities below 0.1% for California Proposition 65 listed toxins or below 1% for non-carcinogenic HAPS or they are inextricably bound in the product. Specific chemical identities and/or exact percentage (concentration) of the composition may have been withheld as a trade secret.

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57) in amounts above $\geq 0.1\%$.

4. First-aid measures**4.1 General information:**

Get medical attention if irritation occurs or if breathing becomes difficult.

4.2 If inhaled

If inhaled, remove to fresh air.

4.3 In case of skin contact

For skin contact, immediately wipe away excess material. Wash with soap and water.

4.4 In case of eye contact

If contact with eyes, immediately hold eyelids apart and flush with plenty of water for at least 15 min.

4.5 If swallowed

If swallowed, rinse mouth with water. Induce drinking plenty of water in small portions.

4.6 Advice for the physician

Treat symptomatically.

5. Fire-fighting measures**5.1 Flammable properties:**

| Property: | Value: | Method: |
|-----------------------------------|-----------------|--------------|
| Flash point..... | 200 °C (392 °F) | (estimation) |
| Boiling point/boiling range | exempt | |
| Lower explosion limit..... | exempt | |
| Upper explosion limit..... | exempt | |
| Ignition temperature | 450 °C (842 °F) | (DIN 51794) |

5.2 Fire and explosion hazards:

This material will burn with a lazy smoldering flame. This material does not present any unusual fire or explosion hazards.

5.3 Recommended extinguishing media:

Alcohol Resistant (AR) Fluorine Free Foam (F3). Carbon dioxide. Dry chemical. Water - Use Fine Spray or Fog. Water may be used to cool tanks and structures adjacent to the fire.

5.4 Unsuitable extinguishing media:

None.

5.5 Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases**5.6 Fire fighting procedures:**

Full turn-out gear and Self Contained Breathing Apparatus (SCBA) should be worn when fighting large fires.

6. Accidental release measures**6.1 Precautions:**

Secure the area. Wear personal protection equipment (see section 8). Keep unprotected persons away. If material is released indicate risk of slipping. Do not walk through spilled material.

SAFETY DATA SHEET

Material: 60073439

**ELASTOSIL® SOLAR 1200
SAMPLE**

Version 2.7 (US)

Print Date 09/29/2025

Date of last alteration: 09/13/2024

HAZWOPER PPE Level: D**6.2 Containment:**

Prevent material from entering surface waters, drains or sewers and soil. Close leak if possible without risk. Retain contaminated water/extinguishing water. Dispose of in prescribed marked containers. Inform authorities if substance leaks into surface waters, sewerage or ground.

Spills of material which could reach surface waters must be reported to the United States Coast Guard National Response Center's toll free phone number (800) 424-8802.

6.3 Methods for cleaning up

Scoop up large quantities after dusting surfaces with sand or Fuller's earth to prevent sticking. Sweep or scrape up the spilled material and place in an appropriate chemical waste container. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Apply sand or other inert granular material to improve traction.

7. Handling and storage**7.1 General information:**

No special protective measures required.

7.2 Handling

Precautions for safe handling:
Observe information in section 8.

Precautions against fire and explosion:
Observe the general rules for fire prevention.

7.3 Storage

Conditions for storage rooms and vessels:
Observe local/state/federal regulations.

Advice for storage of incompatible materials:
Observe local/state/federal regulations.

Further information for storage:
Store in a dry and cool place.

8. Exposure controls and personal protection**8.1 Engineering controls**

Ventilation:
No special ventilation required.

Local exhaust:
No special ventilation required.

8.2 Associate substances with specific control parameters such as limit values

none known

8.3 Personal protection equipment (PPE)

Respiratory protection:
Respiratory protection is not normally required.

Hand protection:
Any liquid-tight rubber or vinyl gloves.

Eye protection:
Safety glasses with side shields.

Other protective clothing or equipment:
Additional protective clothing or equipment is not normally required. Provide eye bath and safety shower.

SAFETY DATA SHEET

Material: 60073439

**ELASTOSIL® SOLAR 1200
SAMPLE**

Version 2.7 (US)

Print Date 09/29/2025

Date of last alteration: 09/13/2024

8.4 General hygiene and protection measures:

Follow standard industrial hygiene practices when using this material. When handling do not eat, drink, smoke or apply cosmetics. Wash thoroughly after handling.

9. Physical and chemical properties**9.1 Appearance**

Physical state: liquid
Form: paste
Colour: white
Odour: faint

9.2 Safety data

| Property: | Value: | Method: |
|-----------------------------------|-------------------------------------|-----------------------------|
| Melting point..... | exempt | |
| Boiling point/boiling range | exempt | |
| Flash point..... | 200 °C (392 °F) | (estimation) (DIN 51794) |
| Ignition temperature | 450 °C (842 °F) | |
| Lower explosion limit..... | exempt | |
| Upper explosion limit..... | exempt | |
| Vapour pressure..... | exempt | |
| Density | 1.4 g/cm ³ | (DIN 53217) |
| Water solubility..... | practically insoluble | |
| pH | Not applicable. Insoluble in water. | |
| Viscosity, dynamic..... | 1400000 mPa.s | (DIN EN ISO 3219) |

9.3 Further information

No data available.

Odour Threshold : no data available
Corrosive to Steel or Aluminum.....: Not corrosive to steel or aluminum.

10. Stability and reactivity**10.1 General information:**

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

10.2 Conditions to avoid

None known.

10.3 Materials to avoid

None known.

10.4 Hazardous decomposition products

If stored and handled properly: none known. Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302 °F) through oxidation.

10.5 Further information:

Hazardous polymerization cannot occur.

11. Toxicological information**11.1 Information on toxicological effects****11.1.1 Acute toxicity**

SAFETY DATA SHEET

Material: 60073439

**ELASTOSIL® SOLAR 1200
SAMPLE**

Version 2.7 (US)

Print Date 09/29/2025

Date of last alteration: 09/13/2024

Product details:

| Exposure routes | Result/Effect |
|-----------------|---|
| Oral | LD50 > 2000 mg/kg Species: Rat, Source: Expert judgement |
| dermal | LD50 > 2000 mg/kg Species: Rat, Source: Expert judgement |

11.1.2 Skin corrosion/irritation**Product details:**

| |
|---|
| No skin irritation (Species: Rabbit, Source: Expert judgement) |
|---|

11.1.3 Serious eye damage/eye irritation**Product details:**

| |
|--|
| No eye irritation (Species: Rabbit, Source: Expert judgement) |
|--|

11.1.4 Respiratory or skin sensitisation**Product details:**

| Exposure routes | Result |
|-----------------|---|
| Skin contact | Does not cause skin sensitisation. (Species: Guinea pig, Test system: Buehler Test, Method: OECD 406, Source: Conclusion by analogy) |
| Inhalation | No data available. |

11.1.5 Germ cell mutagenicity**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.6 Carcinogenicity**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.7 Reproductive toxicity**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.8 Specific target organ toxicity - single exposure**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.9 Specific target organ toxicity - repeated exposure**Assessment:**

For this endpoint no toxicological test data is available for the whole product.

11.1.10 Aspiration hazard**Assessment:**

Based on the physical-chemical properties of the product no aspiration hazard must be expected.

11.1.11 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

Material: 60073439

**ELASTOSIL® SOLAR 1200
SAMPLE**

Version 2.7 (US)

Print Date 09/29/2025

Date of last alteration: 09/13/2024

11.1.12 Further toxicological information

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Other information: None known.

12. Ecological information**12.1 Toxicity****Assessment:**

For the product as a whole, no test data is available.

12.2 Persistence and degradability**Assessment:**

Polymer component: biologically not degradable. Elimination by adsorption to activated sludge.

12.3 Bioaccumulative potential**Assessment:**

Polymer component: No adverse effects expected.

12.4 Mobility in soil**Assessment:**

Polymer component: insoluble in water.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

none known

13. Disposal considerations**13.1 Product disposal****Recommendation:**

Material that cannot be used, reprocessed or recycled should be disposed of in accordance with Federal, State, and local regulations at an approved facility. Depending on the regulations, waste treatment methods may include, e.g., landfill or incineration.

13.2 Packaging disposal**Recommendation:**

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations. Uncleaned packaging should be treated with the same precautions as the material.

14. Transport information**14.1 US DOT & CANADA TDG SURFACE**

Valuation: Not regulated for transport

SAFETY DATA SHEET

Material: 60073439

**ELASTOSIL® SOLAR 1200
SAMPLE**

Version 2.7 (US)

Print Date 09/29/2025

Date of last alteration: 09/13/2024

14.2 Transport by sea IMDG-Code

Valuation: Not regulated for transport

14.3 Air transport ICAO-TI/IATA-DGR

Valuation: Not regulated for transport

15. Regulatory information**15.1 U.S. Federal regulations****TSCA inventory status and TSCA information:**

This material or its components are listed on or are in compliance with the requirements of the TSCA Chemical Substance Inventory.

TSCA 12(b) Export Notification:

This material does not contain reportable amounts of any TSCA 12(b) listed chemicals.

CERCLA Regulated Chemicals:

This material does not contain any CERCLA regulated chemicals.

SARA 302 EHS Chemicals:

This material does not contain any SARA extremely hazardous substances.

SARA 311/312 Hazard Class:

No SARA Hazards

SARA 313 Chemicals:

This material does not contain any SARA 313 chemicals above de minimus levels.

HAPS (Hazardous Air Pollutants):

| CAS-No. | Chemical | Upper limit wt. % |
|----------|----------|-------------------|
| 108-88-3 | Toluene | <=0.0190 |

15.2 US State Regulations**US. California Safe Drinking Water & Toxic Enforcement Act (Proposition 65)**

This material does not contain any chemicals known to the State of California to cause cancer.

California Proposition 65 Reproductive Toxins:

108-88-3 Toluene

Massachusetts Right To Know

1317-65-3 Calcium carbonate

14808-60-7 Quartz

15.3 Details of international registration status

Relevant information about individual substance inventories, where available, is given below.

- Japan: **ENCS** (Handbook of Existing and New Chemical Substances):
This product is listed in, or complies with, the substance inventory.
- Australia: **AIIC** (Australian Inventory of Industrial Chemicals):
This product is listed in, or complies with, the substance inventory.
- China.....: **IECSC** (Inventory of Existing Chemical Substances in China):
This product is listed in, or complies with, the substance inventory.
- Canada: **DSL** (Domestic Substance List):
This product is listed in, or complies with, the substance inventory.
- Philippines.....: **PICCS** (Philippine Inventory of Chemicals and Chemical Substances):
This product is not listed or in compliance with the substance inventory.
- United States of America (USA).....: **TSCA** (Toxic Substance Control Act Chemical Substance Inventory):
All components of this product are listed as active or are in compliance with the substance inventory.
- Taiwan: **TCSI** (Taiwan Chemical Substance Inventory):
This product is not listed or in compliance with the substance inventory.

SAFETY DATA SHEET

Material: 60073439

**ELASTOSIL® SOLAR 1200
SAMPLE**

Version 2.7 (US)

Print Date 09/29/2025

Date of last alteration: 09/13/2024

European Economic Area (EEA)..... : **REACH** (Regulation (EC) No 1907/2006):
 General note: the registration obligations for substances imported into the EEA or manufactured within the EEA by the supplier mentioned in section 1 are fulfilled by the said supplier. The registration obligations for substances imported into the EEA by customers or other downstream users must be fulfilled by the latter.

South Korea (Republic of Korea) : **AREC** (Act on Registration and Evaluation of Chemicals; "K-REACH"):
 Please approach your regular contact for more detailed information.

16. Other information**16.1 Additional information:**

This Safety Data Sheet (SDS) meets the requirements of the Federal OSHA Hazard Communication Standard (29 CFR 1910.1200). This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee expressed or implied, is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license under valid patents. This SDS provides selected regulatory information on this product, including its components. This is not intended to include all regulations. It is the responsibility of the user to know and comply with all applicable rules, regulations and laws relating to the product being used.

Vertical lines in the left-hand margin indicate changes compared with the previous version.

WACKER restricts the use of its products inside the human body or in contact with bodily fluids and mucosa. For further details please review our Health Care Policy on www.wacker.com. WACKER may cancel any delivery obligation(s) if the Health Care Policy is not observed.

16.2 Glossary of Terms:

| | |
|---|---|
| ACGIH - American Conference of Governmental Industrial Hygienists | ppm - Parts per Million |
| DOT - Department of Transportation | SARA - Superfund Amendments and Reauthorization Act |
| hPa - Hectopascals | STEL - Short Term Exposure Limit |
| mPa*s - Milli Pascal-Seconds | TSCA - Toxic Substances Control Act |
| OSHA - Occupational Safety and Health Administration | TWA - Time Weighted Average |
| PEL - Permissible Exposure Limit | |

| Flash point determination methods | Common name |
|--|-------------------------------|
| ASTM D56..... | Tagliabue (Tag) closed cup |
| ASTM D92, DIN 51376, ISO 2592 | Cleveland open cup |
| ASTM D93, DIN 51758, ISO 2719 | Pensky-Martens closed cup |
| ASTM D3278, DIN 55680, ISO 3679 | Setaflash or Rapid closed cup |
| DIN 51755..... | Abel-Pensky closed cup |

16.3 Conversion table:

Pressure:.....: 1 hPa * 0.75 = 1 mm Hg = 1 torr; 1 bar = 1000 hPa
 Viscosity:.....: 1 mPa*s = 1 centipoise (cP)