



## WXPP MS Soldering Iron Set for soldering tasks under the microscope

Item No: T0052923299 WXPP MS Soldering Iron Set for soldering tasks under the microscope

Production within the electronics. medical technology and aerospace industries is moving faster as components become smaller, more sensitive, complex and more powerful. The soldering industry is not different. With the Weller RT MS tips you meet these increasing demands and provide maximum protection to the printed circuit board and the component you're soldering. With the MS tips you achieve the best results and keep your operation costs as low as possible. The Weller MS (military standard) soldering tips with active tip technology are fully compliant with IPC industry standards (IPC - TM-650 2.5.33 Measurement of **Electrical Overstress from Soldering** Hand Tools) and are also MIL-SPEC compliant. Extend your Weller WX workbench with a micro soldering tool.

## **KEY FEATURES**

- For microscope work with components from XS to S
- Extremely short heat-up time: 3 sec.
- According to Military Standard
- Triple awarded active Soldering tips
- Excellent heat transfer
- Excellent reaction time
- RT solder tips can be changed quickly and easily
- Solder wire SAC M1 for best flow behavior and homogeneous flux distribution

## **TECHNICAL DATA**

| Approximate Heating Time (50–350 °C/120–660 °F) | 3 sec                               |
|---|-------------------------------------|
| ESD Safe  | Yes                                 |
| Power   | 40 W                                |
| Supply Unit                                     | WX 1 WX 2 WXA 2 WXD 2 WXR 3 WXsmart |
| Temperature Range (Depends on Tool)             | 199 - 849°F                         |
| Tip Range                                       | RTP MS                              |
| Тір Туре  | RTP-MS WX                           |
| Traceability                                    | Yes                                 |
| UPC   | 037103344236                        |
| Voltage   | 12 V                                |
| Works With                                      | WX1 WX2 WXA2 WXD2 WXR3              |