



|                        |               |                               |            |
|------------------------|---------------|-------------------------------|------------|
| <b>EAN:</b>            | 4013288094988 | <b>Size:</b>                  | 90x14x2 mm |
| <b>Part number:</b>    | 05027101001   | <b>Weight:</b>                | 2 g        |
| <b>Article number:</b> | 950 PKL BM    | <b>Country of origin:</b>     | CZ         |
|                        |               | <b>Customs tariff number:</b> | 82041100   |

- L-keys for hexagonal socket screws
- Hexagonal ballpoint on the long arm
- BlackLaser for high corrosion protection and long service life
- Metric

High quality L-keys for hexagonal socket screws. The ball-end on the long arm allows for reliable working even in difficult installation situations. The BlackLaser surface treatment provides outstanding surface protection, even against corrosion, and a long service life. The tools are quickly to hand thanks to the laser-engraved and thereby wear-resistant size markings on the L-keys.

**Web link**

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_pkl\\_bm.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_pkl_bm.html)

Wera - 950 PKL BM  
05027101001 - 4013288094988

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## L-Keys for Hexagon Socket Screws

### L-Keys



We questioned the classic L-key design, since all too often the screw head recess is rounded out, meaning screws can no longer be tightened or loosened - and so the user finds the L-key slipping out of the recess. Wera Hex-Plus tools have a larger contact surface in the screw head. The notching effects are reduced and thereby the deformation of the screws. At the same time, as much as 20 % more torque can be applied.

### Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

### Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

### Size identification



The size of each L-key has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes - for simple and rapid accessing of the required tool. Making it easy to find the right tool.

### Surface protection



L-keys with BlackLaser surface treatment for outstanding surface protection and long service life. High corrosion protection.

### Web link






[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_pkl\\_bm.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_pkl_bm.html)

Wera - 950 PKL BM  
05027101001 - 4013288094988

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## L-Keys for Hexagon Socket Screws

Further versions in this product family:

|                                 | <br>mm | <br>mm | <br>mm | <br>inch | <br>inch |
|---------------------------------|---|---|---|---|---|
| <b>05027101001<sup>1)</sup></b> | <b>1.5</b>  | <b>90</b>   | <b>14</b>   | <b>3 1/2"</b>   | <b>9/16"</b>  |
| 05027102001                     | 2.0   | 100   | 16  | 4"  | 5/8"  |
| 05027103001                     | 2.5   | 112   | 18  | 4 7/16"   | 23/32"  |
| 05027104001                     | 3.0   | 126   | 19  | 5"  | 3/4"  |
| 05027105001                     | 4.0   | 140   | 25  | 5 1/2"  | 1"  |
| 05027106001                     | 5.0   | 160   | 28  | 6 5/16"   | 1 3/32"   |
| 05027107001                     | 6.0   | 180   | 32  | 7 1/16"   | 1 1/4"  |
| 05027110001                     | 7.0   | 190   | 34  | 7 1/2"  | 1 5/16"   |
| 05027108001                     | 8.0   | 200   | 36  | 8"  | 1 7/16"   |
| 05027109001                     | 10.0  | 219   | 40  | 8 11/16"  | 1 9/16"   |
| 05027111001                     | 12.0  | 248   | 45  | 10"   | 1 3/4"  |

1) Regular hexagon

## Web link

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_pkl\\_bm.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_pkl_bm.html)

Wera - 950 PKL BM  
 05027101001 - 4013288094988

Wera Werkzeuge GmbH  
 Korzter Straße 21-25  
 D-42349 Wuppertal  
 Tel: +49 (0)2 02 / 40 45-0  
 E-Mail: [info@wera.de](mailto:info@wera.de)