



|                        |               |                               |             |
|------------------------|---------------|-------------------------------|-------------|
| <b>EAN:</b>            | 4013288095008 | <b>Size:</b>                  | 112x18x3 mm |
| <b>Part number:</b>    | 05027103001   | <b>Weight:</b>                | 5 g         |
| <b>Article number:</b> | 950 PKL BM    | <b>Country of origin:</b>     | CZ          |
|                        |               | <b>Customs tariff number:</b> | 82041100    |

- L-keys for hexagonal socket screws
- L-keys with Hex-Plus advantage for a longer screw life
- Hexagonal ballpoint on the long arm
- BlackLaser for high corrosion protection and long service life
- Metric

High quality L-keys for hexagonal socket screws. Hex-Plus offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess. The ball-end on the long arm allows for reliable working even in difficult installation situations. The BlackLaser surface treatment provides outstanding surface protection, even against corrosion, and a long service life. The tools are quickly to hand thanks to the laser-engraved and thereby wear-resistant size markings on the L-keys.

**Web link**

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_pkl\\_bm.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_pkl_bm.html)

Wera - 950 PKL BM  
05027103001 - 4013288095008

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

#### L-Keys



We questioned the classic L-key design, since all too often the screw head recess is rounded out, meaning screws can no longer be tightened or loosened - and so the user finds the L-key slipping out of the recess. Wera Hex-Plus tools have a larger contact surface in the screw head. The notching effects are reduced and thereby the deformation of the screws. At the same time, as much as 20 % more torque can be applied.

#### Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

#### Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

#### Size identification



The size of each L-key has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes - for simple and rapid accessing of the required tool. Making it easy to find the right tool.

#### Surface protection



L-keys with BlackLaser surface treatment for outstanding surface protection and long service life. High corrosion protection.

#### Web link

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_pkl\\_bm.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_pkl_bm.html)

Wera - 950 PKL BM  
05027103001 - 4013288095008

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## L-Keys for Hexagon Socket Screws

Further versions in this product family:

|                           |  |  |  |  |  |
|---------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                           | mm                                                                                | mm                                                                                | mm                                                                                | inch                                                                                | inch                                                                                |
| 05027101001 <sup>1)</sup> | 1.5                                                                               | 90                                                                                | 14                                                                                | 3 1/2"                                                                              | 9/16"                                                                               |
| 05027102001               | 2.0                                                                               | 100                                                                               | 16                                                                                | 4"                                                                                  | 5/8"                                                                                |
| <b>05027103001</b>        | <b>2.5</b>                                                                        | <b>112</b>                                                                        | <b>18</b>                                                                         | <b>4 7/16"</b>                                                                      | <b>23/32"</b>                                                                       |
| 05027104001               | 3.0                                                                               | 126                                                                               | 19                                                                                | 5"                                                                                  | 3/4"                                                                                |
| 05027105001               | 4.0                                                                               | 140                                                                               | 25                                                                                | 5 1/2"                                                                              | 1"                                                                                  |
| 05027106001               | 5.0                                                                               | 160                                                                               | 28                                                                                | 6 5/16"                                                                             | 1 3/32"                                                                             |
| 05027107001               | 6.0                                                                               | 180                                                                               | 32                                                                                | 7 1/16"                                                                             | 1 1/4"                                                                              |
| 05027110001               | 7.0                                                                               | 190                                                                               | 34                                                                                | 7 1/2"                                                                              | 1 5/16"                                                                             |
| 05027108001               | 8.0                                                                               | 200                                                                               | 36                                                                                | 8"                                                                                  | 1 7/16"                                                                             |
| 05027109001               | 10.0                                                                              | 219                                                                               | 40                                                                                | 8 11/16"                                                                            | 1 9/16"                                                                             |
| 05027111001               | 12.0                                                                              | 248                                                                               | 45                                                                                | 10"                                                                                 | 1 3/4"                                                                              |

1) Regular hexagon

## Web link

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_pkl\\_bm.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_pkl_bm.html)

Wera - 950 PKL BM  
 05027103001 - 4013288095008

Wera Werkzeuge GmbH  
 Korzter Straße 21-25  
 D-42349 Wuppertal  
 Tel: +49 (0)2 02 / 40 45-0  
 E-Mail: [info@wera.de](mailto:info@wera.de)