Series Soft-Faced Hammers





EAN: 4013288001160 **Size:** 290x105x35 mm

Part number:05000020001Weight:485 gArticle number:100Country of origin:CZ

Customs tariff 82052000

number:

- Powerful hammering with surface protection
- · Soft-face hammers with hammer head out of cellidor
- For demanding repair and maintenance jobs
- Inseparable and secure connection between the hammer handle and head
- High-quality ashwood handle


Wera soft-face hammers. Double-sided conical design for a secure, inseparable connection between the hammer handle and head. The hammer head is made out of cellidor; the handle out of high quality ash wood. For heavy-duty applications with diverse uses thanks to interchangeable soft-face hammer heads. Suitable for very demanding jobs.

Web link https://products.wera.de/en/series_soft-faced_hammers_100.html

Series Soft-Faced Hammers



Wide range of applications



They come in soft, medium and hard designs for a wide range of applications from universal use to splinter-free applications on sharpedged work pieces.

High quality ash wood



Powerful work is ensured with handles out of high quality ash wood.

Colour guidance system



Colour guidance system • Yellow = Repair/maintenance work with high demands • Red = Suitable for hammering sharp-edged work pieces; bodyshops, automotive, engineering • White = Suitable for metal processing and removal of dents; tent, large building and exhibition stand construction

Secure



The double-sided conical design creates an unbreakable and secure link between the handle and head of the hammer.

Versatile



Versatile use thanks to the soft faced heads that can be retrospectively fitted.

05000020001 - 4013288001160

100 Soft-faced hammer with Cellidor head sections, # 4 x 36 mm

Series Soft-Faced Hammers



Further versions in this product family:

				A v
	#	mm	mm	mm
05000005001	1	23.0	76.0	250.0
05000010001	2	28.0	87.0	265.0
05000015001	3	33.0	96.0	280.0
05000020001	4	36.0	102.0	290.0
05000025001	5	41.0	108.0	320.0
05000030001	6	51.0	117.0	340.0
05000035001	7	61.0	131.0	380.0