



|                        |               |                               |             |
|------------------------|---------------|-------------------------------|-------------|
| <b>EAN:</b>            | 4013288018830 | <b>Size:</b>                  | 187x38x7 mm |
| <b>Part number:</b>    | 05022062001   | <b>Weight:</b>                | 49 g        |
| <b>Article number:</b> | 950 PKL       | <b>Country of origin:</b>     | CZ          |
|                        |               | <b>Customs tariff number:</b> | 82041100    |

- L-keys for hexagonal socket screws
- Hex-Plus allows socket head screws to live longer
- Hexagonal ballpoint on the long arm
- High corrosion protection thanks to chrome-plating
- Metric

High quality L-keys for hexagonal socket screws. Hex-Plus offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess. The ball-end on the long arm allows for reliable working even in difficult installation situations. The precise chrome-plated design ensures high corrosion protection. The tools are quickly to hand thanks to the laser-engraved and thereby wear-resistant size markings on the L-keys.

**Web link**

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_pkl.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_pkl.html)

Wera - 950 PKL  
05022062001 - 4013288018830

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

#### L-Keys



We questioned the classic L-key design, since all too often the screw head recess is rounded out, meaning screws can no longer be tightened or loosened - and so the user finds the L-key slipping out of the recess. Wera Hex-Plus tools have a larger contact surface in the screw head. The notching effects are reduced and thereby the deformation of the screws. At the same time, as much as 20 % more torque can be applied.

#### Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

#### Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

#### Size identification



The size of each L-key has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes - for simple and rapid accessing of the required tool. Making it easy to find the right tool.

#### Surface protection



Chrome-plated hexagon L-keys for outstanding surface protection and long service life. High corrosion protection.

#### Web link

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_pkl.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_pkl.html)

Wera - 950 PKL  
05022062001 - 4013288018830

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## L-Keys for Hexagon Socket Screws

Further versions in this product family:

|                           |  |  |  |  |  |
|---------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                           | mm                                                                                | mm                                                                                | mm                                                                                | inch                                                                                | inch                                                                                |
| 05022050001 <sup>1)</sup> | 1.5                                                                               | 90                                                                                | 14                                                                                | 3 1/2                                                                               | 9/16                                                                                |
| 05022052001               | 2.0                                                                               | 100                                                                               | 16                                                                                | 4                                                                                   | 5/8                                                                                 |
| 05022054001               | 2.5                                                                               | 112                                                                               | 18                                                                                | 4 7/16                                                                              | 23/32                                                                               |
| 05022056001               | 3.0                                                                               | 126                                                                               | 20                                                                                | 5                                                                                   | 25/32                                                                               |
| 05022058001               | 4.0                                                                               | 140                                                                               | 25                                                                                | 5 1/2                                                                               | 1                                                                                   |
| 05022060001               | 5.0                                                                               | 160                                                                               | 28                                                                                | 6 5/16                                                                              | 1 3/32                                                                              |
| <b>05022062001</b>        | <b>6.0</b>                                                                        | <b>180</b>                                                                        | <b>32</b>                                                                         | <b>7 1/16</b>                                                                       | <b>1 1/4</b>                                                                        |
| 05022063001               | 7.0                                                                               | 190                                                                               | 34                                                                                | 7 1/2                                                                               | 1 5/16                                                                              |
| 05022064001               | 8.0                                                                               | 200                                                                               | 36                                                                                | 8                                                                                   | 1 7/16                                                                              |
| 05022066001               | 10.0                                                                              | 219                                                                               | 40                                                                                | 8 11/16                                                                             | 1 9/16                                                                              |
| 05022067001               | 12.0                                                                              | 248                                                                               | 45                                                                                | 10                                                                                  | 1 3/4                                                                               |

1) Regular hexagon

## Web link

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_pkl.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_pkl.html)

Wera - 950 PKL

05022062001 - 4013288018830

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: [info@wera.de](mailto:info@wera.de)