

L-Keys for Hexagon Socket Screws



EAN:	4013288221414	Size:	195x37x12 mm
Part number:	05022857001	Weight:	140 g
Article number:	3950 SPKL Multicolour Imperial	Country of origin:	CZ
		Customs tariff number:	82041100

- L-keys for hexagonal socket screws
- Stainless L-keys are hardened to the same strength as conventional (carbon) steel tools, and prevent extraneous rust forming.
- Hex-Plus allows socket head screws to live longer
- Rubber sleeve for pleasant grip
- Hexagonal ballpoint on the long arm

Premium L-key made of stainless steel for imperial hexagonal socket screws by Wera. Stainless steel prevents transmission of extraneous rust. The Hex-Plus profile offers larger contact surfaces in the screw head. The notch effect is reduced to a minimum and the destruction of the screw head is almost eliminated. With hexagonal ball tip at the long arm: The ball-shaped tip profiles enable the tool shaft to be moved and pivoted relative to the screw axis which allows screwdriving "around the corner". Take it easy tool finder with colour coding by size.



Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_spkl_multicolour_imperial.html

Wera - 3950 SPKL Multicolour Imperial
05022857001 - 4013288221414

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

Stainless L-keys



Stainless L-keys are hardened to the same strength as conventional (carbon) steel tools, and prevent extraenous rust forming.

Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

L-keys with a thermoplastic sleeve



L-keys made from circular material fit into the hand better and allow less strenuous work over a longer period. Additionally, the rubber sleeve provides a pleasant grip, particularly in applications at low temperatures. Colour coding and large stamp enable the desired L-key to be easily located. Moreover, the round material keys are more robust, particularly where smaller sizes are concerned.

Take it easy tool finder system



Take it easy tool finder system - with profile and size colour-coding for quick and easy tool selection. Colour-coded system for hexagon drive screws (L-Keys, Zyklop bit sockets), external hex drive screws and nuts (Joker wrenches, Zyklop sockets and Zyklop bit sockets with holding function), and TORX® drive screws (L-Keys, Zyklop bit sockets).

Web link






https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_spkl_multicolour_imperial.html

Wera - 3950 SPKL Multicolour Imperial
05022857001 - 4013288221414

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

Further versions in this product family:

	 inch	 mm	 mm	 inch	 inch
05022850001	5/64	101	16	4	5/8
05022851001	3/32	112	19	4 7/16	3/32
05022852001	1/8	123	21	4 7/8	1/8
05022853001	5/32	137	24	5 3/8	5/32
05022854001	3/16	154	27	6 1/16	3/16
05022855001	7/32	172	31	6 3/4	7/32
05022856001	1/4	185	34	7 1/4	1/4
05022857001	5/16	195	37	7 11/16	5/16
05022858001	3/8	224	42	9	3/8

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_spkl_multicolour_imperial.html

 Wera - 3950 SPKL Multicolour Imperial
 05022857001 - 4013288221414

 Wera Werkzeuge GmbH
 Korzter Straße 21-25
 D-42349 Wuppertal
 Tel: +49 (0)2 02 / 40 45-0
 E-Mail: info@wera.de