



EAN:	4013288155313	Size:	195x130x55 mm
Part number:	05051045001	Weight:	731 g
Article number:	Kraftform Kompakt Zyklus	Country of origin:	CZ
		Customs tariff number:	82041200

- Combines five different types of a ratchet in one
- Flywheel design and easy-to-grip free-turning sleeve for very high working speeds
- Can also be used as a screwdriver
- Fine-toothed for small return angle
- Pouch for belt attachment

Ratchet and screws in a Kraftform Kompakt format; including a Zyklus ratchet for incredibly high screwdriving speeds. Combines five different types of ratchet in one. Flywheel design and easy-to-grip, free-turning sleeve for fast working. Freely pivoting ratchet head; predefined locking at 0° and 90° to the left and right as well as 15° from 90° inwards; can be used as a conventional screwdriver in its 0° position. Simple push button release; left/right switchover, fine-toothed, small return angle of 5°. Multi-component Kraftform handle for low-fatigue working. 26-piece, in a pouch for belt attachment: 1 Zyklus ratchet with 1/4" drive, 7 Zyklus sockets (metric), 1 Zyklus extension (long) with free-turning sleeve, 1 adaptor, 16 bits in a length of 50 mm.



Web link

https://products.wera.de/en/zyklus_ratchets_and_accessories_the_zyklus_ratchets_the_zyklus_ratchets_1_4_the_zyklus_speed_ratchet_1_4_kraftform_kompakt_zyklus.html

Wera - Kraftform Kompakt Zyklus
05051045001 - 4013288155313

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Set contents:

8000 A Zyklop Speed Ratchet with 1/4" drive, 1/4" x 152 mm



05003500001

1x 1/4" x 152 mm



8784 A1 Zyklop bit adaptor, 1/4", 1/4" x 37 mm



05003529001

1x 1/4" x 37 mm



8794 LA Zyklop extension with free-turning sleeve, long, 1/4", 1/4" x 150 mm



05003526001

1x 1/4" x 150 mm



851/4 TZ bits, PH 1 x 50 mm



05059805001

1x PH 1 x 50 mm

05059810001

1x PH 2 x 50 mm

05059815001

1x PH 3 x 50 mm



855/4 TZ bits, PZ 1 x 50 mm



05060005001

1x PZ 1 x 50 mm

05060010001

1x PZ 2 x 50 mm



867/4 Z TORX® bits, TX 10 x 50 mm



05060132001

1x TX 10 x 50 mm

05060133001

1x TX 15 x 50 mm

05060134001

1x TX 20 x 50 mm

05060135001

1x TX 25 x 50 mm

05060136001

1x TX 27 x 50 mm

05060137001

1x TX 30 x 50 mm



800/4 Z bits, 1 x 5.5 x 50 mm



05059330001

1x 1 x 5.5 x 50 mm



840/4 Z bits, 3 x 50 mm



05059605001

1x 3 x 50 mm

05059610001

1x 4 x 50 mm

05059615001

1x 5 x 50 mm

05059620001

1x 6 x 50 mm



8790 HMA Zyklop 1/4" socket, 5.5 x 23 mm



05003504001

1x 5.5 x 23 mm

05003505001

1x 6 x 23 mm

05003506001

1x 7 x 23 mm

05003507001

1x 8 x 23 mm

05003509001

1x 10 x 23 mm

05003511001

1x 12 x 23 mm

05003512001

1x 13 x 23 mm



Web link

https://products.wera.de/en/zyklop_ratchets_and_accessories_the_zyklop_ratchets_the_zyklop_ratchets_1_4_the_zyklop_speed_ratchet_1_4_kraftform_kompakt_zyklop.html

Hook and Loop Fastener Strip 70, 50 x 70 mm

1x 50 x 70 mm



Zyklop "6 in 1"



1. Fine-tooth ratchet 2. Flex-head ratchet 3. Angle ratchet 4. Quick-release ratchet 5. Power ratchet 6. Screwdriver

Pivots freely



The ratchet head pivots freely and can be locked into any defined position by using the slide switch that is positioned on either side. It is even possible to work in very confined and difficult-to-access areas with enhanced hand clearance. The predefined locking at 0°, 15° and 90°, both to the right and left, ensure safe working without any slipping of the ratchet head.

Fast movers



The Zyklop Speed ratchets are really fast movers. The gyrating mass design means that screwdriving is accelerated. The rotation-symmetric structure of the Kraftform handle and the free-turning sleeve reinforce this rapid twisting process, particularly when the ratchet does not engage due to too little resistance in the thread.


Web link

https://products.wera.de/en/zyklop_ratchets_and_accessories_the_zyklop_ratchets_the_zyklop_ratchets_1_4_the_zyklop_speed_ratchet_1_4_kraftform_kompakt_zyklop.html

Wera - Kraftform Kompakt Zyklop
05051045001 - 4013288155313


Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Simple direction change



All Zyklop Speed ratchets feature a thumbwheel that can be used to quickly and easily switch between clockwise and anticlockwise rotation, at any position. No complicated handling, no loss of time!

Low return angle



The reversible ratchet with 72 fine-pitched teeth has a low return angle of only 5°. This short stroke allows fast and precise work in all types of installation.

Screwdriver



The ratchet can be used as a conventional screwdriver in the 0° position by attaching a bitholding adaptor and a bit.

Take it easy tool finder system



Take it easy tool finder system - with profile and size colour-coding for quick and easy tool selection. Colour-coded system for hexagon drive screws (L-Keys, Zyklop bit sockets), external hex drive screws and nuts (Joker wrenches, Zyklop sockets and Zyklop bit sockets with holding function), and TORX® drive screws (L-Keys, Zyklop bit sockets).

Web link

https://products.wera.de/en/zyklop_ratchets_and_accessories_the_zyklop_ratchets_the_zyklop_ratchets_1_4_the_zyklop_speed_ratchet_1_4_kraftform_kompakt_zyklop.html

Wera - Kraftform Kompakt Zyklop
05051045001 - 4013288155313

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de