



| | | | |
|------------------------|-------------------------|-------------------------------|--------------|
| EAN: | 4013288156778 | Size: | 165x85x35 mm |
| Part number: | 05057690001 | Weight: | 274 g |
| Article number: | Bit-Check 30 Impaktor 1 | Country of origin: | CZ |
| | | Customs tariff number: | 82079030 |

- Upright positionable, multi-component Bit-Check
- Impaktor technology for above-average service life
- Particularly suitable for use with customary impact drivers
- Diamond coating for a secure fit in the screw, literally bites into the screwhead to prevent cam-out
- Holder with ring magnet for holding longer and heavier screws

1 Impaktor holder with retaining ring and ring magnet, 29 Impaktor bits. The Impaktor technology offers an above-average service life even under extreme circumstances thanks to the best possible utilisation of the material properties and the optimised geometry; particularly suitable for use with customary impact drivers; holder with ring magnet for simple holding of even longer and heavier screws, ideal for overhead work. The rough diamond-coating of the bits reduces the risk of a slipping out of the screw head thanks to the enhanced frictional resistance.

Web link

https://products.wera.de/en/bits_holders_adaptors_bit_sets_bit-checks_impaktor_bit-check_30_impaktor_1.html

Wera - Bit-Check 30 Impaktor 1
05057690001 - 4013288156778

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Bit-Check 30 Impaktor 1, 30 pieces

Bit-Checks Impaktor



Set contents:

897/4 IMP R Impaktor holder with retaining ring and ring magnet, 1/4" x 75 mm



05057676001

1x 1/4" x 75 mm



851/1 IMP DC Impaktor bits, PH 1 x 25 mm



2x PH 1 x 25 mm

3x PH 2 x 25 mm

2x PH 3 x 25 mm

855/1 IMP DC Impaktor bits, PZ 1 x 25 mm



2x PZ 1 x 25 mm

3x PZ 2 x 25 mm

2x PZ 3 x 25 mm

867/1 IMP DC Impaktor TORX® bits, TX 10 x 25 mm



1x TX 10 x 25 mm

1x TX 15 x 25 mm

2x TX 20 x 25 mm

3x TX 25 x 25 mm

2x TX 30 x 25 mm

2x TX 40 x 25 mm

840/1 IMP DC Impaktor bits, 3 x 25 mm



1x 3 x 25 mm

1x 4 x 25 mm

1x 5 x 25 mm

1x 6 x 25 mm

At the workplace



Impaktor technology for an above-average service life even under extreme demands

Improved productivity



The Bit-Checks can be positioned upright at the workplace so the tool is always quickly to hand.

Above-average service life



For use with impact screwdrivers. Improve productivity when screwdriving with power tools.



Maximum utilisation of the material properties, a very special geometry - designed particularly to meet the extreme demands - as well a specific manufacturing process mean that Wera Impaktor tools have an above-average service life.

Web link

https://products.wera.de/en/bits_holders_adaptors_bit_sets_bit-checks_impaktor_bit-check_30_impaktor_1.html

Wera - Bit-Check 30 Impaktor 1
05057690001 - 4013288156778

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Impaktor-Bits




For an above-average service life. Maximum utilisation of the material properties, a very special geometry - designed particularly to meet the extreme demands - as well as a specific manufacturing process mean that Wera Impaktor tools have an above-average service life. Another product advantage is the coating of the Impaktor bits with minute diamond particles. These diamond particles reduce the cam-out effects - particularly high in power tool applications - which can lead to a slipping out of the screw head. The diamond particles literally bite themselves into the screw recess. This means that less contact pressure is required, something that greatly delays fatigue setting-in in power tool screwdriving jobs.

Torsion zone



Torsion zone specially designed to absorb such forces and thereby protect the bit tip.

Impaktor holder with ring magnet



The Impaktor holder with ring magnet additionally holds longer and heavier screws absolutely securely. This enables a speedy and dependable positioning of the screw. It is also ideal for above-head work. Should the magnet function not be required in a particular situation e.g. when working with metal, it can be extracted from the screwdriving area and can thereby be "disabled". Mainly used in manual power tool applications.

TriTorsion system



The combination of the double torsion zones in the Impaktor holder and the torsion zone in the Impaktor bit result in the so-called TriTorsion system.

Web link

https://products.wera.de/en/bits_holders_adaptors_bit_sets_bit-checks_impaktor_bit-check_30_impaktor_1.html

Wera - Bit-Check 30 Impaktor 1
05057690001 - 4013288156778

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de