



EAN:	4013288168115	Size:	125x80x25 mm
Part number:	05073645001	Weight:	164 g
Article number:	Bit-Check 10 Zyklop Mini 1	Country of origin:	CZ
		Customs tariff number:	82079030

- 1/4" Mini ratchet and tough viscous bits
- Ideal for working in confined spaces
- Tough viscous bits for universal use
- Use of 1/4" sockets also possible with the Wera adaptor 870/1
- In handy and robust Bit-Check

Many tools in a minimum of space. The sorting according to drive and size allows rapid accessing of the bits. The Wera Mini ratchet: drop-forged, full-steel design. Fine-pitched mechanism with 60 teeth that allows a small return angle of only 6° for precise work. Simple left/right switchover. Ergonomically-designed ratchet head and lever.

Web link

https://products.wera.de/en/zyklop_ratchets_and_accessories_zyklop_mini_zyklop_mini_1_bit-check_10_zyklop_mini_1.html

Wera - Bit-Check 10 Zyklop Mini 1
05073645001 - 4013288168115

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Bit-Check 10 Zyklus Mini 1, 10 pieces

Zyklus Mini 1



Set contents:

8001 A Bit Ratchet 1/4", 1/4" x 87 mm



1x 1/4" x 87 mm



851/1 Z bits, PH 1 x 25 mm



05072070001
05072072001

1x PH 1 x 25 mm
1x PH 2 x 25 mm

855/1 Z bits, PZ 1 x 25 mm



05072080001
05072082001

1x PZ 1 x 25 mm
1x PZ 2 x 25 mm

867/1 TORX® bits, TX 15 x 25 mm



05066486001
05066487001
05066488001

1x TX 15 x 25 mm
1x TX 20 x 25 mm
1x TX 25 x 25 mm

Web link

https://products.wera.de/en/zyklus_ratchets_and_accessories_zyklus_mini_zyklus_mini_1_bit-check_10_zyklus_mini_1.html

Wera - Bit-Check 10 Zyklus Mini 1
05073645001 - 4013288168115

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Bit-Check 10 Zyklop Mini 1, 10 pieces

Zyklop Mini 1




840/1 Z bits, 4 x 25 mm



05056320001
05056325001

1x 4 x 25 mm
1x 5 x 25 mm

The Zyklop Mini Ratchets




Zyklop Mini



For all difficult-to-access applications.

Small return angle




The fine tooth mechanism, with its 60 teeth, allows a small return angle of only 6° - ideal for precision work.

Simple direction change



Simple switching between left/right operations.

Rapid screwdriving



High working speeds can be attained with the Zyklop Mini 1. The thumb wheel is important, enabling more rapid screwdriving, and the Zyklop Mini handle only needs to be used for the final tightening of the screw.

Slim design



Its slim design makes it ideal for all particularly confined working situations.

Is such a small tool sufficiently resilient?



The Zyklop Mini 1 can withstand at least 65 Nm. That is far more power than can normally be transferred to such a small tool.

What parts can be connected to the Zyklop Mini 1?



Bits and sockets. Bits can be connected directly. However, a holder can be connected first and then the bit can be attached to this. This then serves as an extension with a free-turning sleeve. An adaptor e.g. Wera 870/1 is needed for sockets - 1/4" hexagonal on a square drive (included in the Bit-Check and with the individual Zyklop Mini 1 in the set).

Web link

https://products.wera.de/en/zyklop_ratchets_and_accessories_zyklop_mini_zyklop_mini_1_bit-check_10_zyklop_mini_1.html

Wera - Bit-Check 10 Zyklop Mini 1
05073645001 - 4013288168115

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de