

2023











PROFESSIONAL SCREWDRIVERS & NUT DRIVERS




COMPLETE SCREWDRIVER PROGRAM




Wiha SoftFinish® CushionGrip Screwdrivers

	Description	Page
	SoftFinish® Slotted Drivers	4-7
	SoftFinish® Phillips Drivers	4-7
	SoftFinish® Square Drivers	7
	SoftFinish® Pozidriv® Drivers	8
	Torx®/TR Torx® Screwdrivers	10
	SoftFinish® TorxPlus® Drivers	11
	Measuring Scale Screwdrivers	8
	Stubby Slotted/Phillips Drivers	9
	SoftFinish® MagicSpring Drivers	9
	SoftFinish® MagicRing Drivers	12




Wiha Switch Cabinet Keys

	Description	Page
	Switch Cabinet Keys	7



Wiha Drive-Loc VI Tools

	Description	Page
	Drive-Loc VI Handles	13





Wiha Drive-Loc VI Tools

	Description	Page
	Drive-Loc VI Handles	14
	Drive-Loc VI Blades	14-15
	Drive-Loc VI Sets	15



Wiha MicroFinish Non-Slip Grip Drivers

	Description	Page
	MicroFinish Slotted & Phillips	16-17
	MicroFinish Torx® Drivers	16-17
	MicroFinish Bit Holder	17



Wiha Power Blades & Sets

	Description	Page
	CentroFix Blade Holder	17
	90mm Power Blades	17-18
	Power Blade Sets	17-18
	Power Blade Nut Drivers 100mm Inch/Metric & Sets	30


Wiha ESD Safe Precision Handle & Blades

	Description	Page
	SYSTEM 4 Drive-Loc IV Handle & Blades	19
	SYSTEM 4 Drive-Loc Set	19



Wiha Precision Screwdrivers

	Description	Page
	Precision Slotted Drivers	20
	Precision Phillips Drivers	20
	Precision Pozidriv® Drivers	21
	Precision Hex Drivers	21
	Precision Ball End Drivers	22
	Precision Torx® Drivers	22
	Precision Pentalobe Drivers	21
	Precision Chip Lifters	23
	Precision Screwdriver Sets	23



Wiha Magnetizer/Demagnetizer

	Description	Page
	Magnetizer/Demagnetizer	








Wiha Precision Accessories

	Description	Page
	Vinyl Pouch For Screwdrivers	23
	Precision Screwdriver Holder	23

Wiha PicoFinish® Precision Screwdrivers

	Description	Page
	PicoFinish® Slotted Drivers	24
	PicoFinish® Phillips Drivers	24
	PicoFinish® Tri-Wing® Drivers	24
	PicoFinish® Pentalobe Drivers	24
	PicoFinish® Torx® Drivers	25
	PicoFinish® Hex Drivers	25
	PicoFinish® Ball End Drivers	25
	PicoFinish® Screwdriver Sets	24-25

Wiha Nut Drivers

	Description	Page
	SoftFinish® Nut Drivers	26
	Hollow Shaft Nut Drivers	27
	T-handle Nut Drivers	28
	Drive-Loc VI Nut Drivers	29
	PicoFinish® Nut Drivers	29
	Precision Nut Drivers	30
	Power Blade Nut Drivers	30

Wiha Insulated Screwdrivers



- Insulated Slotted
- Insulated Phillips
- Insulated Terminal Block Xeno
- Insulated Square Drivers
- Insulated Hex Metric Drivers
- Insulated Torx® Drivers
- Insulated Nut Drivers
- Insulated Torque Drivers
- Insulated SlimLine Drivers

Wiha SoftFinish® Handle - Ergonomic Cushion Grip

Wiha SoftFinish® Handle:
Featuring advanced dual material technology molding.

A remarkable improvement in handle design, comfort and performance. The SoftFinish® ergonomic shape allows maximum torque & user comfort.



Handle is molded directly onto the blade for a permanent bond.
Large optimized handle diameter allows higher torque with less user hand fatigue

Precision machined tips to exact tolerances for a perfect fit every time

All blades are made of CVM tool steel, super hardened and hard chrome finish for unmatched durability

Wiha exclusive "SoftFinish® Zone" features solid molded core with soft outer cushion grip. Requires less force, yet achieves 40% more torque than conventional handles

Wiha SoftFinish® Extra Heavy Duty



530 Slotted Screwdriver, With Wiha-SoftFinish® Handle & Solid Metal Cap

Hex blade extending through handle manufactured from high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component. Hex bolster for additional torque.

Item No.	Slotted	Phillips	Hex	Hex Bolster	Weight
	mm	Inch	mm	Inch	lbs.
53010*	3.5	.139	75	3.0	0.6 .024
53015*	4.5	.177	90	3.5	0.8 .031
53020	5.5	.196	100	3.9	1.0 .039
53025	6.5	.255	125	5.0	1.2 .047
53027	8.0	.315	150	5.9	1.2 .047
53035	10.0	.393	175	7.0	1.6 .063
53040	12.0	.472	200	8.0	2.0 .079

*No Hex Bolster

53090 5pc Slotted & Phillips Set - Extra Heavy Duty

Item No.	Slotted:	Weight
	5.5, 6.5, 8.0mm	lbs.
53090	Phillips: #1, 2	1.85



531 Phillips Screwdriver, With Wiha-SoftFinish® Handle & Solid Metal Cap

Hex blade extending through handle manufactured from high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component. Hex bolster for additional torque.

Item No.	Size	mm	Inch	Weight
				lbs.
53110	1	80	3.1	5.0 13/64
53115	2	100	3.9	6.0 1/4
53120	3	150	5.9	8.0 5/16

53075 5pc Slotted & Phillips Set - Extra Heavy Duty

Item No.	Slotted:	Weight
	4.5, 5.5, 6.5mm	lbs.
53075	Phillips: #1, 2	1.48




53096 6pc Slotted & Phillips Set - Extra Heavy Duty

Item No.	Slotted:	Weight
	3.5, 4.5, 5.5, 6.5mm	lbs.
53096	Phillips: #1, 2	1.69

SoftFinish® Extra Heavy Duty



53097 7pc Slotted & Phillips Set - Extra Heavy Duty

Item No.	Slotted:	
53097	5.5, 6.5, 8.0, 10.0mm	lbs.
	Phillips: #1, 2, 3	3.15



53099 10pc Slotted & Phillips Set - Extra Heavy Duty















Item No.	Slotted: 3.5, 4.5, 5.5, 6.5, 8.0, 10.0, 12.0mm	
53099	Phillips: #1, 2, 3	4.20

Wiha SoftFinish® Heavy Duty Screwdriver



308 Slotted Screwdriver, Wiha-SoftFinish® Cushion Grip Handle















Hex blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Hex bolster for additional torque (No Bolster 30813 & 30814)

Item No.															
	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
30813	3.5	.137	75	2.9	0.6	.023	186	7.3	4.0	5/32	30	1.18	.16		
30815	5.5	.216	100	3.9	1.0	.039	213	8.4	5.0	13/64	36	1.42	.19		
30817	6.5	.255	125	5.0	1.2	.047	238	9.4	6.0	1/4	36	1.42	.23		
30820	7.0	.275	125	5.0	1.1	.043	238	9.4	6.0	1/4	36	1.42	.23		
30830	10.0	.393	175	7.0	1.6	.063	296	11.7	8.0	5/16	41	1.61	.40		
30835	12.0	.472	200	8.0	2.0	.079	321	12.6	10.0	25/64	41	1.61	.58		



312 Phillips Screwdriver, Wiha-SoftFinish® Cushion Grip Handle


Hex blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Hex bolster for additional torque.

Item No.														
	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
31201	1	80	3.1	5.0	3/16	186	7.3	30	1.18	.13				

SoftFinish® Extra Heavy Duty Foam Tray



53180 10-Piece Extra Heavy Duty SoftFinish® Cushion Grip Driver Tray Set
Designed with an ergonomic SoftFinish® cushion grip for maximum power and comfort. Extra heavy duty with hex bolster for more torque and metal cap for striking.

Item No.	Slotted: 3.5, 4.0, 4.5, 5.5, 6.0, 6.5, 8.0mm	
53180	Phillips: #1, #2, #3	

Wiha SoftFinish® Handle - Standard Series



302 Slotted Screwdriver, With Wiha-SoftFinish® Handle Round blade, high alloy CVM, hardened, hard chromed. Wiha-Chromtop tips. Handle, multi-component, cushion grip.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
30202*	2.0	.079	65	2.6	0.4	.016	169	6.7	23	.91	.05
30203*	2.5	.098	75	3.0	0.4	.016	179	7.0	23	.91	.05
30204*	3.0	.118	80	3.1	0.5	.020	184	7.2	23	.91	.06
30205*	3.0	.118	100	3.9	0.5	.020	204	8.0	23	.91	.06
30206*	3.0	.118	150	5.9	0.5	.020	254	10.0	23	.91	.07
30208*	3.0	.118	200	8.0	0.5	.020	304	12.0	23	.91	.07
30210*	3.5	.139	100	3.9	0.6	.024	204	8.0	23	.91	.07
30212*	3.5	.139	200	8.0	0.6	.024	304	12.0	23	.91	.09
30215*	4.0	.157	100	3.9	0.8	.031	211	8.3	30	1.18	.11
30217*	4.0	.157	150	5.9	0.8	.031	261	10.3	30	1.18	.12
30216*	4.0	.157	200	8.0	0.8	.031	311	12.2	30	1.18	.14
30218*	4.5	.187	80	3.1	0.8	.031	191	7.5	30	1.18	.11
30211*	4.5	.187	125	5.0	0.8	.031	236	9.3	30	1.18	.12
30219*	4.5	.187	150	5.9	0.8	.031	261	10.2	30	1.18	.12
30220*	5.5	.216	125	5.0	1.0	.039	236	9.3	30	1.18	.15
30238*	5.5	.216	300	11.8	1.0	.039	411	16.1	30	1.18	.24
30221*	5.5	.216	200	8.0	1.0	.039	311	12.2	30	1.18	.20
30222	6.0	.250	100	3.9	1.2	.047	218	8.6	36	1.42	.17
30223	6.5	.255	100	3.9	1.2	.039	218	8.6	36	1.42	.20
30225	6.5	.255	150	5.9	1.2	.047	268	10.6	36	1.42	.22
30227	8.0	.315	150	5.9	1.2	.047	274	10.8	41	1.61	.29
30230	8.0	.315	175	7.0	1.2	.047	299	11.8	41	1.61	.30
30232	8.0	.315	300	11.8	1.2	.047	424	16.7	41	1.61	.36
30235	10.0	.393	200	8.0	1.6	.063	324	12.8	41	1.61	.36
30236	12.0	.472	250	9.8	2.0	.078	374	14.7	41	1.61	.52

*Cabinet Tips



311 Phillips Screwdriver, With Wiha-SoftFinish® Handle Round blade, high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop tips. Handle, multi-component, cushion grip.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
31105	0	60	2.4	3.0	.118	164	6.5	23	.91	.06
31110	1	80	3.1	4.5	.177	191	7.5	30	1.18	.11
31112	1	200	8.0	4.5	.177	311	12.3	30	1.18	.15
31114	1	300	12.0	4.5	.177	411	16.2	30	1.18	.18
31115	2	100	3.9	6.0	.236	218	8.6	36	1.42	.20
31117	2	200	8.0	6.0	.236	318	12.5	36	1.42	.25
31118	2	300	12.0	6.0	.236	418	16.5	36	1.42	.30
31120	3	150	5.9	8.0	.315	274	10.8	41	1.61	.33
31125	4	200	8.0	10.0	.393	323	12.7	41	1.61	.51



30294 6pc Slotted/Phillips Screwdriver Set

Item No.	mm	mm	Size	mm	lbs.
30294	4.0	100	1	80	1.29
	6.5	150	2	100	
	8.0	150			
	4.0*	25			

*Stubby screwdriver with Wiha SoftFinish® handle



30298 8pc Slotted/Phillips Screwdriver Set

Item No.	mm	mm	Size	mm	lbs.
30298	3.0	100	1	80	1.87
	4.0	100	2	100	
	5.5	125	3	150	
	6.5	150			
	8.0	175			



30297 12pc Slotted & Phillips Screwdriver Set

Item No.	mm	mm	Size	mm	lbs.
30297	3.0	100	0	60	2.48
	4.0	100	1	80	
	5.5	125	2*	25	
	6.5	150	2	100	
	6.5*	25	3	150	
	8.0	175			
	10	200			

*Stubby screwdriver with Wiha SoftFinish® handle

SoftFinish® Screwdriver Foam Tray



30280 10-Piece SoftFinish® Cushion Grip Screwdriver Tray Set


Designed with an ergonomic SoftFinish® cushion grip for maximum power and comfort. Tips are machined to exact tolerances for a perfect fit every time.

Item No.	Slotted: 3.5, 4.0, 4.5, 5.5, 6.0, 6.5, 8.0mm
-----------------	---

30280	Phillips: #1, #2, #3
--------------	-----------------------------



30289 8pc Slotted, Phillips & Square Cushion Grip Drivers In Molded Case

Item No.	Slotted: 3.0, 4.5, 5.5, 6.5mm	
30289	Phillips: #1, 2	lbs. 1.69
	Square: #0, 1	

Wiha SoftFinish® Handle - Square Drivers



358 Square Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
35800	0	80	3.1	4.0	5/32	191	7.5	30	1.18	.11
35801	1	100	3.9	4.5	5/32	210	8.2	30	1.18	.12
35802	2	150	5.9	6.0	1/4	268	10.5	36	1.42	.19
35803	3	150	5.9	6.0	1/4	268	10.5	36	1.42	.22




35894 4pc SoftFinish® Square Tip Screwdriver Set

Round blade high alloy CVM steel, hardened, hard chromed.

Item No.	Size	mm	Size	mm	lbs. .77
35894	0	80	2	150	
	1	100	3	150	




30290 10pc Slotted, Phillips & Square Cushion Grip Drivers

Item No.	Slotted: 3.0, 3.5, 4.5, 6.5mm	
30290	Phillips: 0, 1, 2	lbs. 1.54
	Square: 1, 2, 3	



30291 6pc Slotted, Phillips & Square Cushion Grip Drivers

Item No.	Slotted: 4.5, 6.5mm	
30291	Phillips: 1, 2	lbs. 1.00
	Square: 1, 2	

Switch Cabinet Keys



21105 Pen Style Control Cabinet Key

For applications with all common switch cabinets and locking systems. Diecast Zinc, polished finish. Includes: Square 5, 6, 7, 8mm, Triangular 9mm, Double Bit Key 5mm/Internal & 9mm/External, Universal 1/4" Bit Adapter, Magnetic Bit Holder & 2 Double Insert Bits: Slotted 7mm / Phillips #2 / TORX T20/T25

Item No.	mm	Inch	lbs.
21105	140	5.5"	.30



21103 Switch Cabinet Key

For applications with all common switch cabinets and locking systems. Diecast Zinc. Bit insert Slotted 7.0mm & Phillips #2. Adapter for 1/4" bits on securing chain and 1/4" bit adapter in one arm.

Item No.	mm	Inch	lbs.
21103	76	3.0"	.22

Wiha SoftFinish® Pozidriv®



313 Pozidriv® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
31305	0	60	2.4	3.0	.118	164	6.5	23	.91	.06
31310	1	80	3.1	4.5	.177	191	7.5	30	1.18	.11
31315	2	100	3.9	6.0	.236	218	8.6	36	1.42	.20
31320	3	150	5.9	8.0	.315	274	10.8	41	1.61	.33

Wiha SoftFinish® Handle - Standard Series Sets



30299 20pc Slotted, Phillips, TORX®, Square & Pozidriv® Set

Item No.	Slotted:	Phillips:	TORX®:	Square:	Pozidriv®:	lbs.
30299	3.0, 4.0, 5.5, 6.5, 8.0mm	0, 1, 2	T6, T8, T10, T15, T20, T25, T30	1, 2, 3	1, 2	3.27

Soft Grip BiCut SuperCut & Screwdriver Set



32644 7pc Soft Grip BiCut SuperCut & Screwdriver Set

Item No.	BiCut SuperCut:	lbs.
32644	8.0"/200mm BiCut SuperCut Screwdrivers: Phillips: #0, #1, #2 Slotted: 3.0, 4.0, 6.5mm	1.78

Wiha SoftFinish® CushionGrip Drivers

With Inch & Metric Scale on Blades



Inch and Metric

- Perfect for measuring small parts on the go
- Quickly check drilled hole depths & diameters
- Patented design with permanent laser marking
- Chrome-vanadium-molybdenum tool steel shafts
- Hardened & tempered for long life performance
- Hard chrome surfaces for incredible wear resistance
- Precision machined exact fit tips



311 Measuring Scale Phillips Screwdriver, With Wiha-SoftFinish® Cushion Grip Handle

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	Scale	lbs.
31137	2	100	3.9	6.0	1/4	218	8.6	36	1.42	20-90	.21



302 Measuring Scale Slotted Screwdriver, With Wiha-SoftFinish® Cushion Grip Handle

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	Scale	lbs.
30237	5.5	7/32	125	5.0	1.0	.039	236	9.3	30	1.18	30-110	.16

*Inch & Metric scale on #2 Phillips
Perfect for measuring small parts on the go



30295 5pc Slotted & Phillips Screwdriver Set

Item No.	mm	mm	Size	mm	lbs.
30295	3.0	100	1	80	1.02
	4.0	100	2*	100	
	6.5	150			

Wiha SoftFinish® Handle - Stubby Screwdrivers



302 Stubby Slotted Screwdriver, With Wiha-SoftFinish® Handle

Item No.	Slotted	Phillips	Hex	Hex	Hex	Hex	Hex	Hex	Hex	Hex	Hex	Hex
	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch
30239	4.0	.157	25	1.0	0.8	.031	75	2.95	34	1.34		.09
30255	5.5	.216	25	1.0	1.0	.039	75	2.95	34	1.34		.09
30265	6.5	.255	25	1.0	1.2	.047	75	2.95	34	1.34		.10

311 Stubby Phillips Screwdriver, With Wiha-SoftFinish® Handle

Item No.	Phillips	Hex	Hex	Hex	Hex	Hex	Hex	Hex	Hex	Hex	Hex
	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch
31135	1	25	1.0	4.5	.177	75	3.0	34	1.34		.09
31140	2	25	1.0	6.0	.236	75	3.0	34	1.34		.10



31193 2pc Slotted Stubby Screwdriver Set

Item No.	Slotted	Phillips	Hex	Hex	Hex
	mm	mm	mm	mm	lbs.
31193	4.0	25	6.5	25	.24



31192 2pc Phillips Stubby Screwdriver Set

Item No.	Phillips	Hex	Hex	Hex	Hex
	Size	mm	Size	mm	lbs.
31192	1	25	2	25	.24



31190 2pc Slotted & Phillips Stubby Screwdriver Set

Item No.	Slotted	Phillips	Hex	Hex	Hex
	mm	mm	Size	mm	lbs.
31190	4.0	25	1	25	.24

31191 2pc Slotted & Phillips Stubby Screwdriver Set

Item No.	Slotted	Phillips	Hex	Hex	Hex
	mm	mm	Size	mm	lbs.
31191	6.5	25	2	25	.24

Wiha Screw Holding TORX® Tools

- Laser welded assembly
- Holds screws securely
- Won't damage screws
- Doesn't weaken tool
- Exact fit tips
- Hardened tool steel blades
- Holds standard Torx screws*
- Stainless rotary spring

Screw Holding TORX®

Laser Welded MagicSpring Assembly



362 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36202	T6	60	2.4	3.5	.139	164	6.5	23	.91	.07	10
36203	T7	60	2.4	3.5	.139	164	6.5	23	.91	.07	10
36207	T8	60	2.4	3.5	.139	164	6.5	23	.91	.07	10
36234	T9	60	2.4	4.0	.157	171	6.7	30	1.18	.11	10
36244	T10	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36249	T15	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36254	T20	100	3.9	4.0	.157	211	8.3	36	1.42	.16	10
36256	T25	100	3.9	4.5	.177	211	8.3	36	1.42	.17	10
36258	T30	115	4.5	6.0	.236	233	9.2	36	1.42	.21	10



36290 6pc Set MagicSpring Screw Holding TORX® SoftFinish Screwdrivers

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips. Molded on.

Item No.	Size	mm	Size	mm	lbs.
36290	T8	60	T20	100	.98
	T10	80	T25	100	
	T15	80	T30	115	

*MagicSpring tools will hold Torx® screws made to CamCar Textron Torx® specifications



Wiha TORX® SoftFinish® Screwdrivers



362 TORX® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
36264	T5	60	2.4	2.5	.098	164	6.5	23	.91	.05
36266	T6	60	2.4	3.5	.139	164	6.5	23	.91	.06
36268	T7	60	2.4	3.5	.139	164	6.5	23	.91	.06
36270	T8	60	2.4	3.5	.139	164	6.5	23	.91	.06
36272	T9	60	2.4	4.0	.157	171	6.7	30	1.18	.10
36274	T10	80	3.1	4.0	.157	191	7.5	30	1.18	.11
36276	T15	80	3.1	4.0	.157	191	7.5	30	1.18	.11
36278	T20	100	3.9	4.0	.157	211	8.3	36	1.42	.11
36280	T25	100	3.9	4.5	.177	211	8.3	36	1.42	.12
36282	T27	115	4.5	5.5	.216	233	9.2	36	1.42	.19
36284	T30	115	4.5	6.0	.236	233	9.2	36	1.42	.20
36286	T40	130	5.1	7.0	.275	254	10.0	41	1.61	.27
36288	T45	130	5.1	8.0	.315	254	10.0	41	1.61	.31



36291 6pc TORX® SoftFinish® - Cushion Grip Set

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component.

Item	Size	mm	Size	mm	lbs.
36291	T6	60	T9	60	.77
	T7	60	T10	80	
	T8	60	T15	80	

36201 6pc Set - TORX®

Item	Size	mm	Size	mm	lbs.
36201	T6	60	T15	80	.83
	T8	60	T20	100	
	T10	80	T25	100	



36294 8 Piece TORX® Set

Item	TORX®:	lbs.
36294	T6, T8, T10, T15, T20, T25, T27, T30	1.38



36267 12 Piece TORX® Set

Item	TORX®:	lbs.
36267	T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40	2.03



Wiha Security TORX® Screwdrivers



362 Security TORX® Screwdriver With Wiha-SoftFinish® Handle Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
36269	T7s	60	2.4	3.5	.139	164	6.5	23	.91	.06
36271	T8s	60	2.4	3.5	.139	164	6.5	23	.91	.06
36273	T9s	60	2.4	4.0	.157	171	6.7	23	.91	.10
36275	T10s	80	3.1	4.0	.157	191	7.5	30	1.18	.11
36277	T15s	80	3.1	4.0	.157	191	7.5	30	1.18	.11
36279	T20s	100	3.9	4.0	.157	211	8.3	30	1.18	.11
36281	T25s	100	3.9	4.5	.177	211	8.3	30	1.18	.11
36283	T27s	115	4.5	5.5	.216	233	9.2	36	1.42	.19
36285	T30s	115	4.5	6.0	.236	233	9.2	36	1.42	.20
36287	T40s	130	5.1	7.0	.275	254	10.0	41	1.61	.28



36298 7pc Set - Security TORX®

Item	Security TORX®:	lbs.
36298	T7s, T8s, T9s, T10s, T15s, T20s, T25s	.95



36259 10pc Set - Security TORX®

Item	Security TORX®:	lbs.
36259	T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s	1.5



Wiha TORXPlus® Cushion Grip Drivers



Not for use in standard Torx fasteners

362 TORXPlus® Screwdriver With Wiha SoftFinish® Handle

Round blade high alloy Chrome-vanadium-molybdenum tool steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
36211	IP6	60	2.4	3.5	.139	164	6.5	23	.91	.06
36223	IP7	60	2.4	3.5	.139	164	6.5	23	.91	.06
36228	IP8	60	2.4	4.0	.157	171	6.7	23	.91	.10
36229	IP9	60	2.4	4.0	.157	171	6.7	30	1.18	.11
36233	IP10	80	3.1	4.0	.157	191	7.5	30	1.18	.11
36238	IP15	80	3.1	4.0	.157	191	7.5	30	1.18	.11
36239	IP20	100	3.9	4.5	.177	211	8.3	36	1.42	.11
36243	IP25	100	3.9	5.5	.216	211	8.3	36	1.42	.19
36248	IP27	115	4.5	6.0	.236	233	9.2	36	1.42	.20
36253	IP30	115	4.5	7.0	.275	233	9.2	36	1.42	.28
36255	IP40	130	5.1	7.0	.275	254	10.0	41	1.61	.28



In clamshell for hanging

Not for use in standard Torx fasteners

362 TORXPlus® Screwdriver With Wiha SoftFinish® Handle In Clamshell

Round blade high alloy Chrome-vanadium-molybdenum tool steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
36214	IP6	60	2.4	3.5	.139	164	6.5	23	.91	.06
36231	IP7	60	2.4	3.5	.139	164	6.5	23	.91	.06
36232	IP8	60	2.4	4.0	.157	171	6.7	23	.91	.10
36241	IP9	60	2.4	4.0	.157	171	6.7	30	1.18	.11
36242	IP10	80	3.1	4.0	.157	191	7.5	30	1.18	.11
36246	IP15	80	3.1	4.0	.157	191	7.5	30	1.18	.11
36247	IP20	100	3.9	4.5	.177	211	8.3	36	1.42	.11
36252	IP25	100	3.9	5.5	.216	211	8.3	36	1.42	.19
36262	IP27	115	4.5	6.0	.236	233	9.2	36	1.42	.20
36263	IP30	115	4.5	7.0	.275	233	9.2	36	1.42	.28
36265	IP40	130	5.1	7.0	.275	254	10.0	41	1.61	.28



36296 6pc TORXPlus® Blade high alloy CVM steel, hardened, hard chromed.

Wiha-SoftFinish® handle, multi-component.

Item No.	Size	mm	Size	mm	lbs.
36296	IP6	60	IP9	60	.62
	IP7	60	IP10	80	
	IP8	60	IP15	80	



36299 7pc TORXPlus® Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component.

Item No.	Size	mm	Size	mm	lbs.
36299	IP8	60	IP25	100	.99
	IP10	80	IP30	115	
	IP15	80	IP40	130	
	IP20	100			



36297 8pc TORXPlus® Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish handle, multi-component.

Item No.	Size	mm	Size	mm	lbs.
36297	IP6	60	IP10	80	1.47
	IP7	60	IP15	80	
	IP8	60	IP20	100	
	IP9	60	IP25	100	



Wiha MagicRing SoftFinish® Hex Drivers

Screw Holding Hex Tools




Screw Holding

Cushioned grip and extra large diameter to achieve high torque

Flat surfaces give roll-off protection

molded on handle for permanent bond



Hard Chrome Finish

367 MagicRing Ball End Hex-Driver Inch, With Wiha-SoftFinish® Handle Hex blade, high alloy CVM steel, hardened, hard chromed. SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Ball End	Hex	Hex	Hex	Hex	Hex	Weight
	Inch	Inch	mm	mm	Inch	mm	Inch	lbs.
36710*	.050	3.1	80	179	7.0	23	.91	.06
36713*	1/16	3.1	80	204	8.0	23	.91	.06
36716*	5/64	3.9	100	204	8.0	23	.91	.07
36719*	3/32	3.9	100	204	8.0	23	.91	.07
36723*	7/64	3.9	100	211	8.3	23	.91	.07
With MagicRing								
36726	1/8	3.9	100	243	9.6	30	1.18	.12
36728	9/64	3.9	100	243	9.6	30	1.18	.12
36732	5/32	5.0	125	271	10.7	30	1.18	.12
36734	3/16	6.0	150	271	10.7	30	1.18	.16
36736	7/32	6.0	150	271	10.7	36	1.42	.23
36738	1/4	6.0	150	271	10.7	36	1.42	.25
36742	5/16	8.0	200	271	10.7	36	1.42	.37
36744	3/8	8.0	200	271	10.7	41	1.61	.54

* Standard Ball - No Ring



Hard Chrome Finish

367 MagicRing Ball End Hex Driver Metric, With Wiha-SoftFinish® Handle Hex blade, high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Ball End	Hex	Hex	Hex	Hex	Hex	Weight
	mm	mm	Inch	mm	Inch	mm	Inch	lbs.
36715*	1.5	75	3.0	179	7.0	23	.91	.06
36720*	2.0	100	3.9	204	8.0	23	.91	.07
36725*	2.5	100	3.9	204	8.0	23	.91	.07
With MagicRing								
36730	3.0	100	3.9	204	8.0	23	.91	.07
36740	4.0	125	5.0	211	8.3	30	1.18	.12
36750	5.0	150	5.0	243	9.6	30	1.18	.16
36760	6.0	150	5.0	243	9.6	36	1.42	.23
36780	8.0	200	8.0	268	10.6	36	1.42	.37
36786	10.0	200	8.0	271	10.7	41	1.61	.54

* Standard Ball - No Ring



36794 6pc MagicRing Inch Ball End Screwdriver Set

Hex blade CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Inch:	Weight
36794	1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1.34

36793 8pc MagicRing Inch Ball End Screwdriver Set

Item No.	Inch:	Weight
36793	1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	2.25

36791 13pc MagicRing Inch Ball End Screwdriver Set

Item No.	Inch:	Weight
36791	.050*, 1/16*, 5/64*, 3/32*, 7/64*, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	2.58

* Standard Ball - No Ring



36792 6pc MagicRing Metric Ball End Hex Screwdriver Set

Item No.	Metric:	Weight
36792	3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	1.86

36790 9pc MagicRing Metric Ball End Hex Screwdriver Set


Item No.	Metric:	Weight
36790	1.5*, 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	2.06

* Standard Ball - No Ring







Wiha SoftFinish® Bit Holders

Magnetic



 Retainer out of stainless steel







384 1/4" Magnetic Bit Holding Drivers, With Wiha SoftFinish® Handle Ergonomic cushion grip, magnetic, holds bit and screw. Shaft CVM steel, nickel-plated.

Item						
No.	Size	mm	Inch	mm	Inch	lbs.
38450	1/4"	125	5.0	240	9.46	.23
38460	1/4"	300	11.8	400	15.69	.37




For working in confined spaces

28103 Magnetic 1/4" Bit Holder With Wiha SoftFinish® Stubby Handle Stainless steel with strong magnet. Wiha-SoftFinish® handle multi-component, cushion grips.




Item						
No.	Inch	mm	Inch	mm	lbs.	
28103	1/4"	57	2.2	.11		

Plastic coated flexible metal



 Stainless steel with retaining ring







38600 Bit Holder 1/4" with Retaining Ring With Flexible Shaft Wiha-SoftFinish® handle multi-component, cushion grips.

Item						
No.	Inch	mm	Inch	mm	Inch	lbs.
38600	1/4"	150	5.9	268	10.6	.30

Adjustable Blade Length
Magnetic Bit Holder









28489 Drive-Loc VI Bit Holder High alloy CVM steel, through hardened, hard chrome finish. Wiha-SoftFinish® handle multi-component, cushion grips.

Item						
No.	Inch	Extends	lbs.			
28489	1/4"	1-3/4" to 4-7/8"	.36			

Wiha SoftFinish® Multi-Driver Screwdrivers







77891 11inOne SoftFinish® Multi-Driver Screwdriver premium quality tool steel engineered for strength and durability and feature exact fit precision machined tips for reduce cam-out of fastener heads.

Includes the following:	
 Slotted: 3/16", 1/4"	lbs.
 Phillips: #1, #2	.55
 Square: #1, #2	
 TORX®: T20, T25	
 Nut Driver: 1/4", 5/16", 3/8"	







77890 6inOne SoftFinish® Multi-Driver Screwdriver premium quality tool steel engineered for strength and durability and feature exact fit precision machined tips for reduce cam-out of fastener heads.

Includes the following:	
 Slotted: 3/16", 1/4"	lbs.
 Phillips: #1, #2	.45
 Nut Driver: 1/4", 5/16"	



77892 Conduit Reamer & 6inOne SoftFinish® Multi-Driver Screwdriver premium quality tool steel engineered for strength & durability. Exact fit precision machined tips for reduce cam-out of fastener heads.

Includes the following:	
 Slotted: 3/16", 1/4"	lbs.
 Phillips: #1, #2	.75
 Nut Driver: 1/4", 5/16"	



Wiha Drive-Loc VI Handles & Blades

For Adjustable Length Locking Blades

Ergonomic handles in ESD Safe, cushioned & non-slip grip



Adjust interchangeable blades from 40 to 120mm

See Drive-Loc VI Nut drivers on Page 39



Blade length can be adjusted from 1.7 to 4.7" in 1/8" increments

Blades high quality CVM steel, hard chrome finish

Drive-Loc mechanism guarantees a secure hold & rapid blade exchange



281 TORX® Drive-Loc VI Interchangeable Blade OAL 150mm/5.9"

Item No.	Size + Size	lbs.
28126	T6 T8	.10
28127	T7 T9	.10
28128	T10 T15	.10
28129	T20 T25	.10
28130	T30 T40	.10



281 Security TORX® Drive-Loc VI Interchangeable Blade OAL 150mm/5.9"

Item No.	Size + Size	lbs.
28132	T6s T8s	.10
28133	T7s T9s	.10
28134	T10s T15s	.10
28135	T20s T25s	.10
28136	T30s T40s	.10



281 Hex Metric Drive-Loc VI Interchangeable Blade OAL 150mm/5.9"

Item No.	mm + mm	lbs.
28149	2.0 2.5	.09
28150	3.0 4.0	.10
28151	5.0 6.0	.10



281 Hex Inch Drive-Loc VI Interchangeable Blade OAL 150mm/5.9"

Item No.	Inch + Inch	lbs.
28122	3/32 7/64	.10
28123	1/8 9/64	.10
28124	5/32 3/16	.10



281 Ball End Hex & Hex Metric Drive-Loc VI Interchangeable Blade Ball end enables the user to work at angles up to 25°. OAL 150mm/5.9". Fits all Drive-Loc VI handles.

Item No.	mm + mm	lbs.
28116	2.5 2.5	.10
28117	3 3	.10
28118	4 4	.10
28119	5 5	.10
28120	6 6	.10



28488 Drive-Loc VI Cushion Grip Handle
Wiha-SoftFinish® impact resistant, with roll off protection.

Item No.	mm	mm	Inch	mm	Inch	lbs.
28488	6.0	115	4.5	36.0	1.41	.26



28112 Phillips Drive-Loc VI Interchangeable Blade High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Size + Size	lbs.
28112	1 2	.10



28486 ESD Safe Drive-Loc VI Cushion Grip Handle Wiha-SoftFinish® impact resistant, with roll off protection.

Item No.	mm	mm	Inch	mm	Inch	lbs.
28486	6.0	115	4.5	36.0	1.41	.21



28137 Square Drive-Loc VI Interchangeable Blade High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Size + Size	lbs.
28137	1 2	.10



281 Slotted Drive-Loc VI Interchangeable Blade High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	mm + mm	lbs.
28106	3.5 4.5	.10
28108	5.5 6.5	.10



28114 Pozidriv® Drive-Loc VI Interchangeable Blade High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Size + Size	lbs.
28114	1 2	.10




281 Slotted & Phillips Drive-Loc VI Interchangeable Blade High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	mm + Size	lbs.
28107	3.0 0	.10
28109	4.0 1	.10
28110	6.0 2	.10

Wiha Drive-Loc VI Blade 5 Pack Sets




28483 5 Pack Drive-Loc VI Interchangeable Blade Set OAL 150mm/5.9"

Item  lbs. **No. 28483** .35
Slotted/Phillips: 3.0+#0, 4.0+#1, 6.0+#2
Square: #1+#2 & **Pozidriv®:** #1+#2




28474 5 Pack Drive-Loc VI Interchangeable Blade Set OAL 150mm/5.9"

Item  lbs. **No. 28474** .36
Hex Metric: 3.0+4.0, 5.0+6.0mm
Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16"




28476 5 Pack Drive-Loc VI Interchangeable Blade Set OAL 150mm/5.9"

Item  lbs. **No. 28476** .36
Hex Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm




28485 5 Pack Drive-Loc VI Interchangeable Blade Set OAL 150mm/5.9"

Item No. 28485  lbs. **TORX®:** .35
 T6+T8, T7+T9, T10+T15, T20+T25, T30+T40




28477 5 Pack Drive-Loc VI Interchangeable Blade Set OAL 150mm/5.9"

Item  lbs. **No. 28477** .35
Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s

Drive-Loc VI Interchangeable Blade Sets




28187 32pc ESD Safe Drive-Loc VI Interchangeable Blade Set, In Folding Wallet Set includes Drive-Loc VI handle & 31 interchangeable blades.

Item No. 28187  lbs. 3.66
Slotted: 3.5+4.5, 5.5+6.5mm **Square:** 1+2
Slotted/Phillips: 3.0+0, 4.0+1, 6.0+2
Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s
Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16
Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0
Nut Drivers In: 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"
Nut Drivers MM: 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0mm
 Wiha ESD Safe SoftFinish® Cushion Grip




28188 32pc Drive-Loc VI Interchangeable Blade Set, In Folding Wallet Set includes Drive-Loc VI handle & 31 Drive-Loc VI blades.

Item No. 28188  lbs. 3.66
Slotted: 3.5+4.5, 5.5+6.5mm **Square:** 1+2
Slotted/Phillips: 3.0+0, 4.0+1, 6.0+2
Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s
Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16
Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0
Nut Drivers In: 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"
Nut Drivers MM: 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0mm
 Wiha SoftFinish® Cushion Grip




28194 5pc Drive-Loc VI Interchangeable Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 4 interchangeable blades.

Item No. 28194  lbs.
Slotted: 3.5+4.5, 5.5+6.5 .80
Phillips: 1+2 **Square:** 1+2
 SoftFinish® Cushion Grip Blade Lock Handle




28199 10pc Drive-Loc VI Interchangeable Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 9 interchangeable blades.

Item No. 28199  lbs.
Slot/Ph: 4.0+1, 6.0+2 1.11
TORX®: T6+T8, T7+T9, T10+T15, T20+T25
Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16"
 SoftFinish® Cushion Grip Blade Lock Handle




28197 6pc Drive-Loc VI Interchangeable Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 5 interchangeable blades.

Item  lbs. **No. 28197** .83
Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s
 SoftFinish® Cushion Grip Blade Lock Handle



28189 15pc Drive-Loc VI Interchangeable Blade Set, In Folding Wallet Set includes Drive-Loc VI handle & 14 interchangeable blades.

Item No. 28189  lbs. 1.75
Slotted: 3.5+4.5, 5.5+6.5 **Phillips:** 1+2
Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s
Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16
Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0mm
 SoftFinish® Cushion Grip Blade Lock Handle



Wiha MicroFinish Handle - Non-Slip Grip

Wiha MicroFinish handle has a patented non-slip surface - It won't peel, crack or deteriorate when exposed to petroleum solvents. Oil and moisture flow away from the handle surface for a powerful, non-slip grip. Get maximum force & comfort with dry, oily or wet hands.

Safe, high density material, eliminates risk of sharp objects becoming embedded in the handle

Through hardened blades & hard chrome finish



Exact fit precision ground tips

CVM, hardened & tempered tool steel blade, gives exceptional tool life, wear resistance & high torque performance

Hex bolster & steel strike cap on 533 & 534 series

Wiha MicroFinish Extra Heavy Duty Non-Slip Grip Handle



533 Heavy Duty Slotted Screwdriver, Wiha-MicroFinish Handle & Steel Striking Cap

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Hex blade extending through handle with striking plate. Hex bolster for additional torque. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item No.	Slotted	Phillips	Hex	Hex	Hex	Hex	Hex	Hex	Hex	Hex	Hex	Hex	Hex
	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
53310*	4.5	.177	90	3.6	1.0	.039	201	7.9	30	1.18	.20		
53315	5.5	.216	100	3.9	1.0	.039	213	8.4	36	1.42	.33		
53320	6.5	.255	125	5.0	1.2	.047	238	9.4	36	1.42	.38		
53325	8.0	.315	150	5.9	1.2	.047	271	10.7	41	1.61	.61		
53330	10.0	.393	175	7.0	1.6	.063	296	11.7	41	1.61	.65		

*No hex bolster



534 Heavy Duty Phillips Screwdriver, Wiha-MicroFinish Handle & Steel Striking Cap

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Hex blade extending through handle with striking plate. Hex bolster for additional torque. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.
53405	1	80	3.1	186	7.3	30	1.18	.22
53410	2	100	3.9	213	8.4	36	1.42	.37
53425	3	150	5.9	268	10.6	41	1.61	.71

Wiha TORX® MicroFinish Handle Non-Slip Grip



527 TORX® Screwdriver, With Wiha-MicroFinish Handle Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
52713	T10	80	3.1	4.0	.157	191	7.5	30	1.18	.15
52716	T15	80	3.1	4.0	.157	191	7.5	30	1.18	.15
52719	T20	100	3.9	4.0	.157	211	8.3	30	1.18	.15



52090 5pc Slotted & Phillips Screwdriver Set Blade CVM steel, hardened, hard chromed.

Item No.	Slotted: 4.0x100, 5.5x125, 8.0x150mm	Phillips: 1x80, 2x100mm	lbs.
52090			1.23



52097 7pc Slotted/Phillips Screwdriver Set

Item No.	Slotted: 4.0x100, 5.5x125, 8.0x150mm	Phillips: #1x80, #1x200, #2x100, #2x200mm	lbs.
52097			1.35



52098 8pc Slotted/Phillips Screwdriver Set

Item No.	Slotted: 4.0x100, 5.5x125, 6.5, 8.0x150, 10.0x200mm	Phillips: 1x80, 2x100, 3x150mm	lbs.
52098			2.58



52099 12pc MicroFinish® Slotted & Phillips Screwdriver Set

Item No.	Slotted: 4.0x100, 4.0x150, 5.5x125, 8.0x150, 10.0x200mm	Phillips: 1x80, 1x200, 2x100, 2x200, 3x150mm	lbs.
52099			4.20




53390 5pc Slotted/Phillips, Heavy Duty Set
Blade CVM steel, hardened, hard chromed.
Hex blade extending through handle with steel striking cap. Hex bolster for additional torque.

Item	Slotted:	
No.	5.5, 6.5, 8.0mm	lbs.
53390	Phillips: #1, 2	2.1




53398 8pc Slotted/Phillips, Heavy Duty Set
Blade CVM steel, hardened, hard chromed.
Hex blade extending through handle with steel striking cap. Hex bolster for additional torque.

Item	Slotted:	
No.	4.5", 5.5, 6.5, 8.0, 10.0mm	lbs.
53398	Phillips: #1, 2, 3	3.7

*No hex bolster






































52790 5pc TORX® Blade CVM steel, hardened, round blades hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil & grease resistant.

Item	TORX®	
No.	T10, T15, T20,	lbs.
52790	T25, T30	1.0

Wiha MicroFinish Non-Slip Grip Bit Holder




52650 1/4" Bit holding Screwdriver, With Wiha-MicroFinish Handle Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft chrome-vanadium steel, nickel-plated.

Item																																			
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.																												
52650	1/4	125	5.0	244	9.6	.24	10																												


Wiha 90mm Power Blades & Sets




76099 37pc Power Blade Set, In Folding Wallet Set includes cushion grip CentroFix Blade Holder & 36 interchangeable blades.

Item No. 76099		lbs. 2.06
Slotted:	2.5, 3.0, 4.5, 5.5, 6.0mm	
Phillips:	#0, 1, 2, 3	
Security TORX®:	T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s	
Security Hex Inch:	1/16", 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	
Pozidriv®:	#1, 2, 3 & Square: #1, 2, 3	
4" Nut Setters:	1/4, 5/16, 3/8"	
Cushion Grip CentroFix Blade Holder		
* 1/16" Standard Inch Hex Only		




Item		Set includes:
No.	lbs.	Slotted: 2.5, 3.0, 4.5,
76093	.16	5.5, 6.0mm x 90mm



Item		Set includes:
No.	lbs.	Phillips: #0, 1, 2,
76094	.17	3 x 90mm




Item		Set includes:
No.	lbs.	Square: #1, 2,
76095	.11	3 x 90mm




Item		Set includes:
No.	lbs.	Pozidriv®: #1, 2,
76091	.12	3 x 90mm




Item		Set includes:
No.	lbs.	Metric: 2.5, 3.0,
76090	.12	4.0, 5.0 x 90mm



Item		Set includes:
No.	lbs.	Inch: 1/16", 5/64,
76096	.32	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 90mm

* 1/16" Standard Inch Hex Only



Item		Set includes:
No.	lbs.	T8s, T9s, T10s, T15s,
76092	.30	T20s, T25s, T27s, T30s, T40s

Wiha Power Blades

CentroFix quick release bit holder with magnet

Ergonomic SoftFinish® cushion grip handle



76000 CentroFix Cushion Grip Blade Holder

Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip handle. Quick release bit holder with magnet.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
76000	6.0	149	5.9	34.6	1.36	.26

Blades high quality CVM steel, hard chrome finish



760 Slotted Power Blades

OAL 90mm/3.5".

Item		
No.	mm	lbs.
76035	2.5	.02
76036	3.0	.02
76037	4.5	.03
76038	5.5	.03
76039	6.0	.04



760 Phillips Power Blades

OAL 90mm/3.5".

Item		
No.	Size	lbs.
76041	0	.01
76042	1	.02
76043	2	.03
76044	3	.04



760 Square Power Blades

OAL 90mm/3.5".

Item		
No.	Size	lbs.
76056	1	.02
76057	2	.03
76058	3	.04



760 Pozidriv® Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item		
No.	Size	lbs.
76011	1	.03
76012	2	.04
76013	3	.04

90mm Power Blades



760 Hex Inch Power Blades

OAL 90mm/3.5".

Item		
No.	Inch	lbs.
76045	1/16	.01
76005	5/64	.01
76007	3/32	.02
76008	7/64	.02
76014	1/8	.03
76016	9/64	.03
76017	5/32	.04
76018	3/16	.04
76019	7/32	.05
76021	1/4	.06



760 Security TORX® Power Blades

OAL 90mm/3.5".

Item		
No.	Size	lbs.
76008	T8s	.02
76009	T9s	.02
76010	T10s	.02
76015	T15s	.02
76020	T20s	.02
76025	T25s	.03
76027	T27s	.03
76030	T30s	.04
76040	T40s	.04



760 Security Hex Metric Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item		
No.	mm	lbs.
76001	2.5	.02
76002	3.0	.02
76003	4.0	.03
76004	5.0	.04



76079 Canvas Folding Wallet

Holds 38 90mm power blades.

Item		
No.	Size	lbs.
76079	7-1/8" x 6" x 2"	.42



760 Security Hex Inch Power Blades

OAL 90mm/3.5".

Item		
No.	Inch	lbs.
76046	5/64	.01
76047	3/32	.02
76048	7/64	.02
76049	1/8	.03
76050	9/64	.03
76051	5/32	.04
76052	3/16	.04
76053	7/32	.05
76054	1/4	.06



76085 9pc Power Blade Nut Driver Set

30mm deep drilled Nut drivers. Use with #76000 CentroFix Blade Holder. 100mm OAL

Item No.		lbs.
76085		.96

Inch: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

76086 12pc Power Blade Nut Driver Set

100mm OAL

Item No.		lbs.
76086		1.22

Metric: 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0mm



76084 12pc Power Blade Inch & Metric Nut Driver Set

30mm deep drilled Nut drivers. Use with #76000 CentroFix Blade Holder.

Item No.		lbs.
76084		2.97

Inch: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

Metric: 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0mm

Cushion Grip CentroFix Blade Holder

Wiha SYSTEM 4 Drive-Loc Precision Locking Tools

Blade lengths can be adjusted from 18mm (.7") to 90mm (3.5") Max. In 3mm increments



26906 SoftFinish® Cushion Grip

Drive-Loc Handle 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26906	4.0	.1574	23	.91	.08



269 SYSTEM 4 Slotted Drive-Loc

Reversible Locking Blades On 4mm Hex

Item			
No.	mm	mm	lbs.
26958	1.5 + 3.0		.02
26959	2.0 + 3.5		.02
26960	2.5 + 4.0		.02



269 SYSTEM 4 Phillips Drive-Loc

Reversible Locking Blades On 4mm Hex

Item			
No.	Size	Size	lbs.
26975	000 + 00		.02
26976	0 + 1		.02



269 SYSTEM 4 TORX® Drive-Loc

Reversible Locking Blades On 4mm Hex

Item			
No.	Size	Size	lbs.
26977	T1 + T2		.02
26978	T3 + T4		.02
26979	T5 + T6		.02
26980	T6 + T8		.02
26981	T7 + T9		.02
26982	T10 + T15		.02
26983	T15 + T20		.02



280 SYSTEM 4 Metric Ball End Hex & Hex Metric Drive-Loc Reversible Locking Blades
On 4mm Hex blades

Item			
No.	mm	mm	lbs.
28003	1.3 + 1.3		.02
28004	1.5 + 1.5		.02
28005	2.0 + 2.0		.02
28006	2.5 + 2.5		.02
28007	3.0 + 3.0		.02
28008	4.0 + 4.0		.02



26961 ESD Safe Dissipative Precision

Drive-Loc Handle Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26961	4.0	.1574	23	.91	.08



26930 7pc Drive-Loc IV TORX® Precision ESD Safe Set

In storage pouch

Item No.				lbs.
26930	ESD Safe Drive-Loc Handle			
	TORX®: T3xT4, T5xT6,			
	T6xT8, T7xT9, T10xT15, T15xT20			.56



26985 12pc Precision ESD Safe Drive-Loc IV Set

In storage pouch

Item No.				lbs.
26985	ESD Safe Drive-Loc Handle			
	Slotted: 1.5x3.0, 2.0x3.5, 2.5x4.0			
	Phillips: 000x00, 0x1			.44
	TORX®: T1xT2, T3xT4, T5xT6, T6xT8, T7xT9, T10xT15			



26994 9pc Precision ESD Safe Drive-Loc IV Interchangeable Blade Set

Item No.				lbs.
26994	ESD Safe Drive-Loc Handle			
	Slotted: 1.5x3.0, 2.0x3.5, 2.5x4.0			
	Phillips: 000x00, 0x1			.47
	TORX®: T6xT8, T7xT9, T10xT15			

Rotating Cap
for precise turning and control

Tapered Handle
allows rapid rotation, requires less clearance

Tips
Exact fit, precision machined

Precision Handle
high quality plastic. ESD Safe or Standard styles

15mm
Collet Lock Handle adjustable blade length from 15 to 95mm/.6" to 3.75"
95mm



28000 ESD Safe Dissipative Precision

Handle with rotating control cap. Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades.

Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
28000	4.0	.1574	14.0	.55	.04



26970 12pc Precision ESD Safe Drive-Loc IV and Tweezers Set

Item No.				lbs.
26970	ESD Safe Drive-Loc Handle			
	Slotted: 2.0x3.5, 2.5x4.0			.59
	Phillips: 000x00, 0x1			
	TORX®: T6xT8, T7xT9, T10xT15			
	44501 Fine Point - AA SA			
	44509 Extra Fine Point - 5 SA			
	44505 Flat and Blunt - 2a SA			
	44510 Curved Fine Point - 7a SA			



26984 9pc Precision Drive-Loc IV Interchangeable Blade Set

Item No.				lbs.
26984	SoftFinish® Drive-Loc Handle			
	Slotted: 1.5x3.0, 2.0x3.5, 2.5x4.0			.47
	Phillips: 000x00, 0x1			
	TORX®: T6xT8, T7xT9, T10xT15			

Rotating cap
for precise turning and control with fingertip

Precision handle
high quality plastic, cadmium free

Molded on tapered handle
allows rapid rotation

High performance blades
CVM steel, Hard chrome finished

Tip
precision ground for exact fit, hard chromed non-slip surface



260 Slotted Screwdriver, with Precision Handle Blade high alloy CVM steel

Item No.	Slotted: mm	Inch	mm	Inch	mm	Inch	mm	Inch
26008	.80	1/32	40	1.6	0.16	120	4.7	
26010	1.0	.039	40	1.6	0.18	120	4.7	
26012	1.2	3/64	40	1.6	0.20	120	4.7	
26015	1.5	1/16	40	1.6	0.25	120	4.7	
26018	1.8	.070	40	1.6	0.30	120	4.7	
26020	2.0	5/64	40	1.6	0.40	120	4.7	
26022	2.0	5/64	50	2.0	0.40	145	5.7	
26023	2.0	5/64	100	3.9	0.40	180	7.1	
26025	2.5	3/32	50	2.0	0.40	145	5.7	
26027	2.5	3/32	100	3.9	0.40	195	7.7	
26028	2.5	3/32	150	6.0	0.40	245	9.6	
26030	3.0	1/8	50	2.0	0.50	145	5.7	
26032	3.0	1/8	60	2.4	0.50	170	6.7	
26033	3.0	1/8	100	3.9	0.50	210	8.3	
26034	3.0	1/8	150	5.9	0.50	260	10.2	
26035	3.5	9/64	60	2.4	0.60	170	6.7	
26040	4.0	5/32	60	2.4	0.80	170	6.7	
26041	4.0	5/32	100	3.9	0.80	210	8.3	
26042	4.0	5/32	150	5.9	0.80	260	10.2	

*Metric dimensions actual - Inch dimensions approximate



26099 8pc Precision Slotted Set

Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch.

Item No.	Slotted:	lbs.
26099	1.0, 1.2, 1.5, 2.0 x 40mm 2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54

Wiha Precision Slotted/Phillips Drivers



26090 6 Piece Precision Slotted Set

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	Slotted:	lbs.
26090	1.5, 2.0 x 40mm 2.5, 3.0 x 50mm 3.5, 4.0 x 60mm	.27



261 Phillips Screwdriver, with Precision Handle Blade high alloy CVM steel

Item No.	Size	mm	Inch	mm	Inch	mm	Inch
26102	000	40	1.6	2.0	.08	120	4.7
26100	00	40	1.6	2.0	.08	120	4.7
26101	00	75	3.0	2.0	.08	155	6.1
26105	0	50	2.0	3.0	.12	145	5.7
26108	0	75	3.0	3.0	.12	170	6.7
26109	0	150	5.9	3.0	.12	245	9.6
26110	1	60	2.4	4.0	.16	170	6.7
26113	1	80	3.1	4.0	.16	190	7.5
26114	1	100	3.9	4.0	.16	210	8.2
26115	1	150	5.9	4.0	.16	260	10.2

*Metric dimensions actual - Inch dimensions approximate



26199 8pc Precision Slotted/Phillips Set

Item No.	Slotted:	lbs.
26199	1.0, 2.0 x 40mm, 3.0 x 50mm, 4.0 x 60mm Phillips: 000, 00 x 40mm, 0 x 50mm, 1 x 60mm	.55



26190.MC/26197 7pc Precision Slotted and Phillips Set

Item No.	Slotted:	lbs.
26197	2.0, 2.5 x 50mm, 3.0 x 60mm Phillips: 00 x 40mm	.31



26190 8pc Precision Slotted & Phillips Drivers & Industrial Long Nose Pliers Set

Item No.	Slotted:	lbs.
26190	2.0, 2.5 x 50mm, 3.0 x 60mm Phillips: 00 x 40mm 0 x 50mm, 1 x 60mm	.72
	Industrial Long Nose Pliers	
	6.3"/160mm OAL	



26092 7pc Precision Slotted & Phillips Set Blade high alloy CVM steel

Item No.	Slotted:	lbs.
26092	2.5 x 50mm, 2.5, 3.0, 4.0 x 100mm 3.0, 4.0 x 150mm Phillips: 0 x 75mm	.30



26192 5pc Precision Slotted & Phillips Set Blade high alloy CVM steel.

Item No.	Slotted:	lbs.
26192	2.5, 3.0, 4.0 x 150mm Phillips: 0, 1 x 150mm	.44



26194 4pc Precision Phillips Set

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	Phillips:	lbs.
26194	000, 00 x 40mm 0 x 50mm, 1 x 60mm	.18

Wiha Pozidriv® Precision Series



262 Pozidriv® Screwdriver, With Precision Handle Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch
26205	0	50	2.0	3.0	.12	145	5.7
26210	1	60	2.4	4.0	.16	170	6.7

*Metric dimensions actual - Inch dimensions approximate

Wiha Pentalobe Precision Series

Wiha Pentalobe drivers will fit fasteners used in "Apple" brand products including iPhone, Mac Book & Mac Air

- Exact fit precision machined tips
- High performance CRM72 tool steel
- Hard chromed finish blades & tips
- Tapered ergonomic handle
- Easy spin finger tip control cap



267 Pentalobe Screwdrivers, With Precision Handle Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	lbs.
26761	PL1	40	1.6	120	4.7	.01
26762	PL2	40	1.6	120	4.7	.02
26763	PL3	40	1.6	120	4.7	.02
26764	PL4	40	1.6	120	4.7	.02
26765	PL5	40	1.6	120	4.7	.02
26766	PL6	40	1.6	120	4.7	.02

*Metric dimensions actual - Inch dimensions approximate (PL4 is used for Mac Book Pro)



26794 6 Pc. Precision Pentalobe Screwdriver Set Blade high alloy CVM steel. Hard chrome finished.

Item No.	Pentalobe Drivers:	lbs.
26794	PL1, PL2, PL3, PL4, PL5, PL6	.35

Wiha Hex Inch & Metric Precision Series



263 Inch Inch Hex Driver, With Precision Handle Inch sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Inch	mm	mm	Inch	mm	Inch
26307	0.028	0.7	40	1.6	120	4.7
26309	0.035	0.9	40	1.6	120	4.7
26313	0.05	1.3	40	1.6	120	4.7
26316	1/16	-	50	2.0	145	5.7
26320	5/64	2.0	50	2.0	145	5.7
26323	3/32	-	60	2.4	170	6.7
26327	7/64	-	60	2.4	170	6.7
26331	1/8	-	60	2.4	170	6.7
26333	9/64	60	2.4	170	6.7	
26336	5/32	60	2.4	170	6.7	

*Metric dimensions actual - Inch dimensions approximate



26391 8pc Precision Hex Driver Set - Inch Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex Inch:	lbs.
26391	.028, .035, .050 x 1.6"	.32
	1/16, 5/64 x 2.0"	
	3/32, 7/64, 1/8 x 2.4"	



263 Metric Metric Hex Driver, With Precision Handle Metric sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	mm	Inch	mm	Inch	mm	Inch
26307	.7	.028	40	1.6	120	4.7
26309	.9	.035	40	1.6	120	4.7
26313	1.3	.050	40	1.6	120	4.7
26315	1.5	-	50	2.0	145	5.7
26320	2.0	5/64	50	2.0	145	5.7
26325	2.5	-	60	2.4	170	6.7
26330	3.0	-	60	2.4	170	6.7
26340	4.0	-	60	2.4	170	6.7

*Metric dimensions actual - Inch dimensions approximate



26390 7pc Precision Hex Driver Set - Metric Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex Metric:	lbs.
26390	.7, .9, 1.3 x 40mm	.28
	1.5, 2.0 x 50mm	
	2.5, 3.0 x 60mm	



26399 8pc Precision Hex Driver Set - Inch Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch

Item No.	Hex Inch:	lbs.
26399	.028, .035, .050 x 1.6"	.55
	1/16, 5/64 x 2.0", 3/32, 7/64, 1/8 x 2.4"	

Wiha Ball End Precision Series



264 Inch Ball End Hex Inch Screwdriver With Precision Handle Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finish.

Item					
No.	Inch	mm	Inch	mm	Inch
26413	.050	40	1.6	120	4.7
26416	1/16	50	2.0	145	5.7
26419	5/64	50	2.0	145	5.7
26423	3/32	50	2.0	145	5.7
26427	7/64	60	2.4	170	6.7
26431	1/8	60	2.4	170	6.7
26436	9/64	60	2.4	170	6.7
26439	5/32	60	2.4	170	6.7


*Metric dimensions actual - Inch dimensions approximate



26490 8pc Ball End Hex Driver Set - Inch Angle entry up to 30°.

Blade high alloy CVM steel.

Item		
No.	Hex Inch:	lbs.
26490	1/16, 5/64, 3/32 x 2.0, 7/64, 1/8, 9/64, 5/32 x 2.4"	.40



264 Metric Ball End Hex Metric Screwdriver With Precision Handle Angle entry up to 30°. Blade high alloy CVM steel.

Item						
No.	mm	Inch	mm	Inch	mm	Inch
26413	1.3	.050	40	1.6	120	4.7
26415	1.5	-	50	2.0	145	5.7
26420	2.0	-	50	2.0	145	5.7
26425	2.5	-	60	2.4	170	6.7
26430	3.0	-	60	2.4	170	6.7

*Metric dimensions actual - Inch dimensions approximate



26499 8pc Ball End Hex Driver Set - Inch

Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch

Item	Ball End Hex Inch:	lbs.
26499	1/16, 5/64, 3/32 x 2.0" 7/64, 1/8, 9/64, 5/32 x 2.4"	.62



26491 5 Piece Ball End Hex Driver Set - Metric

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum-steel.

Item		
No.	Ball End Hex Metric:	lbs.
26491	1.3 x 40mm 1.5, 2.0 x 50mm 2.5, 3.0 x 60mm	.31

Wiha TORX® Precision Series



26792 7pc TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item		
No.	TORX®:	lbs.
26792	T5, T6, T7, T8 x 40mm T9, T10 x 50mm T15 x 60mm	.33

Wiha TORX® Precision Series



267 TORX® Screwdriver, With Precision Handle Blade high alloy chrome-vanadium-molybdenum steel.

Item						
No.	Size	mm	Inch	mm	Inch	lbs.
26701	T1	40	1.6	120	4.7	.01
26702	T2	40	1.6	120	4.7	.02
26703	T3	40	1.6	120	4.7	.02
26704	T4	40	1.6	120	4.7	.02
26705	T5	40	1.6	120	4.7	.02
26706	T6	40	1.6	120	4.7	.02
26707	T7	40	1.6	120	4.7	.02
26708	T8	40	1.6	120	4.7	.03
26709	T9	50	2.0	145	5.7	.03
26710	T10	50	2.0	145	5.7	.03
26715	T15	60	2.4	170	6.7	.05
26720	T20	60	2.4	170	6.7	.05

*Metric dimensions actual - Inch dimensions approximate



26790 6pc TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item		
No.	TORX®:	lbs.
26790	T6, T7, T8 x 40mm T9, T10 x 50mm T15 x 60mm	.30

26791 Set 8pc TORX® Screwdriver Set

Item No.	T1, T2, T3, T4, T5, T6, T7, T8
26791	



26799 8pc TORX® Screwdriver Set


Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item		
No.	TORX®: T3, T4, T5, T6, T7, T8 x 40mm T9 x T10 x 50mm	lbs.
26799		.50

Wiha Precision Screwdriver Sets




92189 Master Technicians Bench Top Set
Metal frame. Equipped with 50 precision drivers.

Item No.	Slotted: 1.5, 2.0, 2.5, 3.0, 3.5, 4.0
92189	Phillips: #000, #00, #0, #1
	Pentalobe: PL1, PL2, PL3, PL4
lbs.	TORX®: T1, T2, T3, T4, T5, T6,
3.67	T7, T8, T9, T10
	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0
	Inch Hex: .028, .035, .050, 1/16,
	5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers: 1.5, 1.8, 2.0,
	2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
	26810 Chip Lifter




92190 Master Technicians Bench Top Set
Metal frame. Equipped with 50 precision drivers.

Item No.	Slotted: .8, 1.0, 1.2, 1.5, 1.8, 2.0,
92190	2.5, 3.0, 3.5, 4.0
	Phillips: #000, #00, #0, #1
lbs.	TORX®: T1, T2, T3, T4, T5, T6,
3.67	T7, T8, T9, T10
	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0
	Inch Hex: .028, .035, .050, 1/16,
	5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers: 1.5, 1.8, 2.0,
	2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
	26810 Chip Lifter



92191 51pc Precision Tool Tray Set
Tool box tray. Equipped with 51 precision drivers.



Item No.	Slotted: .8, 1.0, 1.2, 1.5, 1.8, 2.0,
92191	2.5, 3.0, 3.5, 4.0
	Phillips: #000, #00, #0, #1
lbs.	Torx®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
4.63	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0, 4.0
	Inch Hex: .028, .035, .050, 1/16,
	5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers: 1.5, 1.8, 2.0,
	2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
	26810 Chip Lifter

Wiha Magnetizer/ Demagnetizer

Magnetize or Demagnetize tools and small parts instantly

Shatterproof Box is made from high quality plastic

Uses 2 C8 industrial permanent magnets



(+) to Magnetize


(-) to Demagnetize

40010 Magnetizer and Demagnetizer

To magnetize and demagnetize steel screwdriver blades, tweezers and similar tools. Box high quality plastic, shock-resistant, green, cadmium free.

Application:

To magnetize, lead tool slowly through the (+) opening, to demagnetize guide tool slowly through the (-) opening.

Item No.	Dimensions	 lbs.
40010	2.1" x 2.0" x 1.1"	.30






(Parts under 1" Length or 1/8" Diameter may not demagnetize)

Wiha Precision Chip Lifter and Accessories



26810 Precision Chip Lifter

Blade CVM steel, hardened, chrome-plated. Precision handle high quality plastic, impact resistant. Standard handle


Item No.	    
	mm mm mm mm Inch
26810	1 3.5 50 145 5.7

*Metric dimensions actual - Inch dimensions approximate



26000 Plastic Precision Tool Rack



Rack holds 6 precision screwdrivers, can be set on workbench. Also has holes for hanging. Made from high quality plastic.

Item No.	Rack for 6	 lbs.
26000	Precision screwdrivers	.08



91118 Rugged Polyester Canvas Storage Pouch

Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item No.	Size	 lbs.	 pkg.
91118	14 1/2" W x 7 3/4" L	.13	1

Wiha Soft Grip PicoFinish Precision Screwdrivers

The Comfortable Precision Screwdriver

Soft Grip Handle

CVM tool steel blade, hardened, hard chrome finish

Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control

Sets In Roll-Up Pouch



Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control

260 Slotted Precision Screwdriver, With PicoFinish Handle Blade CVM steel, hardened, hard chromed.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch
26050	0.8	.03	40	1.6	134	5.3	
26051	1.0	.04	40	1.6	134	5.3	
26052	1.2	.05	40	1.6	134	5.3	
26053	1.5	.06	40	1.6	134	5.3	
26055	1.8	.07	40	1.6	134	5.3	
26060	2.0	.08	40	1.6	140	5.5	
26061	2.0	.08	60	2.4	160	6.3	
26065	2.5	.09	50	2.0	150	5.9	
26066	2.5	.09	75	3.0	175	6.9	
26068	2.5	.09	100	3.9	200	7.9	
26070	3.0	.13	50	2.0	150	5.9	
26072	3.0	.13	100	3.9	200	7.9	
26074	3.5	.14	60	2.4	160	6.3	
26076	4.0	.16	60	2.4	160	6.3	
26079	4.0	.16	100	3.9	200	7.9	

*Metric dimensions actual - Inch dimensions approximate



26093 8pc Slotted Precision Screwdriver Set, With Soft PicoFinish Handle

In storage pouch

Item No.	Slotted:	lbs.
26093	.8, 1.2, 1.5, 2.0 x 40mm	.54
	2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	

261 Phillips Precision Screwdriver, With Soft PicoFinish Precision Handle Blade high alloy CVM steel. Hard chrome finished.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch
26130	000	40	1.6	2.0	.08	134	5.3
26132	00	40	1.6	2.0	.08	134	5.3
26135	0	50	2.0	3.0	.12	150	5.9
26136	0	75	3.0	3.0	.12	175	6.9
26140	1	60	2.4	4.0	.16	160	6.3

*Metric dimensions actual - Inch dimensions approximate



26195 5pc Precision Screwdrivers With Precision Soft PicoFinish Handle

Item No.	Slotted:	lbs.
26195	1.5, 2.5, 3.5mm	.25
	Phillips: #0, #1	.25

* No Pouch - In clamshell



26193 8pc Slotted & Phillips Precision Driver Set, With Soft PicoFinish Handle

Item No.	Slotted:	lbs.
26193	1.0, 1.5, 2.0 x 40mm	.55
	2.5 x 50mm, 3.5 x 60mm	
	Phillips: 00 x 40mm	
	0 x 50mm, 1 x 60mm	

Pico Soft Grip Tri-Wing

Tri-Wing

(Used in iPhone 7 or higher series)



266 Tri-Wing Precision Screwdriver, With Soft PicoFinish Precision Handle Blade high alloy CVM steel. Hard chrome finished.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch
26631	000	40	1.6	2.0	.08	140	5.5

Pico Soft Grip Pentalobe



267 Pentalobe Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	Size	Inch	mm	Inch	mm
26771	PL1	1.6	40	5.5	140
26772	PL2	1.6	40	5.5	140
26773	PL3	1.6	40	5.5	140
26774	PL4	1.6	40	5.5	140
26775	PL5	1.6	40	5.5	140
26776	PL6	1.6	40	5.5	140

*Metric dimensions actual - Inch dimensions approximate



26795 6pc Precision Pentalobe Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel. Hard chrome finished.

Item No.	Pentalobe Drivers:	lbs.
26795	PL1, PL2, PL3, PL4, PL5, PL6	.40



26196 5pc Precision Screwdrivers With Precision Soft PicoFinish Handle

Item No.	Phillips: #0, #1	lbs.
26196	Pentalobe: PL1	.25
	Tri-Wing: #000	.25
	Tweezers: 2a SA ESD Flat Round Tip	

* No Pouch - In clamshell

Wiha Pico Soft Grip TORX®



267 TORX® Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	Size	mm	Inch	mm	Inch
26732	T1	40	1.6	134	5.3
26733	T2	40	1.6	134	5.3
26735	T3	40	1.6	134	5.3
26736	T4	40	1.6	134	5.3
26737	T5	40	1.6	134	5.3
26739	T6	40	1.6	140	5.5
26741	T7	40	1.6	140	5.5
26743	T8	40	1.6	140	5.5
26745	T9	50	2.0	150	5.9
26747	T10	50	2.0	150	5.9
26749	T15	60	2.4	160	6.3
26751	T20	60	2.4	160	6.3

*Metric dimensions actual - Inch dimensions approximate

In storage pouch



26793 8pc TORX® Precision Driver Set, With Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.

Item No.	TORX®:	lbs.
26793	T1, T2, T3, T4, T5, T6, T7, T8	.50

In storage pouch



26796 8pc TORX® Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.

Item No.	TORX®:	lbs.
26796	T5, T6, T7, T8 x 40mm, T9, T10 x 50mm, T15, T20 x 60mm	.57

Pico Soft Grip Hex Inch & Metric



263 Hex Inch Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	Inch	mm	Inch	mm	Inch
26341	.028(0.7)	40	1.6	134	5.3
26343	.035(0.9)	40	1.6	134	5.3
26345	.050(1.3)	40	1.6	134	5.3
26349	5/64(2.0)	50	2.0	150	5.9
26363	1/16	50	2.0	144	5.7
26367	3/32	60	2.4	160	6.3
26369	7/64	60	2.4	160	6.3
26371	1/8	60	2.4	160	6.3

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

26392 8pc Hex Inch Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed.

Item No.	Hex Inch:	lbs.
26392	.028, .035, .050 x 1.6" 5/64, 1/16 x 2.0", 3/32, 7/64, 1/8 x 2.4"	.24



263 Hex Metric Driver, With Precision Soft PicoFinish Handle

Item No.	mm	mm	Inch	mm	Inch
26341	.7(.028)	40	1.6	134	5.3
26343	.9(.035)	40	1.6	134	5.3
26345	1.3(.050)	40	1.6	134	5.3
26347	1.5	50	2.0	144	5.7
26349	2.0(5/64)	50	2.0	150	5.9
26351	2.5	60	2.4	160	6.3
26353	3.0	60	2.4	160	6.3

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

26393 7pc Hex Metric Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed.

Item No.	Hex Metric:	lbs.
26393	.71, .89, 1.27 x 40mm 1.5, 2.0 x 50mm, 2.5, 3.0 x 60mm	.22

Pico Soft Grip Ball End Inch & Metric



264 Ball End Hex Inch Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	Inch	Inch	mm	Inch	mm
26455	1/16	2.0	50	5.9	150
26457	5/64	2.0	50	5.9	150
26459	3/32	2.0	50	5.9	150
26461	7/64	2.4	60	6.3	160
26463	1/8	2.4	60	6.3	160
26465	9/64	2.4	60	6.3	160
26467	5/32	2.4	60	6.3	160

*Metric dimensions actual - Inch dimensions approximate



26493 7pc Inch Ball End Hex Precision Driver Set, With Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.	Ball End Hex Inch:	lbs.
26493	1/16, 5/64, 3/32 x 2.0" 7/64, 1/8, 9/64, 5/32 x 2.4"	.27




264 Ball End Hex Metric Screwdriver, With Precision Soft PicoFinish Handle. Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	mm	mm	Inch	mm	Inch
26443	1.5	50	2.0	150	5.9
26447	2.5	60	2.4	160	6.3

*Metric dimensions actual - Inch dimensions approximate

Wiha SoftFinish® Handle - Ergonomic Cushion Grip

Handle is molded directly onto the blade for a permanent bond



Wiha SoftFinish® Handle: Featuring advanced technology dual material molding. A remarkable improvement in handle design, comfort and performance. The SoftFinish® ergonomic shape allows maximum torque and user comfort.

Wiha Nut Drivers are precision formed to exact tolerances for a perfect fit every time

All blades are made of Wiha's exclusive formula chrome-vanadium-molybdenum tool steel, super hardened plated for unmatched durability



341 Nut Driver, With Wiha-SoftFinish® Handle Inch sizes. Blade CVM steel, hardened. Deep drawn 1" socket. Solid shafts. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	⊙	⊖	⊖	⊖	⊖	⊖	⊖	⊖	⊖
	Inch	Inch	mm	mm	Inch	Inch	mm	mm	lbs.
34136	3/16	5.0	125	238	9.4	1.18	30		.25
34137	7/32	5.0	125	238	9.4	1.18	30		.26
34138	1/4	5.0	125	246	9.7	1.42	36		.38
34139	5/16	5.0	125	246	9.7	1.42	36		.40
34140	11/32	5.0	125	246	9.7	1.42	36		.40
34141	3/8	5.0	125	246	9.7	1.42	36		.40
34142	7/16	5.0	125	246	9.7	1.61	41		.40
34143	1/2	5.0	125	246	9.7	1.61	41		.40
34144	9/16	5.0	125	246	9.7	1.61	41		.40
34145	5/8	5.0	125	246	9.7	1.61	41		.40



341 Nut Driver, With Wiha-SoftFinish® Handle Metric sizes

Item No.	⊙	⊖	⊖	⊖	⊖	⊖	⊖	⊖	⊖
	mm	mm	Inch	mm	Inch	mm	Inch	mm	lbs.
34120	5.0	125	5.0	238	9.4	30	1.18		.14
34121	5.5	125	5.0	238	9.4	30	1.18		.14
34122	6.0	125	5.0	238	9.4	30	1.18		.15
34123	7.0	125	5.0	238	9.4	36	1.42		.25
34124	8.0	125	5.0	238	9.4	36	1.42		.25
34126	10.0	125	5.0	238	9.4	36	1.42		.27
34127	11.0	125	5.0	247	9.7	41	1.61		.37
34128	12.0	125	5.0	247	9.7	41	1.61		.40
34129	13.0	125	5.0	247	9.7	41	1.61		.40
34130	14.0	125	5.0	247	9.7	41	1.61		.40
34131	15.0	125	5.0	247	9.7	41	1.61		.40
34132	16.0	125	5.0	249	9.8	41	1.61		.42
34133	17.0	125	5.0	249	9.8	41	1.61		.42

341 Magnetic Nut Driver, With Wiha-SoftFinish® Handle

Item No.	⊙	⊖	⊖	⊖	⊖	⊖
	mm	mm	Inch	mm	Inch	lbs.
34152	5.5	125	5.0	238	9.4	.14
34154	5.5	250	9.8	361	14.2	.21



34193 7pc Nut Driver Set Inch sizes.

Blade CVM steel, hardened.

Deep drawn 1" socket.

Item No.	⊙	⊖	⊙	⊖	⊖
	Inch	Inch	Inch	Inch	lbs.
34193	3/16	5.0	3/8	5.0	1.89
	1/4	5.0	7/16	5.0	
	5/16	5.0	1/2	5.0	
	11/32	5.0			



34195 10pc Nut Driver Set Inch sizes

Item No.	⊙	⊖	⊙	⊖	⊖
	Inch	Inch	Inch	Inch	lbs.
34195	3/16	5.0	3/8	5.0	3.12
	7/32	5.0	7/16	5.0	
	1/4	5.0	1/2	5.0	
	5/16	5.0	9/16	5.0	
	11/32	5.0	5/8	5.0	



34194 7pc Nut Driver Set Metric sizes











Item No.	⊙	⊖	⊙	⊖	⊖
	mm	mm	mm	mm	lbs.
34194	5.0	125	8.0	125	1.93
	5.5	125	10.0	125	
	6.0	125	13.0	125	
	7.0	125			

Wiha SoftFinish® Heavy Duty Nut Drivers













347 Nut Driver, With Hex Bolster & Wiha-SoftFinish® Handle

Blade CVM steel, hardened. Deep drawn 1" socket. Hex bolster for additional torque, Solid shafts. Wiha-SoftFinish® cushion grip handle.

Item										
No.	mm	mm	Inch	mm	mm	Inch	mm	Inch	lbs.	
34712	7.0	125	5.0	10.0	238	9.4	36	1.42	.25	
34715	8.0	125	5.0	10.0	238	9.4	36	1.42	.25	
34718	9.0	125	5.0	10.0	238	9.4	36	1.42	.26	
34721	10.0	125	5.0	10.0	238	9.4	36	1.42	.27	
34724	11.0	125	5.0	13.0	247	9.7	41	1.61	.37	
34727	12.0	125	5.0	13.0	247	9.7	41	1.61	.40	
34730	13.0	125	5.0	13.0	247	9.7	41	1.61	.40	











347 Nut Driver, Hex Bolster & Wiha-SoftFinish® Handle Inch sizes

Item										
No.	Inch	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	
34753	3/16	5.0	125	5/16	231	9.1	36	1.42	.18	
34759	1/4	5.0	125	3/8	238	9.4	36	1.42	.24	
34765	5/16	5.0	125	3/8	238	9.4	36	1.42	.25	
34771	3/8	5.0	125	3/8	238	9.4	36	1.42	.26	
34774	7/16	5.0	125	1/2	246	9.7	41	1.61	.38	

Long Flexible Shaft Nut Drivers, SoftFinish® Handle - Ergonomic Cushion Grip












372 Long Flexible Shaft Nut Driver, With Wiha-SoftFinish® Handle Heavy Duty flexible shaft of braided steel with protective sleeve. Hardened mounted socket for optimal torque.

Item										
No.	mm	mm	Inch	mm	Inch	mm	Inch	lbs.		
37235	5.0	150	5.9	261	10.2	30	1.18	.16		
37236	5.5	150	5.9	261	10.2	30	1.18	.16		
37237	6.0	150	5.9	261	10.2	30	1.18	.17		
37238	7.0	150	5.9	261	10.2	36	1.42	.28		
37239	8.0	150	5.9	261	10.2	36	1.42	.28		
37241	10.0	175	6.9	261	10.2	41	1.61	.44		
37244	13.0	175	6.9	261	10.2	41	1.61	.44		

Wiha SoftFinish® Inch Nut Drivers - Hollow Shaft








343 Hollow Shaft Nut Driver-Wiha-SoftFinish® Handle Inch sizes

Item									
No.	Inch	Inch	mm	mm	Inch	mm	Inch	lbs.	
34336	3/16	2.75	70	175	7.0	30	1.18	.18	
34338	1/4	2.75	70	175	7.0	30	1.18	.24	
34339	5/16	2.75	70	175	7.0	36	1.42	.25	
34340	11/32	2.75	70	182	7.5	36	1.42	.25	
34341	3/8	2.75	70	182	7.5	36	1.42	.26	
34342	7/16	2.75	70	187	7.6	41	1.61	.38	
34343	1/2	2.75	70	187	7.6	41	1.61	.40	








34791 5pc Nut Driver Set Metric sizes

Item					
No.	mm	mm	mm	mm	lbs.
34791	5.0*	125	10.0	125	1.42
	6.0*	125	11.0	125	
	8.0	125			

*Standard blade - no hex bolster








37291 7pc Flexible Shaft Nut Driver Set, Metric Sizes

Item					
No.	mm	mm	mm	mm	lbs.
37291	5.0	150	8.0	150	1.93
	5.5	150	10.0	175	
	6.0	150	13.0	175	
	7.0	150			



34390 7pc Hollow Shaft Nut Driver Set Inch Sizes

Item					
No.	Inch	Inch	Inch	Inch	lbs.
34390	3/16	2.75	3/8	2.75	1.55
	1/4	2.75	7/16	2.75	
	5/16	2.75	1/2	2.75	
	11/32	2.75			


Wiha SoftFinish® Triangle Nut Drivers



344 Triangle Nut Driver, With Wiha-SoftFinish® Handle

Blade Chrome-vanadium-molybdenum steel, hardened. Wiha-SoftFinish® cushion grip handle.

Item	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
34474	M4	6.8	.267	125	5"	236	9.3	30	1.18	.17
34475	M5	8.3	.326	125	5"	236	9.3	30	1.18	.19
34476	M6	10.1	.413	125	5"	236	9.3	30	1.18	.21
34478	M8	12.1	.474	125	5"	243	9.6	36	1.42	.23



Wiha T-Handle Nut Drivers



336 Nut Driver, With Wiha T-handle Blade CVM steel, hardened, nickel-plated.

Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item	Inch	Inch	mm	Inch	mm	Inch	mm	lbs.
33653	3/16	6.0	150	7.2	182	4.0	100	.16
33659	1/4	6.0	150	7.2	182	4.0	100	.18
33665	5/16	6.0	150	7.2	182	4.0	100	.19
33671	3/8	6.0	150	7.2	182	4.0	100	.20
33674	7/16	6.0	150	7.2	182	4.0	100	.26
33677	1/2	6.0	150	7.2	182	4.0	100	.30



336 Nut Driver, With Wiha T-handle Blade CVM steel, hardened, nickel-plated. Wiha

T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item	mm	mm	Inch	mm	Inch	mm	Inch	lbs.
33603	6.0	125	4.9	157	6.2	100	4.0	.16
33606	8.0	125	4.9	157	6.2	100	4.0	.18
33607	8.0	200	7.9	232	9.1	100	4.0	.22
33609	9.0	125	4.9	157	6.2	100	4.0	.23
33612	10.0	125	4.9	157	6.2	100	4.0	.24
33620	12.0	125	4.9	157	6.2	100	4.0	.26
33622	13.0	125	4.9	157	6.2	100	4.0	.27
33623	13.0	230	9.0	262	10.3	100	4.0	.30



33690 6pc Nut Driver T-handle Set

Inch Sizes. Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item	Inch	Inch	Inch	Inch	lbs.
33690	3/16	6.0	3/8	6.0	1.61
	1/4	6.0	7/16	6.0	
	5/16	6.0	1/2	6.0	



33691 5pc Nut Driver T-handle Set Metric.


Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item	mm	mm	mm	mm	lbs.
33691	6.0	125	10.0	125	1.57
	8.0	125	13.0	125	
	9.0	125			

Wiha Drive-Loc VI Nut Drivers



For Adjustable Length Locking Blades



The blade length can be adjusted from 40mm-120mm. (1.7 to 4.7")

Locking mechanism in Wiha SoftFinish® cushion grip ergonomic handle. Blade length can be adjusted from 40mm-120mm. (1.7 to 4.7" In 1/8" increments)

PicoFinish Soft Grip Nut Drivers



265 Inch Nut Drivers, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	Inch	Inch	Inch	Inch
26571	3/32	2.4	6.3	.71
26572	7/64	2.4	6.3	.71
26573	1/8	2.4	6.3	.71
26574	9/64	2.4	6.3	.71
26575	5/32	2.4	6.3	.71
26576	3/16	2.4	6.3	.71
26577	7/32	2.4	6.3	.71
26578	1/4	2.4	6.3	.71

*Metric dimensions actual - Inch dimensions approximate



265 Metric Nut Drivers, With Precision PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	mm	mm	mm	mm	mm
26579	1.5	60	160	2.5	3.0 18
26581	2.0	60	160	3.2	4.0 18
26582	2.5	60	160	4.0	4.0 18
26583	3.0	60	160	5.0	5.0 18
26584	3.5	60	160	5.3	6.0 18
26585	4.0	60	160	5.5	6.0 18
26586	4.5	60	160	6.2	7.0 18
26587	5.0	60	160	6.8	7.0 18
26588	5.5	60	160	7.6	8.0 18
26589	6.0	60	160	8.2	9.0 18

*Metric dimensions actual - Inch dimensions approximate



26593 8 Piece Inch Nut Driver Set, With Precision Soft PicoFinish Handle

In storage pouch

Item No.	Inch Nut Drivers:	lbs.
26593	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.72

26596 8pc Metric Nut Driver Set, With Precision Soft PicoFinish Handle

In storage pouch

Item No.	Metric Nut Drivers:	lbs.
26596	2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5 x 60mm	.66



281 Drive-Loc VI Inch Nut Driver Blades
High alloy CVM steel, through hardened, hard chrome finish. OAL blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Inch	OAL	lbs.
28156	3/16	5.9"	.11
28158	1/4	5.9"	.11
28159	9/32	5.9"	.12
28160	5/16	5.9"	.13
28161	11/32	5.9"	.14
28162	3/8	5.9"	.15
28163	7/16	5.9"	.17
28164	1/2	5.9"	.18



28196 8pc Drive-Loc VI Interchangeable Blade Set, In Durable Pouch
Set includes Drive-Loc VI handle & 7 Inch Nut Driver blades.

Item No.	lbs.
28196	1.22

Inch: 3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2"
SoftFinish® Cushion Grip Blade Lock Handle



28198 8pc Drive-Loc VI Interchangeable Blade Set, In Durable Pouch
Set includes Drive-Loc VI handle & 7 Metric Nut Driver blades.

Item No.	lbs.
28198	1.00

Metric: 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0mm
SoftFinish® Cushion Grip Blade Lock Handle



281 Drive-Loc VI Metric Nut Driver Blades
High alloy CVM steel, through hardened, hard chrome finish. OAL blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	mm	OAL	lbs.
28170	5.0	150mm	.11
28171	5.5	150mm	.11
28172	6.0	150mm	.12
28173	7.0	150mm	.13
28174	8.0	150mm	.13
28177	9.0	150mm	.14
28175	10.0	150mm	.15
28176	11.0	150mm	.20

Wiha Power Blade Nut Drivers - 100mm



760 Power Blade Inch Nut Drivers High alloy CVM steel, hardened, hard chromed.

Item No.	Blade Size	Blade Length	Blade Width	Weight
	mm	mm	Inch	lbs.
76059	3/16	100	3.9	.12
76060	7/32	100	3.9	.14
76061	1/4	100	3.9	.14
76062	9/32	100	3.9	.14
76063	5/16	100	3.9	.14
76064	11/32	100	3.9	.15
76065	3/8	100	3.9	.15
76066	7/16	100	3.9	.15
76067	1/2	100	3.9	.18



760 Power Blade Metric Nut Drivers High alloy CVM steel, hardened, hard chromed.

Item No.	Blade Size	Blade Length	Blade Width	Weight
	mm	mm	Inch	lbs.
76068	4.0	100	3.9	.12
76069	4.5	100	3.9	.12
76070	5.0	100	3.9	.12
76071	5.5	100	3.9	.14
76072	6.0	100	3.9	.14
76073	7.0	100	3.9	.14
76074	8.0	100	3.9	.14
76075	9.0	100	3.9	.14
76076	10.0	100	3.9	.14
76077	11.0	100	3.9	.15
76078	12.0	100	3.9	.18
76080	13.0	100	3.9	.19

Wiha Nut Driver Precision Series



265 Metric Metric Nut Driver With Precision Handle Metric sizes. Blade Chrome-Vanadium-Molybdenum steel. Hard chrome finished.

Item No.	Blade Size	Blade Length	Blade Width	Blade Length	Blade Width	Blade Length	Blade Width	Weight
	mm	mm	Inch	mm	Inch	mm	mm	lbs.
26510	1.5	60	2.4	140	5.5	2.5	3.0	.03
26515	1.8	60	2.4	140	5.5	2.9	3.5	.03
26520	2.0	60	2.4	140	5.5	3.2	4.0	.04
26525	2.5	60	2.4	155	6.1	4.0	4.0	.04
26530	3.0	60	2.4	155	6.1	5.0	5.0	.05
26535	3.5	60	2.4	155	6.1	5.3	6.0	.05
26540	4.0	60	2.4	155	6.1	5.5	6.0	.05
26545	4.5	60	2.4	155	6.1	6.2	7.0	.05
26550	5.0	60	2.4	155	6.1	6.8	7.0	.05
26555	5.5	60	2.4	170	6.7	7.6	8.0	.06
26560	6.0	60	2.4	170	6.7	8.2	9.0	.06

*Metric dimensions actual - Inch dimensions approximate



265 Inch Inch Nut Driver With Precision Handle Inch sizes. Blade Chrome-Vanadium-Molybdenum steel. Hard chrome finished.

Item No.	Blade Size	Blade Length	Blade Width	Blade Length	Blade Width	Blade Length	Blade Width	Weight
	Inch	mm	Inch	mm	Inch	Inch	Inch	lbs.
26523	3/32	60	2.4	155	6.1	.16	.16	.04
26527	7/64	60	2.4	155	6.1	.20	.20	.05
26531	1/8	60	2.4	155	6.1	.20	.20	.05
26536	9/64	60	2.4	155	6.1	.21	.24	.05
26539	5/32	60	2.4	155	6.1	.22	.24	.05
26547	3/16	60	2.4	155	6.1	.25	.28	.05
26556	7/32	60	2.4	170	6.7	.30	.32	.06
26563	1/4	60	2.4	170	6.7	.34	.36	.06

*Metric dimensions actual - Inch dimensions approximate

Wiha Nut Driver Sets Precision Series



26590 8pc Precision Nut Driver Set - Metric Blade CVM steel. Hard chrome finish.

Item No.	Metric Nut Drivers:	Weight
26590	2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0mm x 60mm	lbs. .48

26592 7pc Nut Driver Set - Metric

Item No.	Metric Nut Drivers:	Weight
26592	1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm	



In canvas storage pouch

26598 8pc Precision Nut Driver Set - Metric Blade CVM steel. Hard chrome finished.

Item No.	Metric Nut Drivers:	Weight
26598	2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0mm x 60mm	lbs. .70



26591 8pc Precision Nut Driver Set - Inch Blade CVM steel. Hard chrome finished.

Item No.	Inch Nut Drivers:	Weight
26591	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	lbs. 47



In canvas storage pouch

26599 8pc Precision Nut Driver Set - Inch Blade CVM steel. Hard chrome finished.

Item No.	Inch Nut Drivers:	Weight
26599	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	lbs. .72



NO HASSLE GUARANTEE

Wiha branded tools are regarded as the most durable, best designed and highly innovative products around. Our tools are used by demanding professional tradespeople and tool aficionados alike. They are meant to be used and utilized often. However, if you are not happy for any reason return them within 12 months of purchase with proof of purchase and we will **Repair or Replace**.

Rest assured, if for some reason there is a defect in material or workmanship we will replace your tool free of charge for as long as you own the tool.

Failures due to misuse, abuse or normal wear and tear are not covered by this guarantee. We stand by our products with what we believe is the best **No Hassle Guarantee** in the industry.

Exclusions

Wiha Tools has the right to exclude Bits, Tweezers and Ceramic Screwdrivers. These products are either consumable or wear easily.

All torque tools are designed for 5,000 cycles or 1 year (whichever comes first). If a tool becomes out of specification within that period Wiha Tools will **Repair or Replace**. Visit www.wihatools.com to learn more about our Torque Control Service Program.

Legal

Some areas do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This guarantee gives you specific rights, and you may also have other rights, which vary, from state to state, province to province, or country to country.

This **No Hassle Guarantee** is the sole and exclusive guarantee for the Willi Hahn Corporation dba Wiha Tools. No employee, agent, dealer, or other person is authorized to alter this guarantee or make any other guarantees on behalf of Wiha Tools.

Willi Hahn Corporation USA | Attn: No Hassle Guarantee
1348 Dundas Circle | Monticello, MN 55362



99002 Screwdrivers Catalog




99001 TorqueControl Catalog




99919 Insulated Catalog



99951 Bits Catalog



99007 Merchandise Catalog



99060 Product Guide

	Wiha Quality Tools 1348 Dundas Circle Monticello, MN 55362 tel: 763.295.6591 fax: 763.295.6598	Wiha Tools Canada Ltd. www.wihatools.com Brampton, ONT tel: 866.494.0096 or 763.295.6591 fax: 763.295.6598
	<p>To:</p>	

(800) 494-6104 | fax: (800) 494-7456
cservice@wihatools.com | www.wihatools.com

Subject to change without notice

©2023 Willi Hahn Corporation

Catalog Item No. 99002
version - 1/1/2023

®Torx is a registered trademark of Acument Intellectual Properties LLC.