


2025

PROFESSIONAL SCREWDRIVERS & NUT DRIVERS



COMPLETE SCREWDRIVER PROGRAM



Wiha SoftFinish® CushionGrip Screwdrivers

Description	Page
 SoftFinish® Slotted Drivers	4-7
 SoftFinish® Phillips Drivers	4-7
 SoftFinish® Square Drivers	7
 SoftFinish® Pozidriv® Drivers	8
 Torx®/TR Torx® Screwdrivers	10
 SoftFinish® TorxPlus® Drivers	11
 Measuring Scale Screwdrivers	8
 Stubby Slotted/Phillips Drivers	9
 SoftFinish® MagicSpring Drivers	9
 SoftFinish® MagicRing Drivers	12

Wiha Switch Cabinet Keys

Description	Page
 Switch Cabinet Keys	7


Wiha ESD Safe SoftFinish® Screwdrivers

Description	Page
 SoftFinish® Slotted Drivers	13
 SoftFinish® Phillips Drivers	13
 Torx® Screwdrivers	13

Wiha Drive-Loc VI Tools

Description	Page
 Drive-Loc VI Handles	14
 Drive-Loc VI Blades	14-15
 Drive-Loc VI Sets	15

Wiha MicroFinish Non-Slip Grip Drivers

Description	Page
 MicroFinish Slotted & Phillips	16-17
 MicroFinish Torx® Drivers	16-17
 MicroFinish Bit Holder	17

Wiha Power Blades & Sets

Description	Page
 CentroFix Blade Holder	18
 90mm Power Blades	17-18
 Power Blade Sets	17-18
 Power Blade Nut Drivers 100mm Inch/Metric & Sets	30

Wiha Drive-Loc IV Tools

Description	Page
 SYSTEM 4 Drive-Loc IV Handle & Blades	19
 SYSTEM 4 Drive-Loc Set	19

Wiha Precision Screwdrivers

Description	Page
 Precision Slotted Drivers	20
 Precision Phillips Drivers	20
 Precision Pozidriv® Drivers	21
 Precision Hex Drivers	21
 Precision Ball End Drivers	22
 Precision Torx® Drivers	22
 Precision Pentalobe Drivers	21
 Precision Chip Lifters	23
 Precision Screwdriver Sets	23

Wiha Magnetizer/Demagnetizer

Description	Page
 Magnetizer/Demagnetizer	23

Wiha Precision Accessories

Description	Page
 Vinyl Pouch For Screwdrivers	23
 Precision Screwdriver Holder	23

Wiha PicoFinish® Precision Screwdrivers

Description	Page
 PicoFinish® Slotted Drivers	24
PicoFinish® Phillips Drivers	24
PicoFinish® Tri-Wing® Drivers	24
PicoFinish® Pentalobe Drivers	24
PicoFinish® Torx® Drivers	25
PicoFinish® Hex Drivers	25
PicoFinish® Ball End Drivers	25
 PicoFinish® Screwdriver Sets	24-25

Wiha ESD Safe PicoFinish® Precision Drivers

Description	Page
 ESD PicoFinish® Slotted Drivers	26
ESD PicoFinish® Phillips Drivers	26
ESD PicoFinish® Torx® Drivers	26
ESD PicoFinish® Hex Drivers	26
ESD PicoFinish® Nut Drivers	26
 ESD Safe PicoFinish® Sets	27-28

Wiha Drive-Loc VI Tools

Description	Page
 Drive-Loc VI Handles	29

Wiha Insulated Screwdrivers




Insulated Slotted
Insulated Phillips
Insulated Terminal Block Xeno
Insulated Square Drivers
Insulated Hex Metric Drivers
Insulated Torx® Drivers
Insulated Nut Drivers
Insulated Torque Drivers
Insulated SlimLine Drivers

Wiha TorqueControl Series



TorqueFix® Screwdrivers
TorqueVario®-S Screwdrivers
easyTorque Screwdrivers
iTorque® Screwdrivers
Insulated TorqueVario®-S
ESD Safe TorqueVario®-S
Torque T-handle Screwdrivers
TorqueControl Sets

Wiha Nut Drivers

Description	Page
 SoftFinish® Nut Drivers	30-31
 T-handle Nut Drivers	32
 Drive-Loc VI Nut Drivers	33
 PicoFinish® Nut Drivers	33
 Precision Nut Drivers	34
 Power Blade Nut Drivers	32

Wiha SoftFinish® Handle - Ergonomic Cushion Grip

Wiha SoftFinish® Handle

Featuring advanced dual material technology molding. A remarkable improvement in handle design, comfort and performance. The SoftFinish® ergonomic shape allows maximum torque and user comfort.



Wiha exclusive "SoftFinish® Zone" features solid molded core with soft outer cushion grip. Requires less force, yet achieves 40% more torque than conventional handles

Handle is molded directly onto the blade for a permanent bond. Large optimized handle diameter allows higher torque with less user hand fatigue

Precision machined tips to exact tolerances for a perfect fit every time

All blades are made of CVM tool steel, super hardened and hard chrome finish for unmatched durability

Wiha SoftFinish® Extra Heavy Duty



530 Slotted Screwdriver, With Wiha-SoftFinish® Handle & Solid Metal Cap

Hex blade extending through handle manufactured from high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component. Hex bolster for additional torque.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
53010*	3.5	.139	75	3.0	0.6	.024	4.0	5/32	186	7.3	30	1.18	.16
53015*	4.5	.177	90	3.5	0.8	.031	4.0	5/32	201	7.9	30	1.18	.17
53020	5.5	.196	100	3.9	1.0	.039	5.0	13/64	213	8.4	36	1.42	.23
53025	6.5	.255	125	5.0	1.2	.047	6.0	1/4	238	9.4	36	1.42	.33
53027	8.0	.315	150	5.9	1.2	.047	8.0	5/16	268	10.6	41	1.61	.56
53035	10.0	.393	175	7.0	1.6	.063	8.0	5/16	293	11.6	41	1.61	.58
53040	12.0	.472	200	8.0	2.0	.079	10.0	25/64	318	12.5	41	1.61	.76

*No Hex Bolster



531 Phillips Screwdriver, With Wiha-SoftFinish® Handle & Solid Metal Cap

Hex blade extending through handle manufactured from high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component. Hex bolster for additional torque.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
53110	1	80	3.1	5.0	13/64	186	7.3	30	1.18	.20
53115	2	100	3.9	6.0	1/4	213	8.4	36	1.42	.32
53120	3	150	5.9	8.0	5/16	268	10.6	41	1.61	.56

Extra Heavy Duty Sets



53082 2pc Slotted & Phillips Set - Extra Heavy Duty

Item No.	Slotted: 8.0mm	lbs.
53082	Phillips: #2	1.85



53090 5pc Slotted & Phillips Set - Extra Heavy Duty

Item No.	Slotted: 5.5, 6.5, 8.0mm	lbs.
53090	Phillips: #1, 2	1.85



53075 5pc Slotted & Phillips Set - Extra Heavy Duty

Item No.	Slotted: 4.5, 5.5, 6.5mm	lbs.
53075	Phillips: #1, 2	1.48



53095 5pc Slotted & Phillips Set - Extra Heavy Duty

Item No.	Slotted: 6.5, 8.0, 10.0mm	lbs.
53095	Phillips: #1, 2	1.48

Extra Heavy Duty Sets



53096 6pc Slotted & Phillips Set - Extra Heavy Duty

Item	Slotted:	
No.	3.5, 4.5, 5.5, 6.5mm	lbs.
53096	Phillips: #1, 2	1.69



53097 7pc Slotted & Phillips Set - Extra Heavy Duty

Item	Slotted:	
No.	5.5, 6.5, 8.0, 10.0mm	lbs.
53097	Phillips: #1, 2, 3	3.15



53099 10pc Slotted & Phillips Set - Extra Heavy Duty

Item	Slotted: 3.5, 4.5, 5.5,	
No.	6.5, 8.0, 10.0, 12.0mm	lbs.
53099	Phillips: #1, 2, 3	4.20

SoftFinish® Extra Heavy Duty Foam Tray



53180 10-Piece Extra Heavy Duty SoftFinish® Cushion Grip Driver Tray Set
Designed with an ergonomic SoftFinish® cushion grip for maximum power and comfort. Extra heavy duty with hex bolster for more torque and metal cap for striking.

Item Slotted: 3.5, 4.0, 4.5, 5.5, 6.0,
No. 6.5, 8.0mm

53180 Phillips: #1, #2, #3



Wiha SoftFinish® Handle - Standard Series



302 **Slotted Screwdriver, With Wiha-SoftFinish® Handle** Round blade, high alloy CVM, hardened, hard chromed. Wiha-Chromtop tips. Handle, multi-component, cushion grip.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
30202*	2.0	.079	65	2.6	0.4	.016	169	6.7	23	.91	.05
30203*	2.5	.098	75	3.0	0.4	.016	179	7.0	23	.91	.05
30204*	3.0	.118	80	3.1	0.5	.020	184	7.2	23	.91	.06
30205*	3.0	.118	100	3.9	0.5	.020	204	8.0	23	.91	.06
30206*	3.0	.118	150	5.9	0.5	.020	254	10.0	23	.91	.07
30208*	3.0	.118	200	8.0	0.5	.020	304	12.0	23	.91	.07
30210*	3.5	.139	100	3.9	0.6	.024	204	8.0	23	.91	.07
30212*	3.5	.139	200	8.0	0.6	.024	304	12.0	23	.91	.09
30215*	4.0	.157	100	3.9	0.8	.031	211	8.3	30	1.18	.11
30217*	4.0	.157	150	5.9	0.8	.031	261	10.3	30	1.18	.12
30216*	4.0	.157	200	8.0	0.8	.031	311	12.2	30	1.18	.14
30218*	4.5	.187	80	3.1	0.8	.031	191	7.5	30	1.18	.11
30211*	4.5	.187	125	5.0	0.8	.031	236	9.3	30	1.18	.12
30220*	5.5	.216	125	5.0	1.0	.039	236	9.3	30	1.18	.15
30238*	5.5	.216	300	11.8	1.0	.039	411	16.1	30	1.18	.24
30221*	5.5	.216	200	8.0	1.0	.039	311	12.2	30	1.18	.20
30222	6.0	.250	100	3.9	1.2	.047	218	8.6	36	1.42	.17
30223	6.5	.255	100	3.9	1.2	.039	218	8.6	36	1.42	.20
30225	6.5	.255	150	5.9	1.2	.047	268	10.6	36	1.42	.22
30227	8.0	.315	150	5.9	1.2	.047	274	10.8	41	1.61	.29
30230	8.0	.315	175	7.0	1.2	.047	299	11.8	41	1.61	.30
30232	8.0	.315	300	11.8	1.2	.047	424	16.7	41	1.61	.36
30235	10.0	.393	200	8.0	1.6	.063	324	12.8	41	1.61	.36
30236	12.0	.472	250	9.8	2.0	.078	374	14.7	41	1.61	.52

*Cabinet Tips



311 **Phillips Screwdriver, With Wiha-SoftFinish® Handle** Round blade, high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop tips. Handle, multi-component, cushion grip.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
31105	0	60	2.4	3.0	.118	164	6.5	23	.91	.06
31110	1	80	3.1	4.5	.177	191	7.5	30	1.18	.11
31112	1	200	8.0	4.5	.177	311	12.3	30	1.18	.15
31114	1	300	12.0	4.5	.177	411	16.2	30	1.18	.18
31115	2	100	3.9	6.0	.236	218	8.6	36	1.42	.20
31117	2	200	8.0	6.0	.236	318	12.5	36	1.42	.25
31118	2	300	12.0	6.0	.236	418	16.5	36	1.42	.30
31120	3	150	5.9	8.0	.315	274	10.8	41	1.61	.33
31125	4	200	8.0	10.0	.393	323	12.7	41	1.61	.51



30279 **2pc Slotted/Phillips Screwdriver Set**

Item No. **Slotted** | 6.5mm

30279 **Phillips** | #2



30277 **5pc Slotted/Phillips Screwdriver Set**

Item No. **Slotted** | 4.5, 6.5, 8.0mm

30277 **Phillips** | #1, #2



30278 **7pc Slotted/Phillips Screwdriver Set**

Item No. **Slotted** | 3.5, 4.0, 5.5, 6.5mm

30278 **Phillips** | #1, #2, #3



30298 **8pc Slotted/Phillips Screwdriver Set**

Item No. **Slotted** | 3.0, 4.0, 5.5, 6.5, 8.0mm

30298 **Phillips** | #1, #2, #3


30294 6pc Slotted/Phillips Screwdriver Set
Item No. Slotted | 4.5, 6.5, 8.0mm | *4.0mm

30294 Phillips | #1, #2

*Stubby screwdriver with Wiha SoftFinish® handle


30297 12pc Slotted & Phillips Screwdriver Set
Item No. Slotted | 3.0, 4.0, 5.5, 6.5, 8.0, 10mm

30297 Stubby | 6.5mm & #2

Phillips | #0, #1, #2, #3

*Stubby screwdriver with Wiha SoftFinish® handle


SoftFinish® Screwdriver Foam Tray

30280 10-Piece SoftFinish® Cushion Grip Screwdriver Tray Set

Designed with an ergonomic SoftFinish® cushion grip for maximum power and comfort. Tips are machined to exact tolerances for a perfect fit every time.

Item Slotted: 3.5, 4.0, 4.5, 5.5, 6.0,

No. 6.5, 8.0mm

30280 Phillips: #1, #2, #3

30289 8pc Slotted, Phillips & Square Cushion Grip Drivers In Molded Case

Item	Slotted: 3.0, 4.5, 5.5, 6.5mm	lbs.
No.	Phillips: #1, 2	
30289	Square: #0, 1	1.69

Wiha SoftFinish® Handle - Square Drivers

358 Square Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed.

Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
35800	0	80	3.1	4.0	5/32	191	7.5	30	1.18	.11
35801	1	100	3.9	4.5	5/32	210	8.2	30	1.18	.12
35802	2	150	5.9	6.0	1/4	268	10.5	36	1.42	.19
35803	3	150	5.9	6.0	1/4	268	10.5	36	1.42	.22


35894 4pc SoftFinish® Square Tip Screwdriver Set

Item No.	Square:	lbs.
35894	#0, 1, 2, 3	.77


30290 10pc Slotted, Phillips & Square Cushion Grip Drivers

Item No.	Slotted: 3.0, 3.5, 4.5, 6.5mm	lbs.
No.	Phillips: 0, 1, 2	
30290	Square: 1, 2, 3	1.54


30291 6pc Slotted, Phillips & Square Cushion Grip Drivers

Item No.	Slotted: 4.5, 6.5mm	lbs.
No.	Phillips: #1, 2	
30291	Square: #1, 2	1.00

Wiha SoftFinish® Pozidriv®



313 Pozidriv® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
31305	0	60	2.4	3.0	.118	164	6.5	23	.91	.06
31310	1	80	3.1	4.5	.177	191	7.5	30	1.18	.11
31315	2	100	3.9	6.0	.236	218	8.6	36	1.42	.20
31320	3	150	5.9	8.0	.315	274	10.8	41	1.61	.33



Wiha SoftFinish® Handle - Standard Series Sets



30299 20pc Slotted, Phillips, TORX®, Square & Pozidriv® Set

Item No.	Slotted: 3.0, 4.0, 5.5, 6.5, 8.0mm	
30299	Phillips: 0, 1, 2	
	TORX®: T6, T8, T10, T15, T20, T25, T30	
	Square: 1, 2, 3	lbs.
	Pozidriv®: 1, 2	3.27




Switch Cabinet Keys



21105 Pen Style Control Cabinet Key

For applications with all common switch cabinets and locking systems. Diecast Zinc, polished finish. Includes: Square 5, 6, 7, 8mm, Triangular 9mm, Double Bit Key 5mm/Internal & 9mm/External, Universal 1/4" Bit Adapter, Magnetic Bit Holder & 2 Double Insert Bits: Slotted 7mm / Phillips #2 / TORX T20/T25

Item No.	mm	Inch	lbs.
21105	140	5.5"	.30



21103 Switch Cabinet Key

For applications with all common switch cabinets and locking systems. Diecast Zinc. Bit insert Slotted 7.0mm & Phillips #2. Adapter for 1/4" bits on securing chain and 1/4" bit adapter in one arm.

Item No.	mm	Inch	lbs.
21103	76	3.0"	.22

Wiha SoftFinish® Handle - Stubby Screwdrivers



302 Stubby Slotted Screwdriver, With Wiha-SoftFinish® Handle

Item	↓	↑	↓	↑	↓	↑	↓	↑	↓	↑	↓	↑
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch
30239	4.0	.157	25	1.0	0.8	.031	75	2.95	34	1.34	.09	
30255	5.5	.216	25	1.0	1.0	.039	75	2.95	34	1.34	.09	
30265	6.5	.255	25	1.0	1.2	.047	75	2.95	34	1.34	.10	

311 Stubby Phillips Screwdriver, With Wiha-SoftFinish® Handle

Item	+	+	+	+	+	+	+	+	+	+	+	+
No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
31135	1	25	1.0	4.5	.177	75	3.0	34	1.34	.09		
31140	2	25	1.0	6.0	.236	75	3.0	34	1.34	.10		



31193 2pc Slotted Stubby Screwdriver Set

Item	↓	↑	↓	↑	↓	↑
No.	mm	mm	mm	mm	mm	lbs.
31193	4.0	25	6.5	25		.24



31192 2pc Phillips Stubby Screwdriver Set

Item	+	+	+	+	+	+
No.	Size	mm	Size	mm	mm	lbs.
31192	1	25	2	25		.24



31190 2pc Slotted & Phillips Stubby Screwdriver Set

Item	↓	↑	+	+	+	+
No.	mm	mm	Size	mm	mm	lbs.
31190	4.0	25	1	25		.24



31191 2pc Slotted & Phillips Stubby Screwdriver Set

Item	↓	↑	+	+	+	+
No.	mm	mm	Size	mm	mm	lbs.
31191	6.5	25	2	25		.24

Wiha Screw Holding TORX® Tools

- Laser welded assembly
- Holds screws securely
- Won't damage screws
- Doesn't weaken tool
- Exact fit tips
- Hardened tool steel blades
- Holds standard Torx screws*
- Stainless rotary spring



362 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed.

Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	+	+	+	+	+	+	+	+	+	+	+	+
No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
36202	T6	60	2.4	3.5	.139	164	6.5	23	.91	.07		
36203	T7	60	2.4	3.5	.139	164	6.5	23	.91	.07		
36207	T8	60	2.4	3.5	.139	164	6.5	23	.91	.07		
36111	T9	60	2.4	4.0	.157	171	6.7	30	1.18	.11		
36244	T10	80	3.1	4.0	.157	191	7.5	30	1.18	.11		
36249	T15	80	3.1	4.0	.157	191	7.5	30	1.18	.11		
36254	T20	100	3.9	4.0	.157	211	8.3	36	1.42	.16		
36256	T25	100	3.9	4.5	.177	211	8.3	36	1.42	.17		
36258	T30	115	4.5	6.0	.236	233	9.2	36	1.42	.21		



36290 6pc Set MagicSpring Screw

Holding TORX® SoftFinish Screwdrivers

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips. Molded on.

Item	+	+	+	+	+	+
No.	Size	mm	Size	mm	mm	lbs.
36290	T8	60	T20	100		.98
	T10	80	T25	100		
	T15	80	T30	115		

*MagicSpring tools will hold Torx® screws made to CamCar Textron Torx® specifications

Wiha TORX® SoftFinish® Screwdrivers



362 TORX® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
36264	T5	60	2.4	2.5	.098	164	6.5	23	.91	.05
36266	T6	60	2.4	3.5	.139	164	6.5	23	.91	.06
36268	T7	60	2.4	3.5	.139	164	6.5	23	.91	.06
36270	T8	60	2.4	3.5	.139	164	6.5	23	.91	.06
36272	T9	60	2.4	4.0	.157	171	6.7	30	1.18	.10
36274	T10	80	3.1	4.0	.157	191	7.5	30	1.18	.11
36276	T15	80	3.1	4.0	.157	191	7.5	30	1.18	.11
36278	T20	100	3.9	4.0	.157	211	8.3	36	1.42	.11
36280	T25	100	3.9	4.5	.177	211	8.3	36	1.42	.12
36282	T27	115	4.5	5.5	.216	233	9.2	36	1.42	.19
36284	T30	115	4.5	6.0	.236	233	9.2	36	1.42	.20
36286	T40	130	5.1	7.0	.275	254	10.0	41	1.61	.27
36288	T45	130	5.1	8.0	.315	254	10.0	41	1.61	.31



36294 8 Piece TORX® Set

Item No.	TORX®:	lbs.
36294	T6, T8, T10, T15, T20, T25, T27, T30	1.38



36267 12 Piece TORX® Set

Item No.	TORX®:	lbs.
36267	T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40	2.03

Wiha Security TORX® Screwdrivers



362 Security TORX® Screwdriver With Wiha-SoftFinish® Handle Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
36269	T7s	60	2.4	3.5	.139	164	6.5	23	.91	.06
36271	T8s	60	2.4	3.5	.139	164	6.5	23	.91	.06
36273	T9s	60	2.4	4.0	.157	171	6.7	23	.91	.10
36275	T10s	80	3.1	4.0	.157	191	7.5	30	1.18	.11
36277	T15s	80	3.1	4.0	.157	191	7.5	30	1.18	.11
36279	T20s	100	3.9	4.0	.157	211	8.3	30	1.18	.11
36281	T25s	100	3.9	4.5	.177	211	8.3	30	1.18	.11
36283	T27s	115	4.5	5.5	.216	233	9.2	36	1.42	.19
36285	T30s	115	4.5	6.0	.236	233	9.2	36	1.42	.20
36287	T40s	130	5.1	7.0	.275	254	10.0	41	1.61	.28



36291 6pc TORX® SoftFinish® - Cushion Grip Set

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component.

Item No.	Size	mm	Size	mm	lbs.
36291	T6	60	T9	60	.77
	T7	60	T10	80	
	T8	60	T15	80	

36201 6pc Set - TORX®

Item No.	Size	mm	Size	mm	lbs.
36201	T6	60	T15	80	.83
	T8	60	T20	100	
	T10	80	T25	100	

Wiha Security TORX® Drivers



36298 7pc Set - Security TORX®

Item No.	Security TORX®:	lbs.
36298	T7s, T8s, T9s, T10s, T15s, T20s, T25s	.95



36259 10pc Set - Security TORX®

Item No.	Security TORX®:	lbs.
36259	T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s	1.5

Wiha TORXPlus® Cushion Grip Drivers



Not for use in standard Torx fasteners



362 TORXPlus® Screwdriver With Wiha SoftFinish® Handle

Round blade high alloy Chrome-vanadium-molybdenum tool steel, hardened, hard chromed.
Wiha-Chromtop finish on tips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
36211	IP6	60	2.4	3.5	.139	164	6.5	23	.91	.06
36223	IP7	60	2.4	3.5	.139	164	6.5	23	.91	.06
36228	IP8	60	2.4	4.0	.157	171	6.7	23	.91	.10
36102	IP9	60	2.4	4.0	.157	171	6.7	30	1.18	.11
36105	IP10	80	3.1	4.0	.157	191	7.5	30	1.18	.11
36238	IP15	80	3.1	4.0	.157	191	7.5	30	1.18	.11
36123	IP20	100	3.9	4.5	.177	211	8.3	36	1.42	.11
36243	IP25	100	3.9	5.5	.216	211	8.3	36	1.42	.19
36248	IP27	115	4.5	6.0	.236	233	9.2	36	1.42	.20
36253	IP30	115	4.5	7.0	.275	233	9.2	36	1.42	.28
36255	IP40	130	5.1	7.0	.275	254	10.0	41	1.61	.28



36296 6pc TORXPlus® Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component.

Item No.	TORXPlus®	lbs.
36296	IP6, IP7, IP8, IP9, IP10, IP15	.62



36297 8pc TORXPlus® Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component.

Item No.	TORXPlus®	lbs.
36297	IP6, IP7, IP8, IP9, IP10, IP15, IP20, IP25	1.47



Torx® Profiles

Torx®



Security Torx®



Security Pentalobe 5 Point



Ball End Torx®



TorxPlus®



Torx® Align



Wiha TORX® SoftFinish® Screwdrivers

25°



362 Ball End TORX® Screwdriver, With Wiha-SoftFinish® Handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed.
Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.



36299 7pc TORXPlus® Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component.

Item No.	Size	mm	Size	mm	lbs.
36299	IP8	60	IP25	100	.99
	IP10	80	IP30	115	
	IP15	80	IP40	130	
	IP20	100			

Item No.	Size	mm	Inch	mm	Inch	lbs.
36101	T9	60	2.4	4.0	.157	164 6.5 .10
36217	T10	60	2.4	4.0	.157	184 7.2 .11
36218	T10	80	3.1	4.0	.157	191 7.5 .11
36221	T15	80	3.1	4.0	.157	191 7.5 .11
36222	T20	80	3.1	4.0	.157	211 8.3 .11
36226	T25	100	3.9	4.5	.177	218 8.6 .12
36227	T27	115	4.5	5.5	.216	233 9.2 .19
36118	T30	115	4.5	6.0	.236	233 9.2 .20

Wiha MagicRing SoftFinish® Hex Drivers

Screw Holding Hex Tools



Screw Holding

Cushioned grip and extra large diameter to achieve high torque

Flat surfaces give roll-off protection

Molded on handle for permanent bond

Hard Chrome Finish

367 MagicRing Ball End Hex-Driver Inch, With Wiha-SoftFinish® Handle Hex blade, high alloy CVM steel, hardened, hard chromed. SoftFinish® handle, multi-component, cushion grip.

Item No.	Inch	Inch	mm	mm	Inch	mm	Inch	lbs.
36710*	.050	3.1	80	179	7.0	23	.91	.06
36713*	1/16	3.1	80	204	8.0	23	.91	.06
36716*	5/64	3.9	100	204	8.0	23	.91	.07
36719*	3/32	3.9	100	204	8.0	23	.91	.07
36723*	7/64	3.9	100	211	8.3	23	.91	.07
With MagicRing								
36726	1/8	3.9	100	243	9.6	30	1.18	.12
36728	9/64	3.9	100	243	9.6	30	1.18	.12
36732	5/32	5.0	125	271	10.7	30	1.18	.12
36734	3/16	6.0	150	271	10.7	30	1.18	.16
36736	7/32	6.0	150	271	10.7	36	1.42	.23
36738	1/4	6.0	150	271	10.7	36	1.42	.25
36742	5/16	8.0	200	271	10.7	36	1.42	.37
36744	3/8	8.0	200	271	10.7	41	1.61	.54

* Standard Ball - No Ring

Hard Chrome Finish

367 MagicRing Ball End Hex Driver Metric, With Wiha-SoftFinish® Handle Hex blade, high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	mm	Inch	mm	Inch	mm	Inch	lbs.
36715*	1.5	75	3.0	179	7.0	23	.91	.06
36720*	2.0	100	3.9	204	8.0	23	.91	.07
36725*	2.5	100	3.9	204	8.0	23	.91	.07
With MagicRing								
36730	3.0	100	3.9	204	8.0	23	.91	.07
36740	4.0	125	5.0	211	8.3	30	1.18	.12
36750	5.0	150	5.0	243	9.6	30	1.18	.16
36760	6.0	150	5.0	243	9.6	36	1.42	.23
36780	8.0	200	8.0	268	10.6	36	1.42	.37
36786	10.0	200	8.0	271	10.7	41	1.61	.54

* Standard Ball - No Ring



36796 6pc MagicRing Inch Ball End

Screwdriver Set Hex blade CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Inch:	lbs.
36796	1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1.34

36793 8pc MagicRing Inch Ball End Screwdriver Set

Item No.	Inch:	lbs.
36793	1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	2.25

36795 13pc MagicRing Inch Ball End Screwdriver Set

Item No.	Inch:	lbs.
36795	.050*, 1/16*, 5/64*, 3/32*, 7/64*, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	2.58

* Standard Ball - No Ring



36792 6pc MagicRing Metric Ball End Hex Screwdriver Set

Item No.	Metric:	lbs.
36792	3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	1.86

36790 9pc MagicRing Metric Ball End Hex Screwdriver Set

Item No.	Metric:	lbs.
36790	1.5*, 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	2.06

* Standard Ball - No Ring

Wiha ESD Safe SoftFinish Cushion Grip Screwdrivers



302 ESD Safe Slotted Screwdrivers, With Wiha-SoftFinish® Handle

DIN EN 61340-5-1/61340-5-2 Round blade, high alloy CVM steel, hardened, hard chromed.

Offers protection against electrostatic discharge. Dissipative SoftFinish® cushion grip handle, multi-component, ESD Safe (10^6 - 10^9 Ohm).

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
30240*	2.5	.098	75	3.0	0.4	.016	175	7.0	.06	10
30242*	3.0	.118	100	3.9	0.5	.020	204	8.0	.06	10
30244*	4.0	.157	100	3.9	0.8	.031	211	8.3	.11	10
30246*	5.5	.216	125	5.0	1.0	.039	236	9.3	.15	10
30248	6.5	.255	150	5.9	1.2	.047	268	10.6	.22	10

*Cabinet Tips



311 ESD Safe Phillips Screwdriver, With Wiha-SoftFinish® Handle

DIN EN 61340-5-1/61340-5-2 Round blade, high alloy CVM steel, hardened, hard chromed.

Offers protection against electrostatic discharge. Dissipative SoftFinish® cushion grip handle, multi-component, ESD Safe (10^6 - 10^9 Ohm).

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
31150	0	60	2.4	3.0	1/8	164	6.5	.06	10
31151	1	80	3.1	4.5	3/16	191	7.5	.11	10
31152	2	100	3.9	6.0	1/4	218	8.6	.20	10



362 ESD Safe TORX® Screwdriver, With Wiha-SoftFinish® Handle

DIN EN 61340-5-1/61340-5-2 Round blade, high alloy CVM steel, hardened, hard chromed.

Offers protection against electrostatic discharge. Dissipative SoftFinish® cushion grip handle, multi-component, ESD Safe (10^6 - 10^9 Ohm).

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36260	T3	60	2.4	3.5	.139	164	6.5	.06	10
36204	T4	60	2.4	3.5	.139	164	6.5	.06	10
36200	T5	60	2.4	3.5	.139	164	6.5	.06	10
36206	T6	60	2.4	3.5	.139	164	6.5	.06	10
36208	T8	60	2.4	3.5	.139	164	6.5	.06	10
36209	T9	60	2.4	4.0	.157	171	6.7	.10	10
36218	T10	80	3.1	4.0	.157	191	7.5	.11	10
36219	T15	80	3.1	4.0	.157	191	7.5	.11	10
36224	T20	100	3.9	4.0	.157	211	8.3	.11	10

Wiha ESD Safe SoftFinish®

For working on static sensitive components

Dissipative material offers protection against electrostatic discharge

ESD Safe



SoftFinish cushion grip handle

CVM steel hardened, hard chrome Finish

DIN EN 61340-5-1/ 61340-5-2



30292 Set 6 Pcs. ESD Safe Slotted & Phillips DIN EN 61340-5-1/61340-5-2 Round blade, high alloy CVM steel, hardened, hard chromed. Dissipative SoftFinish® cushion grip handle, multi-component, ESD Safe (10^6 - 10^9 Ohm).

Item No.	Slotted:	lbs.
30292	*3.0, *4.0, *5.5mm Phillips: 0, 1, 2	.96

*Cabinet Tips



36289 Set 6 Pcs. ESD Safe TORX® Screwdrivers Round blade high alloy CVM steel, hardened, Hard chrome finish with Wiha-Chromtop satin grip tips. Molded on SoftFinish® cushion grip handle, multi-component.

Item No.	TORX®	lbs.
36289	T6, T8, T9, T10, T15, T20	.81

Wiha Drive-Loc VI Handles & Blades

For Adjustable Length Locking Blades

Ergonomic handles in ESD Safe, cushioned & non-slip grip



Adjust interchangeable blades from 40 to 120mm

See Drive-Loc VI Nut drivers on Page 35

Blade length can be adjusted from 1.7 to 4.7" in 1/8" increments
Blades high quality CVM steel, hard chrome finish

Drive-Loc mechanism guarantees a secure hold & rapid blade exchange



28488 Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

Item No.	mm	mm	Inch	mm	Inch	lbs.
28488	6.0	115	4.5	36.0	1.41	.26



28486 ESD Safe Drive-Loc VI Cushion Grip Handle Wiha-SoftFinish® impact resistant, with roll off protection.

Item No.	mm	mm	Inch	mm	Inch	lbs.
28486	6.0	115	4.5	36.0	1.41	.21



281 Slotted Drive-Loc VI Interchangeable

Blade High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9".

Blades fit all Drive-Loc VI handles.

Item No.	mm + mm	lbs.
28106	3.5 4.5	.10
28108	5.5 6.5	.10



281 Slotted & Phillips Drive-Loc VI

Interchangeable Blade High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	mm + Size	lbs.
28107	3.0 0	.10
28109	4.0 1	.10
28110	6.0 2	.10



28112 Phillips Drive-Loc VI Interchangeable

Blade High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Size + Size	lbs.
28112	1 2	.10



28137 Square Drive-Loc VI Interchangeable

Blade High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Size + Size	lbs.
28137	1 2	.10



28114 Pozidriv® Drive-Loc VI

Interchangeable Blade High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Size + Size	lbs.
28114	1 2	.10



281 TORX® Drive-Loc VI Interchangeable

Blade OAL 150mm/5.9"

Item No.	Size + Size	lbs.
28126	T6 T8	.10
28127	T7 T9	.10
28128	T10 T15	.10
28129	T20 T25	.10
28130	T30 T40	.10



281 Security TORX® Drive-Loc VI

Interchangeable Blade OAL 150mm/5.9"

Item No.	Size + Size	lbs.
28132	T6s T8s	.10
28133	T7s T9s	.10
28134	T10s T15s	.10
28135	T20s T25s	.10
28136	T30s T40s	.10



281 Hex Metric Drive-Loc VI Interchangeable

Blade OAL 150mm/5.9"

Item No.	mm + mm	lbs.
28149	2.0 2.5	.09
28150	3.0 4.0	.10
28151	5.0 6.0	.10



281 Hex Inch Drive-Loc VI Interchangeable

Blade OAL 150mm/5.9"

Item No.	Inch + Inch	lbs.
28122	3/32 7/64	.10
28123	1/8 9/64	.10
28124	5/32 3/16	.10



281 Ball End Hex & Hex Metric Drive-Loc VI

Interchangeable Blade Ball end enables the user to work at angles up to 25°. OAL 150mm/5.9". Fits all Drive-Loc VI handles.

Item No.	mm + mm	lbs.
28116	2.5 2.5	.10
28117	3 3	.10
28118	4 4	.10
28119	5 5	.10
28120	6 6	.10

Wiha Drive-Loc VI Blade 5 Pack Sets



28483 5 Pack Drive-Loc VI Interchangeable Blade Set OAL 150mm/5.9"

Item  lbs.

No. 28483 .35

Slotted/Phillips: 3.0+#0, 4.0+#1, 6.0+#2

Square: #1+#2 & Pozidriv®: #1+#2



28474 5 Pack Drive-Loc VI Interchangeable Blade Set OAL 150mm/5.9"

Item  lbs.

No. 28474 .36

Hex Metric: 3.0+4.0, 5.0+6.0mm

Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16"



28476 5 Pack Drive-Loc VI Interchangeable Blade Set OAL 150mm/5.9"

Item  lbs.

No. 28476 .36

Hex Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm



28485 5 Pack Drive-Loc VI Interchangeable Blade Set OAL 150mm/5.9"

Item No. 28485  lbs.

TORX®: .35

T6+T8, T7+T9, T10+T15, T20+T25, T30+T40



28477 5 Pack Drive-Loc VI Interchangeable Blade Set OAL 150mm/5.9"

Item  lbs.

No. 28477 .35

Security TORX®: T6s+T8s, T7s+T9s,

T10s+T15s, T20s+T25s, T30s+T40s

Drive-Loc VI Interchangeable Blade Sets



28187 32pc ESD Safe Drive-Loc VI Interchangeable Blade Set, In Folding

Wallet Set includes Drive-Loc VI handle & 31 interchangeable blades.

Item No. 28187  lbs. 3.66

Slotted: 3.5+4.5, 5.5+6.5mm Square: 1+2

Slotted/Phillips: 3.0+0, 4.0+1, 6.0+2

Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s

Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16

Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0

Nut Drivers In: 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

Nut Drivers MM: 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0mm

Wiha ESD Safe SoftFinish® Cushion Grip



28194 5pc Drive-Loc VI Interchangeable

Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 4 interchangeable blades.

Item No. 28194  lbs.

Slotted: 3.5+4.5, 5.5+6.5 .80

Phillips: 1+2 Square: 1+2

SoftFinish® Cushion Grip Blade Lock Handle



28197 6pc Drive-Loc VI Interchangeable

Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 5 interchangeable blades.

Item  lbs.

No. 28197 .83

Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s

SoftFinish® Cushion Grip Blade Lock Handle



28188 32pc Drive-Loc VI Interchangeable Blade Set, In Folding Wallet Set includes Drive-Loc VI handle & 31 Drive-Loc VI blades.

Item No. 28188  lbs. 3.66

Slotted: 3.5+4.5, 5.5+6.5mm Square: 1+2

Slotted/Phillips: 3.0+0, 4.0+1, 6.0+2

Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s

Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16

Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0

Nut Drivers In: 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

Nut Drivers MM: 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0mm

Wiha SoftFinish® Cushion Grip



28199 10pc Drive-Loc VI Interchangeable

Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 9 interchangeable blades.

Item No. 28199  lbs.

Slot/Ph: 4.0+1, 6.0+2 1.11

TORX®: T6+T8, T7+T9, T10+T15, T20+T25

Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16"

SoftFinish® Cushion Grip Blade Lock Handle



28189 15pc Drive-Loc VI Interchangeable

Blade Set, In Folding Wallet Set includes Drive-Loc VI handle & 14 interchangeable blades.

Item No. 28189  lbs. 1.75

Slotted: 3.5+4.5, 5.5+6.5 Phillips: 1+2

Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s

Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16

Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0mm

SoftFinish® Cushion Grip Blade Lock Handle

Wiha MicroFinish Handle - Non-Slip Grip

Wiha MicroFinish handle has a patented non-slip surface - It won't peel, crack or deteriorate when exposed to petroleum solvents. Oil and moisture flow away from the handle surface for a powerful, non-slip grip. Get maximum force & comfort with dry, oily or wet hands.

Safe, high density material, eliminates risk of sharp objects becoming embedded in the handle

Through hardened blades & hard chrome finish

Exact fit precision ground tips

CVM, hardened & tempered tool steel blade, gives exceptional tool life, wear resistance & high torque performance



Wiha MicroFinish Extra Heavy Duty Non-Slip Grip Handle



533 Heavy Duty Slotted Screwdriver, Wiha-MicroFinish Handle & Steel Striking Cap
Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Hex blade extending through handle with striking plate. Hex bolster for additional torque. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
53310*	4.5	.177	90	3.6	1.0	.039	201	7.9	30	1.18 .20
53315	5.5	.216	100	3.9	1.0	.039	213	8.4	36	1.42 .33
53320	6.5	.255	125	5.0	1.2	.047	238	9.4	36	1.42 .38
53325	8.0	.315	150	5.9	1.2	.047	271	10.7	41	1.61 .61
53330	10.0	.393	175	7.0	1.6	.063	296	11.7	41	1.61 .65

*No hex bolster



534 Heavy Duty Phillips Screwdriver, Wiha-MicroFinish Handle & Steel Striking Cap
Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Hex blade extending through handle with striking plate. Hex bolster for additional torque. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.
53405	1	80	3.1	186	7.3	30	1.18	.22
53410	2	100	3.9	213	8.4	36	1.42	.37
53425	3	150	5.9	268	10.6	41	1.61	.71



53390 5pc Slotted/Phillips, Heavy Duty Set
Blade CVM steel, hardened, hard chromed. Hex blade extending through handle with steel striking cap. Hex bolster for additional torque.

Item No.	Slotted:	lbs.
53390	Phillips: #1, 2	2.1



53398 8pc Slotted/Phillips, Heavy Duty Set
Blade CVM steel, hardened, hard chromed. Hex blade extending through handle with steel striking cap. Hex bolster for additional torque.

Item No.	Slotted: 4.5*, 5.5,	lbs.
53398	6.5, 8.0, 10.0mm	3.7

*No hex bolster

Wiha TORX® MicroFinish Handle Non-Slip Grip



527 TORX® Screwdriver, With Wiha-MicroFinish Handle Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
52713	T10	80	3.1	4.0	.157	191	7.5	30	1.18	.15
52716	T15	80	3.1	4.0	.157	191	7.5	30	1.18	.15
52719	T20	100	3.9	4.0	.157	211	8.3	30	1.18	.15

Wiha MicroFinish Non-Slip Grip Bit Holder



52650 1/4" Bit holding Screwdriver, With Wiha-MicroFinish Handle Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft chrome-vanadium steel, nickel-plated.

Item No.	Size	mm	Inch	mm	Inch	lbs.
52650	1/4	125	5.0	244	9.6	.24

MicroFinish® Screwdriver Foam Tray



52690 25-Piece MicroFinish®

Screwdriver Foam Tray Set

Designed with an ergonomic MicroFinish® grip for maximum power and comfort. Extra heavy duty with hex bolster for more torque and metal cap for striking.

Item	XHD Slotted: 6.5, 8.0mm
No.	XHD Phillips: #1, #2
52690	Bit Holder: 1/4" magnetic
	1/4" Standard Bits include:
	Square: #2
	Torx®: T10, T15, T20, T25, T27, T30
	Hex Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm
	Hex Inch: 3/32, 7/64, 1/8, 9/64, 3/16, 7/32, 1/4"
	Adapter: 1/4" Hex To 1/4" Square

Designed with Machinists and Mechanics in mind, Wiha's MicroFinish® screwdrivers put control in the palms of your hands – regardless of what might be on them.



Wiha 90mm Power Blades & Sets



76099 37pc Power Blade Set, In Folding Wallet

Set includes cushion grip CentroFix Blade Holder & 36 interchangeable blades.

Item No. 76099  lbs. 2.06

Slotted: 2.5, 3.0, 4.5, 5.5, 6.0mm

Phillips: #0, 1, 2, 3

Security TORX®: T8s, T9s, T10s, T15s,

T20s, T25s, T27s, T30s

Security Hex Inch: 1/16", 5/64, 3/32, 7/64,

1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Pozidriv®: #1, 2, 3 & **Square:** #1, 2, 3

4" Nut Setters: 1/4, 5/16, 3/8"

Cushion Grip CentroFix Blade Holder

* 1/16" Standard Inch Hex Only



76093 5pc Slotted Blade Set

Item		Set includes:
No.	lbs.	Slotted: 2.5, 3.0, 4.5,
76093	.16	5.5, 6.0mm x 90mm



76094 4pc Phillips Blade Set

Item		Set includes:
No.	lbs.	Phillips: #0, 1, 2,
76094	.17	3 x 90mm



76095 3pc Square Blade Set

Item		Set includes:
No.	lbs.	Square: #1, 2,
76095	.11	3 x 90mm



76091 3pc Pozidriv® Blade Set

Item		Set includes:
No.	lbs.	Pozidriv®: #1, 2,
76091	.12	3 x 90mm



76090 4pc Security Hex Blade Set

Item		Set includes:
No.	lbs.	Metric: 2.5, 3.0,
76090	.12	4.0, 5.0 x 90mm



76096 10pc Security Hex Blade Set

Item		Set includes:
No.	lbs.	Inch: 1/16", 5/64,
76096	.32	3/32, 7/64, 1/8,
		9/64, 5/32, 3/16,
		7/32, 1/4" x 90mm

* 1/16" Standard Inch Hex Only



76092 9pc Security TORX® Blade Set

Item		Set includes: T8s,
No.	lbs.	T9s, T10s, T15s,
76092	.30	T20s, T25s, T27s,
		T30s, T40s

Wiha Power Blades

CentroFix quick
release bit holder
with magnet

Ergonomic SoftFinish®
cushion grip handle



76000 CentroFix Cushion Grip Blade Holder

Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip handle. Quick release bit holder with magnet.

Item					
No.	mm	mm	Inch	mm	Inch lbs.
76000	6.0	149	5.9	34.6	1.36 .26

Blades high quality CVM
steel, hard chrome finish



760 Slotted Power Blades

OAL 90mm/3.5".

Item		
No.	mm	lbs.
76035	2.5	.02
76036	3.0	.02
76037	4.5	.03
76038	5.5	.03
76039	6.0	.04



760 Phillips Power Blades

OAL 90mm/3.5".

Item		
No.	Size	lbs.
76041	0	.01
76042	1	.02
76043	2	.03
76044	3	.04



760 Square Power Blades

OAL 90mm/3.5".

Item		
No.	Size	lbs.
76056	1	.02
76057	2	.03
76058	3	.04



760 Pozidriv® Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item		
No.	Size	lbs.
76011	1	.03
76012	2	.04
76013	3	.04

90mm Power Blades



760 Hex Inch Power Blades

OAL 90mm/3.5".

Item		
No.	Inch	lbs.
76045	1/16	.01
76005	5/64	.01
76007	3/32	.02
76008	7/64	.02
76014	1/8	.03
76016	9/64	.03
76017	5/32	.04
76018	3/16	.04
76019	7/32	.05
76021	1/4	.06



760 Security TORX® Power Blades

OAL 90mm/3.5".

Item		
No.	Size	lbs.
76008	T8s	.02
76009	T9s	.02
76010	T10s	.02
76015	T15s	.02
76020	T20s	.02
76025	T25s	.03
76027	T27s	.03
76030	T30s	.04
76040	T40s	.04



760 Security Hex Metric Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item		
No.	mm	lbs.
76001	2.5	.02
76002	3.0	.02
76003	4.0	.03
76004	5.0	.04



76079 Canvas Folding Wallet

Holds 38 90mm power blades.

Item		
No.	Size	lbs.
76079	7-1/8" x 6" x 2"	.42



760 Security Hex Inch Power Blades

OAL 90mm/3.5".

Item		
No.	Inch	lbs.
76046	5/64	.01
76047	3/32	.02
76048	7/64	.02
76049	1/8	.03
76050	9/64	.03
76051	5/32	.04
76052	3/16	.04
76053	7/32	.05
76054	1/4	.06



76085 9pc Power Blade Nut Driver Set

30mm deep drilled Nut drivers. Use with #76000 CentroFix Blade Holder. 100mm OAL

Item No.		
76085		lbs. .96
Inch:	3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"	



76086 12pc Power Blade Nut Driver Set

100mm OAL

Item No.		
76086		lbs. 1.22
Metric:	4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0mm	



76084 12pc Power Blade Inch & Metric Nut Driver Set

30mm deep drilled Nut drivers. Use with #76000 CentroFix Blade Holder.

Item No.		
76084		lbs. 2.97
Inch:	3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"	
Metric:	4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0mm	
	Cushion Grip CentroFix Blade Holder	

Wiha Drive-Loc IV Precision Locking Tools

Blade lengths can be adjusted from 18mm (.7") to 90mm (3.5") Max. In 3mm increments



26906 SoftFinish® Cushion Grip

Drive-Loc Handle 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26906	4.0	.1574	23	.91	.08



26961 ESD Safe Dissipative Precision

Drive-Loc Handle Surface resistant 10^6 - 10^9 Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26961	4.0	.1574	23	.91	.08



26930 7pc Drive-Loc IV TORX® Precision

ESD Safe Set In storage pouch

Item No.

26930	ESD Safe Drive-Loc Handle
	TORX®: T3xT4, T5xT6, T6xT8, T7xT9, T10xT15, T15xT20



269 SYSTEM 4 Slotted Drive-Loc IV

Reversible Locking Blades On 4mm Hex

Item			
No.	mm	mm	lbs.
26958	1.5	+	3.0 .02
26959	2.0	+	3.5 .02
26960	2.5	+	4.0 .02



269 SYSTEM 4 Phillips Drive-Loc IV

Reversible Locking Blades On 4mm Hex

Item			
No.	Size	Size	lbs.
26975	000	+	00 .02
26976	0	+	1 .02



269 SYSTEM 4 TORX® Drive-Loc IV

Reversible Locking Blades On 4mm Hex

Item			
No.	Size	Size	lbs.
26977	T1	+	T2 .02
26978	T3	+	T4 .02
26979	T5	+	T6 .02
26980	T6	+	T8 .02
26981	T7	+	T9 .02
26982	T10	+	T15 .02
26983	T15	+	T20 .02



26985 12pc Precision ESD Safe

Drive-Loc IV Set In storage pouch

Item No.

26985	ESD Safe Drive-Loc Handle
	Slotted: 1.5x3.0, 2.0x3.5, 2.5x4.0
lbs. .44	Phillips: 000x00, 0x1
	TORX®: T1xT2, T3xT4, T5xT6, T6xT8, T7xT9, T10xT15



26994 9pc Precision ESD Safe

Drive-Loc IV Interchangeable Blade Set

Item No.


26994	ESD Safe Drive-Loc Handle
	Slotted: 1.5x3.0, 2.0x3.5, 2.5x4.0
lbs. .47	Phillips: 000x00, 0x1
	TORX®: T6xT8, T7xT9, T10xT15



26970 12pc Precision ESD Safe Drive-Loc IV and Tweezers Set

Item No.

26970	ESD Safe Drive-Loc Handle
	Slotted: 2.0x3.5, 2.5x4.0
lbs. .59	Phillips: 000x00, 0x1
	TORX®: T6xT8, T7xT9, T10xT15
	44501 Fine Point - AA SA
	44509 Extra Fine Point - 5 SA
	44505 Flat and Blunt - 2a SA
	44510 Curved Fine Point - 7a SA



28000 ESD Safe Dissipative Precision

Handle with rotating control cap. Surface resistant 10^6 - 10^9 Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades.

Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
28000	4.0	.1574	14.0	.55	.04



280 Metric Ball End Hex & Hex Metric Drive-Loc IV Reversible Locking Blades

On 4mm Hex blades

Item			
No.	mm	mm	lbs.
28003	1.3	+	1.3 .02
28004	1.5	+	1.5 .02
28019	2.0	+	2.0 .02
28006	2.5	+	2.5 .02
28007	3.0	+	3.0 .02
28008	4.0	+	4.0 .02

Rotating cap

for precise turning and control with fingertip

Precision handle

high quality plastic, cadmium free

Molded on

tapered handle

allows rapid rotation

High performance blades

CVM steel, Hard chrome finished

Tip

precision ground for exact fit, hard chromed non-slip surface



260 Slotted Screwdriver, with Precision Handle

Item No.	Blade	mm	Inch	mm	Inch	mm	Inch
26008	1/8"	40	1.6	0.16	120	4.7	
26010	1/8"	40	1.6	0.18	120	4.7	
26012	3/16"	40	1.6	0.20	120	4.7	
26015	1/4"	40	1.6	0.25	120	4.7	
26018	5/16"	40	1.6	0.30	120	4.7	
26020	3/8"	40	1.6	0.40	120	4.7	
26022	3/8"	50	2.0	0.40	145	5.7	
26023	3/8"	100	3.9	0.40	180	7.1	
26025	1/2"	50	2.0	0.40	145	5.7	
26027	1/2"	100	3.9	0.40	195	7.7	
26028	1/2"	150	6.0	0.40	245	9.6	
26030	5/8"	50	2.0	0.50	145	5.7	
26032	5/8"	60	2.4	0.50	170	6.7	
26033	5/8"	100	3.9	0.50	210	8.3	
26034	5/8"	150	5.9	0.50	260	10.2	
26035	3/4"	60	2.4	0.60	170	6.7	
26040	7/8"	60	2.4	0.80	170	6.7	
26041	7/8"	100	3.9	0.80	210	8.3	
26042	7/8"	150	5.9	0.80	260	10.2	

*Metric dimensions actual - Inch dimensions approximate



26098 8pc Precision Slotted Set

Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch.

Item No.	Slotted:	lbs.
26098	1.0, 1.2, 1.5, 2.0 x 40mm 2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54

Wiha Precision Slotted/Phillips Drivers



26090 6 Piece Precision Slotted Set

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	Slotted:	lbs.
26090	1.5, 2.0 x 40mm 2.5, 3.0 x 50mm 3.5, 4.0 x 60mm	.27



261 Phillips Screwdriver, with Precision Handle

Item No.	Size	mm	Inch	mm	Inch	mm	Inch
26102	000	40	1.6	2.0	.08	120	4.7
26100	00	40	1.6	2.0	.08	120	4.7
26104	00	75	3.0	2.0	.08	155	6.1
26105	0	50	2.0	3.0	.12	145	5.7
26108	0	75	3.0	3.0	.12	170	6.7
26109	0	150	5.9	3.0	.12	245	9.6
26110	1	60	2.4	4.0	.16	170	6.7
26112	1	80	3.1	4.0	.16	190	7.5
26114	1	100	3.9	4.0	.16	210	8.2
26115	1	150	5.9	4.0	.16	260	10.2

*Metric dimensions actual - Inch dimensions approximate



26199 8pc Precision Slotted/Phillips Set

Item No.	Slotted:	lbs.
26199	1.0, 2.0 x 40mm, 3.0 x 50mm, 4.0 x 60mm Phillips: 000, 00 x 40mm, 0 x 50mm, 1 x 60mm	.55



26190.MC/26197 7pc Precision Slotted and Phillips Set

Item No.	Slotted:	lbs.
26197	2.0, 2.5 x 50mm, 3.0 x 60mm Phillips: 00 x 40mm 0 x 50mm, 1 x 60mm	.31



26190 8pc Precision Slotted & Phillips Drivers & Industrial Long Nose Pliers Set

Item No.	Slotted:	lbs.
26190	1.5 x 40mm 2.0, 2.5 x 50mm, 3.0 x 60mm Phillips: 00 x 40mm 0 x 50mm, 1 x 60mm Industrial Long Nose Pliers 6.3"/160mm OAL	.72



26092 7pc Precision Slotted & Phillips Set

Item No.	Slotted:	lbs.
26092	2.5 x 50mm, 2.5, 3.0, 4.0 x 100mm 3.0, 4.0 x 150mm Phillips: 0 x 75mm	.30



26192 5pc Precision Slotted & Phillips Set

Item No.	Slotted:	lbs.
26192	2.5, 3.0, 4.0 x 150mm Phillips: 0, 1 x 150mm	.44



26194 4pc Precision Phillips Set

Item No.	Phillips:	lbs.
26194	000, 00 x 40mm 0 x 50mm, 1 x 60mm	.18

Wiha Pozidriv® Precision Series



262 Pozidriv® Screwdriver, With Precision Handle Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch
26205	0	50	2.0	3.0	.12	145	5.7
26210	1	60	2.4	4.0	.16	170	6.7

*Metric dimensions actual - Inch dimensions approximate

Wiha Pentalobe Precision Series

Wiha Pentalobe drivers will fit fasteners used in "Apple" brand products including iPhone, Mac Book & Mac Air

- Exact fit precision machined tips
- High performance CRM72 tool steel
- Hard chromed finish blades & tips
- Tapered ergonomic handle
- Easy spin finger tip control cap



267 Pentalobe Screwdrivers, With Precision Handle Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	lbs.
26633	PL1	40	1.6	120	4.7	.01
26762	PL2	40	1.6	120	4.7	.02
26634	PL3	40	1.6	120	4.7	.02
26635	PL4	40	1.6	120	4.7	.02
26638	PL5	40	1.6	120	4.7	.02
26766	PL6	40	1.6	120	4.7	.02

*Metric dimensions actual - Inch dimensions approximate (PL4 is used for Mac Book Pro)



26794 6 Pc. Precision Pentalobe Screwdriver Set Blade high alloy CVM steel. Hard chrome finished.

Item No.	Pentalobe Drivers:	lbs.
26794	PL1, PL2, PL3, PL4, PL5, PL6	.35

Wiha Hex Inch & Metric Precision Series



263 Inch Inch Hex Driver, With Precision Handle Inch sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item						
No.	Inch	mm	mm	Inch	mm	Inch
26307	0.028	0.7	40	1.6	120	4.7
26309	0.035	0.9	40	1.6	120	4.7
26313	0.05	1.3	40	1.6	120	4.7
26316	1/16	-	50	2.0	145	5.7
26320	5/64	2.0	50	2.0	145	5.7
26323	3/32	-	60	2.4	170	6.7
26326	7/64	-	60	2.4	170	6.7
26335	1/8	-	60	2.4	170	6.7
26333	9/64	60	2.4	170	6.7	
26336	5/32	60	2.4	170	6.7	

*Metric dimensions actual - Inch dimensions approximate



26391 8pc Precision Hex Driver Set - Inch Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex Inch:	lbs.
26391	.028, .035, .050 x 1.6"	.32
	1/16, 5/64 x 2.0"	
	3/32, 7/64, 1/8 x 2.4"	



26399 8pc Precision Hex Driver Set - Inch Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch

Item No.	Hex Inch:	lbs.
26399	.028, .035, .050 x 1.6"	.55
	1/16, 5/64 x 2.0", 3/32, 7/64, 1/8 x 2.4"	



263 Metric Metric Hex Driver, With Precision Handle Metric sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	mm	Inch	mm	Inch	mm	Inch
26307	.7	.028	40	1.6	120	4.7
26309	.9	.035	40	1.6	120	4.7
26313	1.3	.050	40	1.6	120	4.7
26315	1.5	-	50	2.0	145	5.7
26320	2.0	5/64	50	2.0	145	5.7
26325	2.5	-	60	2.4	170	6.7
26334	3.0	-	60	2.4	170	6.7
26340	4.0	-	60	2.4	170	6.7

*Metric dimensions actual - Inch dimensions approximate



26390 7pc Precision Hex Driver Set - Metric Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex Metric:	lbs.
26390	.7, .9, 1.3 x 40mm	.28
	1.5, 2.0 x 50mm	
	2.5, 3.0 x 60mm	

Precision Y-Type Screwdriver

Y-Type


Used in iPhone 7 or higher series



26601 Y-Type Precision Screwdriver, With Soft PicoFinish Precision Handle Blade high alloy CVM steel. Hard chrome finished.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch
26601	000	40	1.6	2.0	.08	140	5.5

Wiha Ball End Precision Series



264 Inch Ball End Hex Inch Screwdriver With Precision Handle Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finish.

Item	No.	Inch	mm	Inch	mm	Inch
26413		.050	40	1.6	120	4.7
26416		1/16	50	2.0	145	5.7
26419		5/64	50	2.0	145	5.7
26423		3/32	50	2.0	145	5.7
26427		7/64	60	2.4	170	6.7
26431		1/8	60	2.4	170	6.7
26436		9/64	60	2.4	170	6.7
26412		5/32	60	2.4	170	6.7

*Metric dimensions actual - Inch dimensions approximate



264 Metric Ball End Hex Metric Screwdriver With Precision Handle Angle entry up to 30°. Blade high alloy CVM steel.

Item	No.	mm	Inch	mm	Inch	mm	Inch
26413		1.3	.050	40	1.6	120	4.7
26415		1.5	-	50	2.0	145	5.7
26420		2.0	-	50	2.0	145	5.7
26425		2.5	-	60	2.4	170	6.7
26430		3.0	-	60	2.4	170	6.7

*Metric dimensions actual - Inch dimensions approximate



26491 5 Piece Ball End Hex Driver Set -

Metric Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum-steel.

Item	No.	Ball End Hex Metric:	lbs.
26491		1.3 x 40mm 1.5, 2.0 x 50mm 2.5, 3.0 x 60mm	.31



26490 8pc Ball End Hex Driver Set - Inch

Angle entry up to 30°.

Blade high alloy CVM steel.

Item	No.	Hex Inch:	lbs.
26490		1/16, 5/64, 3/32 x 2.0, 7/64, 1/8, 9/64, 5/32 x 2.4"	.40



26499 8pc Ball End Hex Driver Set - Inch

Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch

Item	No.	Ball End Hex Inch:	lbs.
26499		.050 x 1.6" 1/16, 5/64, 3/32 x 2.0" 7/64, 1/8, 9/64, 5/32 x 2.4"	.62

Wiha TORX® Precision Series



26792 7pc TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	TORX®:	lbs.
26792		T5, T6, T7, T8 x 40mm T9, T10 x 50mm T15 x 60mm	.33

Wiha TORX® Precision Series



267 TORX® Screwdriver, With Precision

Handle Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	Size	mm	Inch	mm	Inch	lbs.
26701		T1	40	1.6	120	4.7	.01
26702		T2	40	1.6	120	4.7	.02
26703		T3	40	1.6	120	4.7	.02
26704		T4	40	1.6	120	4.7	.02
26617		T5	40	1.6	120	4.7	.02
26706		T6	40	1.6	120	4.7	.02
26707		T7	40	1.6	120	4.7	.02
26619		T8	40	1.6	120	4.7	.03
26709		T9	50	2.0	145	5.7	.03
26710		T10	50	2.0	145	5.7	.03
26715		T15	60	2.4	170	6.7	.05
26621		T20	60	2.4	170	6.7	.05

*Metric dimensions actual - Inch dimensions approximate



26790 6pc TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	TORX®:	lbs.
26790		T6, T7, T8 x 40mm T9, T10 x 50mm T15 x 60mm	.30

26791 Set 8pc TORX® Screwdriver Set

Item No.	T1, T2, T3, T4, T5, T6, T7, T8
----------	-----------------------------------



26799 8pc TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item	No.	TORX®:	lbs.
26799		T3, T4, T5, T6, T7, T8 x 40mm T9 x T10 x 50mm	.50

Wiha Precision Screwdriver Sets



92189 Master Technicians Bench Top Set
Metal frame. Equipped with 50 precision drivers.

Item No.	Slotted: 1.5, 2.0, 2.5, 3.0, 3.5, 4.0
92189	Phillips: #000, #00, #0, #1
	Pentalobe: PL1, PL2, PL3, PL4
lbs.	TORX®: T1, T2, T3, T4, T5, T6,
3.67	T7, T8, T9, T10
	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0
	Inch Hex: .028, .035, .050, 1/16,
	5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers: 1.5, 1.8, 2.0,
	2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
	26810 Chip Lifter



92190 Master Technicians Bench Top Set
Metal frame. Equipped with 50 precision drivers.

Item No.	Slotted: .8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0
92190	Phillips: #000, #00, #0, #1
	TORX®: T1, T2, T3, T4, T5, T6,
lbs.	T7, T8, T9, T10
3.67	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0
	Inch Hex: .028, .035, .050, 1/16,
	5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers: 1.5, 1.8, 2.0,
	2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
	26810 Chip Lifter



92191 51pc Precision Tool Tray Set
Tool box tray. Equipped with 51 precision drivers.



Item No.	Slotted: .8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0
92191	Phillips: #000, #00, #0, #1
	Torx®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
lbs.	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0, 4.0
4.63	Inch Hex: .028, .035, .050, 1/16,
	5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers: 1.5, 1.8, 2.0,
	2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
	26810 Chip Lifter

Wiha Magnetizer/Demagnetizer

Magnetize or Demagnetize tools and small parts instantly

Shatterproof Box is made from high quality plastic

Uses 2 C8 industrial permanent magnets



(+) to Magnetize

(-) to Demagnetize

40010 Magnetizer and Demagnetizer

To magnetize and demagnetize steel screwdriver blades, tweezers and similar tools. Box high quality plastic, shock-resistant, green, cadmium free.

Application:

To magnetize, lead tool slowly through the (+) opening, to demagnetize guide tool slowly through the (-) opening.

Item No.	Dimensions	 lbs.
40010	2.1" x 2.0" x 1.1"	.30

(Parts under 1" Length or 1/8" Diameter may not demagnetize)

Wiha Precision Chip Lifter and Accessories



26810 Precision Chip Lifter

Blade CVM steel, hardened, chrome-plated. Precision handle high quality plastic, impact resistant. Standard handle

Item No.					
	mm	mm	mm	mm	Inch
26810	1	3.5	50	145	5.7

*Metric dimensions actual - Inch dimensions approximate



26000 Plastic Precision Tool Rack

Rack holds 6 precision screwdrivers, can be set on workbench. Also has holes for hanging. Made from high quality plastic.

Item No.	Rack for 6	 lbs.
26000	Precision screwdrivers	.08



91118 Rugged Polyester Canvas Storage Pouch

Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item No.	Size	 lbs.	 pkg.
91118	14 1/2" W x 7 3/4" L	.13	1

Wiha Soft Grip PicoFinish Precision Screwdrivers

The Comfortable Precision Screwdriver

Soft Grip Handle

CVM tool steel blade, hardened, hard chrome finish

Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control

Sets In Roll-Up Pouch



Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control

260 Slotted Precision Screwdriver, With PicoFinish Handle Blade CVM steel, hardened, hard chromed.

Item No.	Slotted: mm	Slotted: Inch	Slotted: mm	Slotted: Inch	Slotted: mm	Slotted: Inch
26050	0.8	.03	40	1.6	134	5.3
26019	1.0	.04	40	1.6	134	5.3
26021	1.2	.05	40	1.6	134	5.3
26024	1.5	.06	40	1.6	134	5.3
26055	1.8	.07	40	1.6	134	5.3
26029	2.0	.08	40	1.6	140	5.5
26031	2.0	.08	60	2.4	160	6.3
26039	2.5	.09	50	2.0	150	5.9
26043	2.5	.09	100	3.9	200	7.9
26070	3.0	.13	50	2.0	150	5.9
26044	3.0	.13	100	3.9	200	7.9
26074	3.5	.14	60	2.4	160	6.3
26076	4.0	.16	60	2.4	160	6.3
26079	4.0	.16	100	3.9	200	7.9

*Metric dimensions actual - Inch dimensions approximate



26094 8pc Slotted Precision Screwdriver Set, With Soft PicoFinish Handle

In storage pouch

Item No.	Slotted:	lbs.
26094	.8, 1.2, 1.5, 2.0 x 40mm 2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54

261 Phillips Precision Screwdriver, With Soft PicoFinish Precision Handle Blade high alloy CVM steel. Hard chrome finished.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch
26134	000	40	1.6	2.0	.08	134	5.3
26132	00	40	1.6	2.0	.08	134	5.3
26135	0	50	2.0	3.0	.12	150	5.9
26136	0	75	3.0	3.0	.12	175	6.9
26140	1	60	2.4	4.0	.16	160	6.3


*Metric dimensions actual - Inch dimensions approximate



26195 5pc Precision Screwdrivers With Precision Soft PicoFinish Handle


Item No.	Slotted:	lbs.
26195	1.5, 2.5, 3.5mm Phillips: #0, #1	.25

* No Pouch - In clamshell



26193 8pc Slotted & Phillips Precision Driver Set, With Soft PicoFinish Handle

Item No.	Slotted:	lbs.
26193	1.0, 1.5, 2.0 x 40mm 2.5 x 50mm, 3.5 x 60mm Phillips: 00 x 40mm 0 x 50mm, 1 x 60mm	.55



26160 8pc Slotted & Phillips Precision Driver Set, With Soft PicoFinish Handle

Item No.	Slotted:	lbs.
26160	1.0, 1.5, 2.0 x 40mm 2.5 x 50mm, 3.5 x 60mm Phillips: 00 x 40mm 0 x 50mm, 1 x 60mm	.55

Pico Soft Grip Pentalobe



267 Pentalobe Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	Size	Inch	mm	Inch	mm
26675	PL1	1.6	40	5.5	140
26676	PL2	1.6	40	5.5	140
26677	PL3	1.6	40	5.5	140
26678	PL4	1.6	40	5.5	140
26679	PL5	1.6	40	5.5	140
26680	PL6	1.6	40	5.5	140

*Metric dimensions actual - Inch dimensions approximate

Pico Soft Grip Y-Type

Y-Type

Used in iphone 7 or higher series



266 Y-Type Precision Screwdriver, With Soft PicoFinish Precision Handle Blade high alloy CVM steel. Hard chrome finished.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch
26631	000	40	1.6	2.0	.08	140	5.5



26162 5pc Precision Screwdrivers With Precision Soft PicoFinish Handle


Item No.	Phillips: #0, #1	lbs.
26162	Pentalobe: PL1 Y-Type: #000 Tweezers: 2a SA ESD Flat Round Tip	.25

Wiha Pico Soft Grip TORX®


267 TORX® Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	Size	mm	Inch	mm	Inch
26622	T1	40	1.6	134	5.3
26623	T2	40	1.6	134	5.3
26628	T3	40	1.6	134	5.3
26736	T4	40	1.6	134	5.3
26737	T5	40	1.6	134	5.3
26739	T6	40	1.6	140	5.5
26741	T7	40	1.6	140	5.5
26743	T8	40	1.6	140	5.5
26632	T9	50	2.0	150	5.9
26747	T10	50	2.0	150	5.9
26749	T15	60	2.4	160	6.3
26751	T20	60	2.4	160	6.3

*Metric dimensions actual - Inch dimensions approximate



26793 8pc TORX® Precision Driver Set, With Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.

Item No.	TORX®:	lbs.
26793	T1, T2, T3, T4, T5, T6, T7, T8	.50

In storage pouch



26796 8pc TORX® Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.

Item No.	TORX®:	lbs.
26796	T5, T6, T7, T8 x 40mm, T9, T10 x 50mm, T15, T20 x 60mm	.57

Pico Soft Grip Hex Inch & Metric


263 Hex Inch Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	Inch	mm	Inch	mm	Inch
26341	.028(0.7)	40	1.6	134	5.3
26343	.035(0.9)	40	1.6	134	5.3
26345	.050(1.3)	40	1.6	134	5.3
26344	5/64(2.0)	50	2.0	150	5.9
26363	1/16	50	2.0	144	5.7
26367	3/32	60	2.4	160	6.3
26370	7/64	60	2.4	160	6.3
26371	1/8	60	2.4	160	6.3

*Metric dimensions actual - Inch dimensions approximate



26392 8pc Hex Inch Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed.

Item No.	Hex Inch:	lbs.
26392	.028, .035, .050 x 1.6"	.24
26392	5/64, 1/16 x 2.0", 3/32, 7/64, 1/8 x 2.4"	



263 Hex Metric Driver, With Precision Soft PicoFinish Handle

Item No.	mm	mm	Inch	mm	Inch
26341	.7(.028)	40	1.6	134	5.3
26343	.9(.035)	40	1.6	134	5.3
26345	1.3(.050)	40	1.6	134	5.3
26347	1.5	50	2.0	144	5.7
26349	2.0(5/64)	50	2.0	150	5.9
26351	2.5	60	2.4	160	6.3
26353	3.0	60	2.4	160	6.3

*Metric dimensions actual - Inch dimensions approximate



26393 7pc Hex Metric Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed.

Item No.	Hex Metric:	lbs.
26393	.71, .89, 1.27 x 40mm, 1.5, 2.0 x 50mm, 2.5, 3.0 x 60mm	.22

PicoFinish Soft Grip Ball End Inch & Metric


264 Ball End Hex Inch Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	Inch	Inch	mm	Inch	mm
26442	1/16	2.0	50	5.9	150
26450	5/64	2.0	50	5.9	150
26459	3/32	2.0	50	5.9	150
26473	7/64	2.4	60	6.3	160
26474	1/8	2.4	60	6.3	160
26465	9/64	2.4	60	6.3	160
26467	5/32	2.4	60	6.3	160

*Metric dimensions actual - Inch dimensions approximate



26493 7pc Inch Ball End Hex Precision Driver Set, With Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.	Ball End Hex Inch:	lbs.
26493	1/16, 5/64, 3/32 x 2.0"	.27
26493	7/64, 1/8, 9/64, 5/32 x 2.4"	



26089 25pc Precision Screwdrivers With Precision Soft PicoFinish Handle

Slotted 1.5mm x 40mm, 2.0mm x 40mm, 2.5mm x 50mm, Slotted 3.0mm x 50mm

Y-Type #000 x 40mm (Y000 for Apple devices)
Phillips #000 x 40mm, #00 x 40mm, #0 x 50mm, #1 x 60mm

Hex 1.3mm (.050") x 40mm, 2.0mm (5/64") x 50mm, 2.5mm x 60mm, 3.0mm x 60mm

TORX® T4 x 40mm, T5 x 40mm, T6 x 40mm, T7 x 40mm, T8 x 40mm, T9 x 50mm, T10 x 50mm, T15 x 60mm

Pentalobe PL1 x 40mm, PL2 x 40mm, PL4 x 40mm, PL5 x 40mm

Precision ESD Safe Dissipative Screwdrivers



272 Slotted Screwdriver, With Precision PicoFinish® ESD Safe Dissipative Handle
Blade high alloy CVM steel.
Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1.

Item No.	mm	Inch	mm	Inch	mm	Inch
27270	.8	1/32	40	1.6	0.16	120 4.7
27271	1.0	.039	40	1.6	0.18	120 4.7
27272	1.2	3/64	40	1.6	0.20	120 4.7
27273	1.5	1/16	40	1.6	0.25	120 4.7
27274	2.0	5/64	40	1.6	0.40	120 4.7
27275	2.0	5/64	100	3.9	0.40	180 7.1
27276	2.5	3/32	50	2.0	0.40	145 5.7
27277	2.5	3/32	100	3.9	0.40	195 7.7
27278	3.0	1/8	50	2.0	0.50	145 5.7
27279	3.0	1/8	100	3.9	0.50	210 8.3
27280	3.5	9/64	60	2.4	0.60	170 6.7
27281	4.0	5/32	60	2.4	0.80	170 6.7

*Metric dimensions actual - Inch dimensions approximate



273 Phillips Screwdriver, With Precision PicoFinish® ESD Safe Dissipative Handle
Blade high alloy CVM steel. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch
27330	000	40	1.6	2.0	.08	120	4.7
27331	00	40	1.6	2.0	.08	120	4.7
27332	0	50	2.0	3.0	.12	145	5.7
27333	0	100	3.9	3.0	.12	195	7.6
27334	1	60	2.3	4.0	.16	170	6.7
27335	1	100	3.9	4.0	.16	210	8.2

*Metric dimensions actual - Inch dimensions approximate

Surface resistance of handles
is $10^6 - 10^9$ Ohms

27922 Precision Chip Lifter - ESD Safe
Blade CVM steel, hardened, corrosion resistant finish. Precision handle high quality plastic, Dissipative material.

Item No.	mm	mm	mm	mm	Inch	lbs.
27922	1	3.5	50	145	5.7	.07



278 TORX® Screwdriver, With Precision PicoFinish® ESD Safe Dissipative Handle
Blade high alloy CVM steel. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1.

Item No.	Size	mm	Inch	mm	Inch	lbs.
27860	T1	40	1.6	120	4.7	.03
27861	T2	40	1.6	120	4.7	.03
27862	T3	40	1.6	120	4.7	.03
27863	T4	40	1.6	120	4.7	.03
27864	T5	40	1.6	120	4.7	.03
27865	T6	40	1.6	120	4.7	.03
27866	T7	40	1.6	120	4.7	.03
27867	T8	40	1.6	120	4.7	.03
27868	T9	50	2.0	145	5.7	.04
27869	T10	50	2.0	145	5.7	.04
27870	T15	60	2.4	170	6.7	.07
27871	T20	60	2.4	170	6.7	.07

*Metric dimensions actual - Inch dimensions approximate



ESD standard IEC 61340-5-1

277 Inch Nut Driver, With Precision PicoFinish® ESD Safe Dissipative Handle
Blade high alloy CVM steel.

Item No.	Inch	mm	Inch	Inch	Inch	Inch
27770	3/32	60	2.4	6.1	.16	.16
27771	7/64	60	2.4	6.1	.20	.20
27772	1/8	60	2.4	6.1	.20	.20
27773	9/64	60	2.4	6.1	.21	.24
27774	5/32	60	2.4	6.1	.22	.24
27775	3/16	60	2.4	6.1	.25	.28
27776	7/32	60	2.4	6.7	.30	.32
27777	1/4	60	2.4	6.7	.34	.36

*Metric dimensions actual - Inch dimensions approximate



275 Inch Hex Inch Driver, With Precision PicoFinish® ESD Safe Dissipative Handle
Blade high alloy CVM steel.
Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1.

Item No.	Inch	mm	Inch	mm	Inch
27550	0.028	40	1.6	120	4.7
27551	0.035	40	1.6	120	4.7
27552	0.05	40	1.6	120	4.7
27557	1/16	50	2.0	145	5.7
27554	5/64	50	2.0	145	5.7
27558	3/32	50	2.0	160	6.3
27559	7/64	60	2.4	170	6.7
27560	1/8	60	2.4	170	6.7

*Metric dimensions actual - Inch dimensions approximate



275 Metric Hex Metric Driver, With Precision PicoFinish® ESD Safe Dissipative Handle

Item No.	mm	mm	Inch	mm	Inch	lbs.
27550	0.7	40	1.6	120	4.7	.02
27551	0.9	40	1.6	120	4.7	.02
27552	1.3	40	1.6	120	4.7	.03
27553	1.5	50	2.0	145	5.7	.03
27554	2.0	50	2.0	145	5.7	.04
27555	2.5	60	2.4	170	6.7	.05
27556	3.0	60	2.4	170	6.7	.05

*Metric dimensions actual - Inch dimensions approximate



ESD standard IEC 61340-5-1

277 Metric Nut Driver, With Precision ESD Safe Dissipative Handle
Blade high alloy CVM steel. Hard chromed finished.

Item No.	mm	mm	Inch	mm	Inch	Inch
27780	1.5	60	2.4	140	2.5	3.0
27781	2.0	60	2.4	140	3.2	4.0
27782	2.5	60	2.4	140	4.0	4.0
27783	3.0	60	2.4	155	5.0	5.0
27784	3.5	60	2.4	155	5.3	6.0
27785	4.0	60	2.4	155	5.5	6.0
27786	4.5	60	2.4	155	6.2	7.0
27787	5.0	60	2.4	155	6.8	7.0
27788	5.5	60	2.4	170	7.6	8.0

*Metric dimensions actual - Inch dimensions approximate



Wiha Precision ESD Static Dissipative Screwdrivers meet the requirements for tools used in static sensitive areas

Rotating cap

For precise turning & control with fingertip

Molded Precision handle

Impact resistant dissipative material

Tapered handle allows rapid rotation

Blade CVM steel, hardened, hard chrome finish

Tip Precision ground for exact fit, Wiha Chromtop finish

ESD Standard IEC 61340-5-1

Surface resistance of handles is $10^6 - 10^9$ Ohms



Surface resistance of handles is $10^6 - 10^9$ Ohms

75804 PicoFinish® Precision Handle - ESD

Safe Precision handle high quality plastic, Dissipative material. Holds 4mm MicroBits.

Item			
No.	mm	Inch	lbs.
75804	100	3.9	.04



27396 8-Piece PicoFinish® Precision Slotted & Phillips Set, ESD Safe Dissipative Handle Blade high alloy CVM steel, hardened, hard chromed. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1.

Item	Slotted:	
No.	1.5, 2.0, 2.5, 3.0mm	lbs.
27396	Phillips: #000, 00, 0, 1	.50



27394 11-Piece Smartphone PicoFinish® & Stanard Precision ESD Safe Set

Blade high alloy CVM steel, hardened, hard chromed. Storage pouch.

Item	ESD Safe Screwdrivers:
No.	Slotted: 1.5mm
27394	Phillips: #000, #00, #0
	TORX® : T3, T4, T5, T6
lbs.	Tweezers: PSF SA ESD Long Flat Tweezers
	Standard Precision Screwdrivers:
	Pentalobe: PL1
	Y-Type: #000



27392 7-Piece PicoFinish® Precision Slotted & Phillips Set with ESD Safe Dissipative Handles Blade high alloy CVM steel, hardened, hard chrome. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item	Slotted:	
No.	1.5, 2.0, 2.5, 3.5mm	lbs.
27392	Phillips: #00, 0, 1	



ESD standard IEC 61340-5-1

27589 7-Piece PicoFinish® Precision Hex Metric Set, ESD Safe Dissipative Handle Blade CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material.

Item	Hex Metric:	
No.	.7, .9, 1.3, 1.5, 2.0, 2.5, 3.0mm	lbs.
27589		.53



27892 7-Piece PicoFinish® Precision TORX® Set, ESD Safe Dissipative Handle Blade high alloy CVM steel, hardened, hard chromed. Handle manufactured from impact resistant, dissipative material.

Item	TORX® :	
No.	T4, T5, T6, T7, T8, T9, T10	lbs.
27892		.31

Precision ESD Safe Dissipative Screwdrivers



ESD standard IEC 61340-5-1

27792 8-Piece PicoFinish® Precision Inch Nut Driver Set, with ESD Safe Dissipative Handles Blade CVM steel, hardened, hard chromed. In storage pouch

Item No.	Inch Nut Drivers:	lbs.
27792	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	.68



ESD standard IEC 61340-5-1

27789 8-Piece PicoFinish® Precision Metric Nut Driver Set with ESD Safe Dissipative Handle Blade CVM steel, hardened, hard chromed.

Item No.	Metric Nut Drivers:	lbs.
27789	1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 5.0, 5.5mm	.63



Surface resistance of handles is $10^6 - 10^9$ Ohms

45892 26-Piece Precision PicoFinish® Screwdrivers, Pliers, Precision Micro Bit Set & ESD Safe Tweezers ESD Protum Pliers glare free, black finish, ESD Safe non-slip soft grips. ESD Safe Precision Slotted & Phillips screwdrivers, CVM tool steel blades. Precision ESD Safe Micro Bit handle holds Micro Bit extension and 4mm Micro bits. Anti-static Tweezer conductive, ESD Safe Hypo allergenic, anti-magnetic stainless.

45892 26 Piece ESD Safe Pliers, Precision Screwdrivers, Micro Bit Set & ESD Tweezer Set in Canvas Pouch

ESD Safe Protum Strippers, Pliers & Cutters
5.25" Diagonal Cutters
4.5" Full Flush Tapered Cutters
4.75" Short Snipe Nose Pliers
5.75" Long Needle Nose Pliers

ESD Safe Slotted & Phillips Precision Drivers
Slotted: 2.0, 2.5, 3.0, 3.5mm & Phillips: 00, 0, 1
ESD Micro Bit Handle, Micro Bit Extension & 14 Micro Bits 4mm

Hex: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0mm

Torx®: T4, T5, T6, T7, T9, T10

ESD Safe Tweezer: 00 SA ESD - 120mm Heavy Duty Strong, Tapered To Strong Point
lbs. 1.74



32794 11-Piece ESD Safe Precision PicoFinish® Screwdrivers, Pliers Set Pliers drop-forged for an ideal material structure. Two component non-slip soft grip handle. Blade CVM steel, hardened, hard chromed.

32794 11 pc. ESD Safe PicoFinish® Screwdrivers, Pliers & Cutters

5.25" Diagonal Cutters
4.5" Full Flush Tapered Cutters
4.75" Short Snipe Nose Pliers
5.75" Long Needle Nose Pliers

PicoFinish Precision® Screwdrivers

Slotted: 2.0, 2.5, 3.0 & 3.5mm

Phillips: #00, 0 & 1

lbs. 1.32



ESD standard IEC 61340-5-1

92093 Master Technicians Bench Top Set Metal frame. Equipped with 50 precision ESD Safe screwdrivers.

Item No.	Slotted: .8, 1.0, 1.2, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
92093	Phillips: #000, #00, #0, #1
	TORX®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10, T15, T20
lbs. 2.25	Metric Hex: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0mm
	Inch Hex: 1/16, 3/32, 7/64, 1/8"
	Metric Nut Drivers: 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm
	Inch Nut Drivers: 1/8, 5/32, 3/16, 1/4"
	3.5mm x 50mm Chip Lifter



Wiha SoftFinish® Bit Holders

Magnetic



 Retainer out of stainless steel

384 1/4" Magnetic Bit Holding Drivers, With Wiha SoftFinish® Handle Ergonomic cushion grip, magnetic, holds bit and screw. Shaft CVM steel, nickel-plated.

Item						
No.	Size	mm	Inch	mm	Inch	lbs.
38450	1/4"	125	5.0	240	9.46	.23
38460	1/4"	300	11.8	400	15.69	.37



For working in confined spaces

28103 Magnetic 1/4" Bit Holder With Wiha SoftFinish® Stubby Handle Stainless steel with strong magnet. Wiha-SoftFinish® handle multi-component, cushion grips.

Item				
No.	Inch	mm	Inch	lbs.
28103	1/4"	57	2.2	.11

Adjustable Blade Length Magnetic Bit Holder



28489 Drive-Loc VI Bit Holder

High alloy CVM steel, through hardened, hard chrome finish. Wiha-SoftFinish® handle multi-component, cushion grips.

Item			
No.	Inch	Extends	lbs.
28489	1/4"	1-3/4" to 4-7/8"	.36

Wiha SoftFinish® Multi-Driver Screwdrivers



77891 11inOne SoftFinish® Multi-Driver Screwdriver premium quality tool steel engineered for strength and durability and feature exact fit precision machined tips for reduce cam-out of fastener heads.

Includes the following:

	Slotted: 3/16", 1/4"	lbs.
	Phillips: #1, #2	.55
	Square: #1, #2	
	TORX®: T20, T25	
	Nut Driver: 1/4", 5/16", 3/8"	



77890 6inOne SoftFinish® Multi-Driver Screwdriver premium quality tool steel engineered for strength and durability and feature exact fit precision machined tips for reduce cam-out of fastener heads.

Includes the following:


	Slotted: 3/16", 1/4"	lbs.
	Phillips: #1, #2	.45
	Nut Driver: 1/4", 5/16"	



77892 Conduit Reamer & 6inOne SoftFinish® Multi-Driver Screwdriver premium quality tool steel engineered for strength & durability. Exact fit precision machined tips for reduce cam-out of fastener heads.


Includes the following:

	Slotted: 3/16", 1/4"	lbs.
	Phillips: #1, #2	.75
	Nut Driver: 1/4", 5/16"	



Wiha SoftFinish® Handle - Ergonomic Cushion Grip

Handle is molded directly onto the blade for a permanent bond



Wiha SoftFinish® Handle: Featuring advanced technology dual material molding. A remarkable improvement in handle design, comfort and performance. The SoftFinish® ergonomic shape allows maximum torque and user comfort.

Wiha Nut Drivers are precision formed to exact tolerances for a perfect fit every time

All blades are made of Wiha's exclusive formula chrome-vanadium-molybdenum tool steel, super hardened plated for unmatched durability



341 Nut Driver, With Wiha-SoftFinish® Handle Inch sizes. Blade CVM steel, hardened. Deep drawn 1" socket. Solid shafts. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	⊙	⊖	⊖	⊖	⊖	⊖	⊖	⊖
No.	Inch	Inch	mm	mm	Inch	Inch	mm	lbs.
34136	3/16	5.0	125	238	9.4	1.18	30	.25
34137	7/32	5.0	125	238	9.4	1.18	30	.26
34138	1/4	5.0	125	246	9.7	1.42	36	.38
34139	5/16	5.0	125	246	9.7	1.42	36	.40
34140	11/32	5.0	125	246	9.7	1.42	36	.40
34141	3/8	5.0	125	246	9.7	1.42	36	.40
34142	7/16	5.0	125	246	9.7	1.61	41	.40
34143	1/2	5.0	125	246	9.7	1.61	41	.40
34144	9/16	5.0	125	246	9.7	1.61	41	.40
34145	5/8	5.0	125	246	9.7	1.61	41	.40



341 Nut Driver, With Wiha-SoftFinish® Handle Metric sizes

Item No.	⊙	⊖	⊖	⊖	⊖	⊖	⊖	⊖
No.	mm	mm	Inch	mm	Inch	mm	Inch	lbs.
34120	5.0	125	5.0	238	9.4	30	1.18	.14
34121	5.5	125	5.0	238	9.4	30	1.18	.14
34122	6.0	125	5.0	238	9.4	30	1.18	.15
34123	7.0	125	5.0	238	9.4	36	1.42	.25
34124	8.0	125	5.0	238	9.4	36	1.42	.25
34126	10.0	125	5.0	238	9.4	36	1.42	.27
34127	11.0	125	5.0	247	9.7	41	1.61	.37
34128	12.0	125	5.0	247	9.7	41	1.61	.40
34129	13.0	125	5.0	247	9.7	41	1.61	.40
34130	14.0	125	5.0	247	9.7	41	1.61	.40
34131	15.0	125	5.0	247	9.7	41	1.61	.40
34132	16.0	125	5.0	249	9.8	41	1.61	.42
34033	17.0	125	5.0	249	9.8	41	1.61	.42

341 Magnetic Nut Driver, With Wiha-SoftFinish® Handle

Item No.	⊙	⊖	⊖	⊖	⊖	⊖
No.	mm	mm	Inch	mm	Inch	lbs.
34152	5.5	125	5.0	238	9.4	.14
34154	5.5	250	9.8	361	14.2	.21



34193 7pc Nut Driver Set Inch sizes.

Blade CVM steel, hardened.

Deep drawn 1" socket.

Item No.	⊙	⊖	⊙	⊖	⊖
No.	Inch	Inch	Inch	Inch	lbs.
34193	3/16	5.0	3/8	5.0	1.89
	1/4	5.0	7/16	5.0	
	5/16	5.0	1/2	5.0	
	11/32	5.0			



34195 10pc Nut Driver Set Inch sizes

Item No.	⊙	⊖	⊙	⊖	⊖
No.	Inch	Inch	Inch	Inch	lbs.
34195	3/16	5.0	3/8	5.0	3.12
	7/32	5.0	7/16	5.0	
	1/4	5.0	1/2	5.0	
	5/16	5.0	9/16	5.0	
	11/32	5.0	5/8	5.0	



34194 7pc Nut Driver Set Metric sizes

Item No.	⊙	⊖	⊙	⊖	⊖
No.	mm	mm	mm	mm	lbs.
34194	5.0	125	8.0	125	1.93
	5.5	125	10.0	125	
	6.0	125	13.0	125	
	7.0	125			

Wiha SoftFinish® Heavy Duty Nut Drivers



Ergonomic cushion grip handle for comfort and control



Flat surfaces give roll-off protection

Hex bolster for additional torque

Handle sized proportionately for an optimal turn-force application

347 Nut Driver, With Hex Bolster & Wiha-SoftFinish® Handle

Blade CVM steel, hardened. Deep drawn 1" socket. Hex bolster for additional torque, Solid shafts. Wiha-SoftFinish® cushion grip handle.

Item									
No.	mm	mm	Inch	mm	mm	Inch	mm	Inch	lbs.
34718	9.0	125	5.0	10.0	238	9.4	36	1.42	.26
34724	11.0	125	5.0	13.0	247	9.7	41	1.61	.37
34730	13.0	125	5.0	13.0	247	9.7	41	1.61	.40



347 Nut Driver, Hex Bolster & Wiha-SoftFinish® Handle Inch sizes

Item									
No.	Inch	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.
34753	3/16	5.0	125	5/16	231	9.1	36	1.42	.18
34765	5/16	5.0	125	3/8	238	9.4	36	1.42	.25
34774	7/16	5.0	125	1/2	246	9.7	41	1.61	.38

Long Flexible Shaft Nut Drivers, SoftFinish® Handle - Ergonomic Cushion Grip



372 Long Flexible Shaft Nut Driver, With Wiha-SoftFinish® Handle Heavy Duty flexible shaft of braided steel with protective sleeve. Hardened mounted socket for optimal torque.

Item									
No.	mm	mm	Inch	mm	Inch	mm	Inch	lbs.	
37235	5.0	150	5.9	261	10.2	30	1.18	.16	
37236	5.5	150	5.9	261	10.2	30	1.18	.16	
37237	6.0	150	5.9	261	10.2	30	1.18	.17	
37238	7.0	150	5.9	261	10.2	36	1.42	.28	
37239	8.0	150	5.9	261	10.2	36	1.42	.28	
37241	10.0	175	6.9	261	10.2	41	1.61	.44	
37244	13.0	175	6.9	261	10.2	41	1.61	.44	



37291 7pc Flexible Shaft Nut Driver Set, Metric Sizes

Item					
No.	mm	mm	mm	mm	lbs.
37291	5.0	150	8.0	150	1.93
	5.5	150	10.0	175	
	6.0	150	13.0	175	
	7.0	150			

Wiha SoftFinish® Triangle Nut Drivers



344 Triangle Nut Driver, With Wiha-SoftFinish® Handle

Blade Chrome-vanadium-molybdenum steel, hardened. Wiha-SoftFinish® cushion grip handle.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	lbs.
34474	M4	6.8	.267	125	5"	236	9.3	30	1.18
34475	M5	8.3	.326	125	5"	236	9.3	30	1.18
34476	M6	10.1	.413	125	5"	236	9.3	30	1.18
34478	M8	12.1	.474	125	5"	243	9.6	36	1.42



Extra large handle diameter to achieve high torque

Flat surfaces give roll-off protection




Improved torque zone, for all working conditions

Wiha T-Handle Nut Drivers



336 Nut Driver, With Wiha T-handle Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item No.								
	mm	mm	Inch	mm	Inch	mm	Inch	lbs.
33603	6.0	125	4.9	157	6.2	100	4.0	.16
33606	8.0	125	4.9	157	6.2	100	4.0	.18
33607	8.0	200	7.9	232	9.1	100	4.0	.22
33605	9.0	125	4.9	157	6.2	100	4.0	.23
33612	10.0	125	4.9	157	6.2	100	4.0	.24
33618	12.0	125	4.9	157	6.2	100	4.0	.26
33622	13.0	125	4.9	157	6.2	100	4.0	.27



336 Nut Driver, With Wiha T-handle Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item No.								
	Inch	Inch	mm	Inch	mm	Inch	mm	lbs.
33653	3/16	6.0	150	7.2	182	4.0	100	.16
33665	5/16	6.0	150	7.2	182	4.0	100	.19
33671	3/8	6.0	150	7.2	182	4.0	100	.20
33674	7/16	6.0	150	7.2	182	4.0	100	.26



Wiha Power Blade Nut Drivers - 100mm



760 Power Blade Inch Nut Drivers High alloy CVM steel, hardened, hard chromed.

Item No.				
	mm	mm	Inch	lbs.
76059	3/16	100	3.9	.12
76060	7/32	100	3.9	.14
76061	1/4	100	3.9	.14
76062	9/32	100	3.9	.14
76063	5/16	100	3.9	.14
76064	11/32	100	3.9	.15
76065	3/8	100	3.9	.15
76066	7/16	100	3.9	.15
76067	1/2	100	3.9	.18




760 Power Blade Metric Nut Drivers High alloy CVM steel, hardened, hard chromed.

Item No.				
	mm	mm	Inch	lbs.
76068	4.0	100	3.9	.12
76069	4.5	100	3.9	.12
76070	5.0	100	3.9	.12
76071	5.5	100	3.9	.14
76072	6.0	100	3.9	.14
76073	7.0	100	3.9	.14
76074	8.0	100	3.9	.14
76075	9.0	100	3.9	.14
76076	10.0	100	3.9	.14
76077	11.0	100	3.9	.15
76078	12.0	100	3.9	.18
76080	13.0	100	3.9	.19

Wiha Drive-Loc VI Nut Drivers



For Adjustable Length Locking Blades



The blade length can be adjusted from 40mm-120mm. (1.7 to 4.7")

Locking mechanism in Wiha SoftFinish® cushion grip ergonomic handle. Blade length can be adjusted from 40mm-120mm. (1.7 to 4.7" In 1/8" increments)



281 Drive-Loc VI Inch Nut Driver Blades

High alloy CVM steel, through hardened, hard chrome finish. OAL blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Inch	OAL	lbs.
28156	3/16	5.9"	.11
28158	1/4	5.9"	.11
28159	9/32	5.9"	.12
28160	5/16	5.9"	.13
28161	11/32	5.9"	.14
28162	3/8	5.9"	.15
28163	7/16	5.9"	.17
28164	1/2	5.9"	.18



28196 8pc Drive-Loc VI Interchangeable Blade Set, In Durable Pouch

Set includes Drive-Loc VI handle & 7 Inch Nut Driver blades.

Item No.	lbs.
28196	1.22
Inch: 3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2"	
SoftFinish® Cushion Grip Blade Lock Handle	



281 Drive-Loc VI Metric Nut Driver Blades

High alloy CVM steel, through hardened, hard chrome finish. OAL blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	mm	OAL	lbs.
28170	5.0	150mm	.11
28171	5.5	150mm	.11
28172	6.0	150mm	.12
28173	7.0	150mm	.13
28174	8.0	150mm	.13
28177	9.0	150mm	.14
28175	10.0	150mm	.15
28176	11.0	150mm	.20



28198 8pc Drive-Loc VI Interchangeable Blade Set, In Durable Pouch

Set includes Drive-Loc VI handle & 7 Metric Nut Driver blades.

Item No.	lbs.
28198	1.00
Metric: 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0mm	
SoftFinish® Cushion Grip Blade Lock Handle	

PicoFinish Soft Grip Nut Drivers



265 Inch Nut Drivers, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	Inch	Inch	Inch	Inch
26571	3/32	2.4	6.3	.71
26572	7/64	2.4	6.3	.71
26573	1/8	2.4	6.3	.71
26574	9/64	2.4	6.3	.71
26575	5/32	2.4	6.3	.71
26576	3/16	2.4	6.3	.71
26577	7/32	2.4	6.3	.71
26578	1/4	2.4	6.3	.71

*Metric dimensions actual - Inch dimensions approximate



265 Metric Nut Drivers, With Precision PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	mm	mm	mm	mm	mm	mm
26579	1.5	60	160	2.5	3.0	18
26581	2.0	60	160	3.2	4.0	18
26580	2.5	60	160	4.0	4.0	18
26583	3.0	60	160	5.0	5.0	18
26584	3.5	60	160	5.3	6.0	18
26585	4.0	60	160	5.5	6.0	18
26586	4.5	60	160	6.2	7.0	18
26587	5.0	60	160	6.8	7.0	18
26588	5.5	60	160	7.6	8.0	18
26589	6.0	60	160	8.2	9.0	18

*Metric dimensions actual - Inch dimensions approximate



26593 8 Piece Inch Nut Driver Set, With Precision Soft PicoFinish Handle

In storage pouch

Item No.	Inch Nut Drivers:	lbs.
26593	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.72



26596 8pc Metric Nut Driver Set, With Precision Soft PicoFinish Handle

In storage pouch

Item No.	Metric Nut Drivers:	lbs.
26596	2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5 x 60mm	.66

Wiha Nut Driver Precision Series



265 Metric Metric Nut Driver With Precision Handle Metric sizes.

Blade Chrome-Vanadium-Molybdenum steel. Hard chrome finished.

Item No.								
	mm	mm	Inch	mm	Inch	mm	mm	lbs.
26510	1.5	60	2.4	140	5.5	2.5	3.0	.03
26515	1.8	60	2.4	140	5.5	2.9	3.5	.03
26520	2.0	60	2.4	140	5.5	3.2	4.0	.04
26525	2.5	60	2.4	155	6.1	4.0	4.0	.04
26530	3.0	60	2.4	155	6.1	5.0	5.0	.05
26535	3.5	60	2.4	155	6.1	5.3	6.0	.05
26540	4.0	60	2.4	155	6.1	5.5	6.0	.05
26545	4.5	60	2.4	155	6.1	6.2	7.0	.05
26550	5.0	60	2.4	155	6.1	6.8	7.0	.05
26555	5.5	60	2.4	170	6.7	7.6	8.0	.06
26560	6.0	60	2.4	170	6.7	8.2	9.0	.06

265 Inch Inch Nut Driver With Precision Handle Inch sizes.

Item No.								
	Inch	mm	Inch	mm	Inch	Inch	Inch	lbs.
26523	3/32	60	2.4	155	6.1	.16	.16	.04
26527	7/64	60	2.4	155	6.1	.20	.20	.05
26531	1/8	60	2.4	155	6.1	.20	.20	.05
26536	9/64	60	2.4	155	6.1	.21	.24	.05
26539	5/32	60	2.4	155	6.1	.22	.24	.05
26547	3/16	60	2.4	155	6.1	.25	.28	.05
26556	7/32	60	2.4	170	6.7	.30	.32	.06
26563	1/4	60	2.4	170	6.7	.34	.36	.06

*Metric dimensions actual - Inch dimensions approximate



26590 8pc Precision Nut Driver Set - Metric

Blade CVM steel. Hard chrome finish.

Item No. Metric Nut Drivers:

26590	2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0mm x 60mm	lbs. .48
-------	---	----------

26592 7pc Nut Driver Set - Metric

Item No. 1.5, 1.8, 2.0, 2.5,

26592 3.0, 3.5, 4.0mm



In canvas storage pouch

26598 8pc Precision Nut Driver Set - Metric

Blade CVM steel. Hard chrome finished.

Item No. Metric Nut Drivers:

No.	2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0mm x 60mm	lbs. .70
-----	---	----------



26591 8pc Precision Nut Driver Set - Inch

Blade CVM steel. Hard chrome finished.

Item No. Inch Nut Drivers:

26591	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	lbs. 47
-------	--	---------



In canvas storage pouch

26599 8pc Precision Nut Driver Set - Inch

Blade CVM steel. Hard chrome finished.

Item No. Inch Nut Drivers:

No.	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	lbs. .72
-----	--	----------

Item No.	Page	Item No.	Page	Item No.	Page
21103	7	26194	20	26520	34
21105	7	26195	24	26523	34
26000	23	26197	20	26525	34
26008	20	26199	20	26527	34
26010	20	26205	21	26530	34
26012	20	26210	21	26531	34
26015	20	26307	21	26535	34
26018	20	26309	21	26536	34
26019	24	26313	21	26539	34
26020	20	26315	21	26540	34
26021	24	26316	21	26545	34
26022	20	26320	21	26547	34
26023	20	26323	21	26550	34
26024	24	26325	21	26555	34
26025	20	26326	21	26556	34
26027	20	26333	21	26560	34
26028	20	26334	21	26563	34
26029	24	26335	21	26571	33
26030	20	26336	21	26572	33
26031	24	26340	21	26573	33
26032	20	26341	25	26574	33
26033	20	26343	25	26575	33
26034	20	26344	25	26576	33
26035	20	26345	25	26577	33
26039	24	26347	25	26578	33
26040	20	26351	25	26579	33
26041	20	26353	25	26580	33
26042	20	26363	25	26581	33
26043	24	26367	25	26583	33
26044	24	26370	25	26584	33
26050	24	26371	25	26585	33
26055	24	26390	21	26586	33
26070	24	26391	21	26587	33
26074	24	26392	25	26588	33
26076	24	26393	25	26589	33
26079	24	26399	21	26590	34
26089	25	26412	22	26591	34
26090	20	26413	22	26592	34
26092	20	26415	22	26593	33
26094	24	26416	22	26596	33
26098	20	26419	22	26598	34
26100	20	26420	22	26599	34
26102	20	26423	22	26601	21
26104	20	26425	22	26617	22
26105	20	26427	22	26619	22
26108	20	26430	22	26621	22
26109	20	26431	22	26622	25
26110	20	26436	22	26623	25
26112	20	26442	25	26628	25
26114	20	26450	25	26631	24
26115	20	26459	25	26632	25
26132	24	26465	25	26633	21
26134	24	26467	25	26634	21
26135	24	26473	25	26635	21
26136	24	26474	25	26638	21
26140	24	26490	22	26675	24
26160	24	26491	22	26676	24
26162	24	26493	25	26677	24
26190	20	26499	22	26678	24
26192	20	26510	34	26679	24
26193	24	26515	34	26680	24

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
26701	22	27334	26	28103	29	28489	29	31192	9	34753	31	36279	10	52719	16	76044	18
26702	22	27335	26	28106	14	30202	6	31193	9	34765	31	36280	10	53010	4	76045	18
26703	22	27392	27	28107	14	30203	6	31305	8	34774	31	36281	10	53015	4	76046	18
26704	22	27394	27	28108	14	30204	6	31310	8	35800	7	36282	10	53020	4	76047	18
26706	19	27396	27	28109	14	30205	6	31315	8	35801	7	36283	10	53025	4	76048	18
26707	22	27550	26	28110	14	30206	6	31320	8	35802	7	36284	10	53027	4	76049	18
26709	22	27550	26	28112	14	30208	6	32794	28	35803	7	36285	10	53035	4	76050	18
26710	22	27551	26	28114	14	30210	6	33603	32	35894	7	36286	10	53040	4	76051	18
26715	22	27551	26	28116	14	30211	6	33605	32	36101	11	36287	10	53075	4	76052	18
26736	25	27552	26	28117	14	30212	6	33606	32	36102	11	36288	10	53090	4	76053	18
26737	25	27552	26	28118	14	30215	6	33607	32	36105	11	36289	13	53096	4	76054	18
26739	25	27553	26	28119	14	30216	6	33612	32	36111	9	36290	9	53097	5	76056	18
26741	25	27554	26	28120	14	30217	6	33618	32	36118	11	36291	10	53099	5	76057	18
26743	25	27554	26	28122	14	30218	6	33622	32	36123	11	36294	10	53110	4	76058	18
26747	25	27555	26	28123	14	30220	6	33653	32	36200	13	36296	11	53115	4	76059	32
26749	25	27556	26	28124	14	30221	6	33665	32	36201	10	36297	11	53120	4	76060	32
26751	25	27557	26	28126	14	30222	6	33671	32	36202	9	36298	10	53180	5	76061	32
26762	21	27558	26	28127	14	30223	6	33674	32	36203	9	36299	11	53310	16	76062	32
26766	21	27559	26	28128	14	30225	6	34033	30	36204	13	36710	12	53315	16	76063	32
26790	22	27560	26	28129	14	30227	6	34120	30	36206	13	36713	12	53320	16	76064	32
26791	22	27589	27	28130	14	30230	6	34121	30	36207	9	36715	12	53325	16	76065	32
26792	22	27770	26	28132	14	30232	6	34122	30	36208	13	36716	12	53330	16	76066	32
26793	25	27771	26	28133	14	30235	6	34123	30	36209	13	36719	12	53390	16	76067	32
26794	21	27772	26	28134	14	30236	6	34124	30	36211	11	36720	12	53398	16	76068	32
26796	25	27773	26	28135	14	30238	6	34126	30	36216	11	36723	12	53405	16	76069	32
26799	22	27774	26	28136	14	30239	9	34127	30	36217	11	36725	12	53410	16	76070	32
26810	23	27775	26	28137	14	30240	13	34128	30	36218	13	36726	12	53425	16	76071	32
26906	19	27776	26	28149	14	30242	13	34129	30	36219	13	36728	12	75804	27	76072	32
26930	19	27777	26	28150	14	30244	13	34130	30	36221	11	36730	12	76000	18	76073	32
26958	19	27780	26	28151	14	30246	13	34131	30	36222	11	36732	12	76001	18	76074	32
26959	19	27781	26	28156	33	30248	13	34132	30	36223	11	36734	12	76002	18	76075	32
26960	19	27782	26	28158	33	30255	9	34136	30	36224	13	36736	12	76003	18	76076	32
26961	19	27783	26	28159	33	30265	9	34137	30	36226	11	36738	12	76004	18	76077	32
26970	19	27784	26	28160	33	30277	6	34138	30	36227	11	36740	12	76005	18	76078	32
26975	19	27785	26	28161	33	30278	6	34139	30	36228	11	36742	12	76007	18	76079	18
26976	19	27786	26	28162	33	30279	6	34140	30	36238	11	36744	12	76008	18	76080	32
26977	19	27787	26	28163	33	30280	7	34141	30	36243	11	36750	12	76009	18	76084	18
26978	19	27788	26	28164	33	30289	7	34142	30	36244	9	36760	12	76010	18	76085	18
26979	19	27789	28	28170	33	30290	7	34143	30	36248	11	36780	12	76011	18	76086	18
26980	19	27792	28	28171	33	30291	7	34144	30	36249	9	36786	12	76012	18	76090	17
26981	19	27860	26	28172	33	30292	13	34145	30	36253	11	36790	12	76013	18	76091	17
26982	19	27861	26	28173	33	30294	6	34152	30	36254	9	36792	12	76014	18	76092	17
26983	19	27862	26	28174	33	30297	6	34154	30	36255	11	36793	12	76015	18	76093	17
26985	19	27863	26	28175	33	30298	6	34193	30	36256	9	36795	12	76016	18	76094	17
26994	19	27864	26	28176	33	30299	8	34194	30	36258	9	36796	12	76017	18	76095	17
27270	26	27865	26	28177	33	31105	6	34195	30	36259	10	37235	31	76018	18	76096	17
27271	26	27866	26	28187	15	31110	6	34336	27	36260	13	37236	31	76019	18	76099	17
27272	26	27867	26	28188	15	31112	6	34338	27	36264	10	37237	31	76020	18	77890	29
27273	26	27868	26	28189	15	31114	6	34339	27	36266	10	37238	31	76021	18	77891	29
27274	26	27869	26	28194	15	31115	6	34340	27	36267	10	37239	31	76025	18	77892	29
27275	26	27870	26	28196	33	31117	6	34341	27	36268	10	37241	31	76027	18	91118	23
27276	26	27871	26	28197	15	31118	6	34342	27	36269	10	37244	31	76030	18	92093	28
27277	26	27892	27	28198	33	31120	6	34343	27	36270	10	37291	31	76035	18	92189	23
27278	26	27922	26	28199	15	31125	6	34390	27	36271	10	38450	29	76036	18	92190	23
27279	26	28000	19	28474	15	31135	9	34474	31	36272	10	38460	29	76037	18	92191	23
27280	26	28003	19	28476	15	31140	9	34475	31	36273	10	40010	23	76038	18		
27281	26	28004	19	28477	15	31150	13	34476	31	36274	10	45892	28	76039	18		
27330	26	28006	19	28483	15	31151	13	34478	31	36275	10	52650	16	76040	18		
27331	26	28007	19	28485	15	31152	13	34718	31	36276	10	52690	17	76041	18		
27332	26	28008	19	28486	14	31190	9	34724	31	36277	10	52713	16	76042	18		
27333	26	28019	19	28488	14	31191	9	34730	31	36278	10	52716	16	76043	18		



No Hassle Guarantee

Wiha branded tools are regarded as the most durable, best designed and highly innovative products around. Our tools are used by demanding professional tradespeople and tool aficionados alike. They are meant to be used and utilized often. However, if you are not happy for any reason return them within 12 months of purchase with proof of purchase and we will **Repair or Replace**.

Rest assured, if for some reason there is a defect in material or workmanship we will replace your tool free of charge for as long as you own the tool.

Failures due to misuse, abuse or normal wear and tear are not covered by this guarantee. We stand by our products with what we believe is the best **No Hassle Guarantee** in the industry.

Exclusions

Wiha Tools has the right to exclude Bits, Tweezers and Ceramic Screwdrivers. These products are either consumable or wear easily.

All torque tools are designed for 5,000 cycles or 1 year (whichever comes first). If a tool becomes out of specification within that period Wiha Tools will **Repair or Replace**. Visit www.wihatools.com to learn more about our Torque Control Service Program.

Legal

Some areas do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This guarantee gives you specific rights, and you may also have other rights, which vary, from state to state, province to province, or country to country.

This **No Hassle Guarantee** is the sole and exclusive guarantee for the Willi Hahn Corporation dba Wiha Tools. No employee, agent, dealer, or other person is authorized to alter this guarantee or make any other guarantees on behalf of Wiha Tools.

Willi Hahn Corporation USA | Attn: No Hassle Guarantee
516 East 7th Street | Monticello, MN 55362



USA

516 East 7th Street
Monticello, MN 55362
(800) 494-6104 | (763) 295-6591
fax: (800) 494-7456 | (763) 295-6598
cservice@wihatools.com
www.wihatools.com

CANADA

(866) 494-0096 | (763) 295-6591
fax: (763) 295-6598
canada@wihatools.com
www.wihatools.com




#99002 Screwdrivers & Nut Drivers
version - 3/1/2025

©2025 Willi Hahn Corporation

®Torx is a registered trademark of
Acutment Intellectual Properties LLC.


Subject to change without notice




99002 Screwdrivers Catalog




99001 TorqueControl Catalog



99919 Insulated Catalog



99951 Bits Catalog



91327 Top Sellers Catalog

Distributed By:



99060 Product Guide